

## Publikace pracovníků a studentů Biologické fakulty JU za období 1999-2004

(Jsou uvedeny pouze články ve vědeckých časopisech s IF, knihy a kapitoly v knihách vydaných zahraničním knižním nakladatelem, včetně editorství knih. Seznam je členěn po jednotlivých kalendářních letech a abecedně. Pracovníci a studenti BF jsou uvedeni tučně.)

### 1999

Armengol J., Garcia J., Comerma M., Romero M., Dolz J., Roura M., Han B., Vidal A., **Šimek K.**, 1999. Longitudinal processes in canyon type reservoirs: the case of Sau (N.E. Spain). In: Theoretical Reservoir Ecology and its Applications. Backhuys Publishers, Leiden, pp. 315-344.

Barbieri A., Veronesi M., Simona M., Malusardi S., **Straškrabová V.**, 1999. Limnological survey in eight high mountain lakes located in Lago Maggiore watershed (Switzerland). Journal of Limnology 58: 179-192.

Basset Y., **Novotný V.**, 1999. Species richness of insect herbivore communities on Ficus in Papua New Guinea. Biological Journal of the Linnean Society 67: 477-499.

**Beneš J.**, Zvelebil M., 1999. Historical interactive landscape in the hearth of Europe: A case of Bohemia. In: Ucko J., Layton R. (Eds.), Archaeology and Anthropology of Landscape. Routledge, London, pp. 73-93.

**Braunfuchsová P., Kopecký J., Ditrich O.**, Koudela B., 1999. Cytokine response to infection with the microsporidian, *Encephalitozoon cuniculi*. Folia Parasitologica 46: 91-95.

Bufe A., Uhlig U., Scholzen T., **Matoušek J.**, Schlaak M., Weber W., 1999. A nonspecific, single-stranded nuclease activity with characteristics of a topoisomerase found in a major grass pollen allergen: Possible biological significance. Biological Chemistry 380: 1009-1016.

Buryová B., **Kučera J.**, 1999. Two interesting bryofloristic records from the Krkonoše Mts – *Racomitrium macounii* subsp. *alpinum* and *Grimmia reflexidens*. Preslia 71: 1-6.

Dědič R., Lovčinský M., Pšenčík J., Vácha M., **Vácha F.**, Hála J., 1999. Low temperature absorption, fluorescence and hole-burning spectroscopy of photosystem II reaction centre complex containing 1 and 2 carotenoides. Journal of Molecular Structure 487: 573-576.

Dědič R., Lovčinský M., **Vácha F.**, Hála J., 1999. Hole burning study of exciton migration and pigment-protein interaction in photosynthetic systems. Journal of Luminescence 83: 357-360.

Dixon A.F.G., **Kindlmann P.**, 1999. Cost of flight apparatus and optimum body size of aphid migrants. Ecology 80: 1678-1690.

Dixon A.F.G., **Kindlmann P.**, 1999. Population dynamics of aphids. In: Dempster J.P., MacLean I.F.G. (Eds.), Insect Populations. Kluwer Academic Publishers, Dordrecht, pp. 207-230.

Dolan R. J., **Šimek K.**, 1999. Diel periodicity in *Synechococcus* and grazing by heterotrophic nanoflagellates: analysis of food vacuole contents. Limnology and Oceanography 44: 1565-1570.

**Doležel D.**, Koudela B., **Jirků M.**, **Hypša V.**, **Oborník M.**, Votýpka J., Modrý D., Šlapeta J.R., **Lukeš J.**, 1999. Phylogenetic analysis of *Sarcocystis* spp. of mammals and reptiles supports the coevolution of *Sarcocystis* spp. with their final hosts. *International Journal for Parasitology* 29: 795-798.

**Dyková I.**, Figueras A., Novoa B., 1999. Epizoic amoebae from the gills of turbot *Scophthalmus maximus*. *Diseases of Aquatic Organisms* 38: 33-38.

**Dyková I.**, Lom J., 1999. *Nosema notabilis* (Microsporidia), its ultrastructure and effect on the myxosporean host *Ortholinea polymorpha*. *Diseases of Aquatic Organisms* 35: 69-76.

**Dyková I.**, Lom J., Schroeder-Diedrich J.M., Booton G.C., Byers T.J., 1999. *Acanthamoeba* strains isolated from organs of freshwater fishes. *Journal of Parasitology* 85: 1106-1113.

**Elster J.**, 1999. Algal versatility in various extreme environments. In: Seckbach J. (Ed.), *Origin - evolution and versatility of microorganisms (Phylogeny, structure, physiology and extreme environments)*. Kluwer Academic Publishers, Dordrecht, pp. 215-227.

**Elster J.**, Lukešová A., Svoboda J., Kopecký J., Kanda H., 1999. Diversity and abundance of soil algae in the polar desert, Sverdrup Pass, central Ellesmere Island. *Polar Record* 35: 231-254.

Figueras F., Mayer W.E., Lom J., **Dyková I.**, Weller M., Pecková H., Klein J., 1999. Fish trypanosomes: their position in kinetoplastid phylogeny and variability as determined from 12S rRNA kinetoplast sequences. *Journal of Eukaryotic Microbiology* 46: 473-481.

Flajšhans M., Linhart O., **Šlechtová V.**, Šlechta V., 1999. Genetic resources of commercially important fish species in the Czech Republic. Present state and future strategy. *Aquaculture* 173: 471-483.

**Fránová-Honetšlegrová J.**, Mráz I., **Nebesářová J.**, **Šíp M.**, 1999. Preferential banding of secondary veins in strawberry is caused by mixed virus infection. *Acta Virologica* 43: 349-355.

Frouz J., **Šantrůčková H.**, **Elhottová D.**, 1999. The effect of bionid larvae feeding on microbial community in litter and reconsumed excrements. *Pedobiologia* 43: 221-230.

**Gális I.**, Šimek P., **Macas J.**, Zahradníčková H., **Vlasák J.**, Wabiko H., Van Dongen W., Van Onckelen H., **Ondřej M.**, 1999. The *Agrobacterium tumefaciens* C58-6b gene confers resistance to N6-benzyladenine without modifying cytokinin metabolism in tobacco seedlings. *Planta* 209: 453-461.

**Hanč Z.**, **Nedvěd O.**, 1999. Chill injury at alternating temperatures in *Orchesella cincta* (Collembola: Entomobryidae) and *Pyrrhocoris apterus* (Heteroptera: Pyrrhocoridae). *European Journal of Entomology* 96: 165-168.

Hanzelová V., **Scholz T.**, 1999. Species of *Proteocephalus* Weinland, 1858 (Cestoda: Proteocephalidae), parasites of coregonid and salmonid fishes from North America: taxonomic reappraisal. *Journal of Parasitology* 85: 94-101.

Hanzelová V., **Scholz T.**, Gerdeaux D., de Chambrier A., 1999. Endoparasitic helminths of fishes in three Alpine lakes in France and Switzerland. *Revue Suisse de Zoologie* 106: 581-590.

Hanzelová V., Šnábel V., Králová I., **Scholz T.**, D'amelio S., 1999. Genetic and morphological variability in cestodes of the genus *Proteocephalus*: geographical variation in *Proteocephalus percae* populations. *Canadian Journal of Zoology* 77: 1450-1458.

Il'inskaya N., Petrova N., **Matěna J.**, 1999. The relationship between the level of inversion polymorphism and the type of water body, the season and the year observation in *Chironomus plumosus* L. (Diptera, Chironomidae). *Russian Journal of Genetics* 35: 908-917.

**Janský L.**, Vybíral S., Lesná I., Zeman V., 1999. Significance of adrenergic thermogenesis for thermoregulation of humans. *Physiological Research* 48: 81.

**Jindrák L.**, **Grubhoffer L.**, 1999. Animal virus receptors. *Folia Microbiologica* 44: 467-486.

Kierdorf H., Kierdorf U., **Sedláček F.**, 1999. Monitoring regional fluoride pollution in the Saxonian Ore Mountains (Germany) using the biomarker dental fluorosis in roe deer (*Capreolus capreolus* L.). *The Science Of The Total Environment* 232: 159-168.

**Kindlmann P.**, 1999. Are orchid life histories really irregular? The case of *Epipactis albensis*. *Oikos* 85: 265-270.

**Kindlmann P.**, **Balounová Z.**, 1999. Energy partitioning in terrestrial orchids - a model for assessing their performance. *Ecological Modelling* 119: 167-176.

**Kindlmann P.**, **Balounová Z.**, 1999. Flowering regimes of terrestrial orchids: chaos or regularity? *Journal of Vegetation Science* 10: 269-273.

**Kindlmann P.**, Dixon A.F.G., 1999. Generation time ratios - determinants of prey abundance in insect predator - prey interactions. *Biological Control* 16: 133-138.

**Kindlmann P.**, Dixon A.F.G., 1999. Strategies of aphidophagous predators: lessons for modeling insect predator-prey dynamics. *Journal of Applied Entomology* 123: 397-399.

**Kindlmann P.**, Dixon A.F.G., **Dostálková I.**, 1999. Does body size optimisation result in skewed body size distribution on a logarithmic scale? *American Naturalist* 153: 445-447.

**Kocábek T.**, **Rakouský S.**, **Ondřej M.**, Relichová J., Řepková J., 1999. Identification and mapping of a T-DNA induced flower mutation in *Arabidopsis thaliana*. *Biologia Plantarum* 42: 349-359.

**Kodrík D.**, Socha R., 1999. A Mediterranean population of *Pyrrhocoris apterus* (Heteroptera: Pyrrhocoridae) exhibits wing morph-related differences in adipokinetic response. *European Journal of Entomology* 96: 327-330.

**Komárek J.**, 1999. Diversity of cyanoprokaryotes (cyanobacteria) of King George Island, maritime Antarctica - a survey. *Archiv für Hydrobiologie/Algological Studies* 94: 181-193.

**Komárek J.**, 1999. Intergeneric characters in unicellular cyanobacteria, living in solitary cells. *Archiv für Hydrobiologie/Algological Studies* 94: 195-205.

**Komárek J.**, 1999. Übersicht der planktischen Blaualgen (Cyanobakterien) im Elbe Flussgebiet. *IKSE/MKOL, Magdeburg*, 53 p.

**Komárek J.**, Anagnostidis K., 1999. Cyanoprokaryota 1. Teil: Chroococcales. In: Ettl H., Gärtner G., Heynig H., Mollenhauer D. (Eds.), *Süßwasserflora von Mitteleuropa* 19/1, Gustav Fischer, Jena-Stuttgart-Lübeck-Ulm, 548 p.

**Komárek J., Kopecký J., Cepák V.**, 1999. Generic characters of the simplest cyanoprokaryotes *Cyanobium*, *Cyanobacterium* and *Synechococcus*. *Cryptogamie/Algologie* 20: 209-222.

Komárek O., **Komárek J.**, 1999. Diversity of freshwater and terrestrial habitats and their oxyphototroph microflora in the Arctowski Station region, South Shetlands Islands. *Polish Polar Research* 20: 259-282.

**Kopáček P.**, Vogt R., **Jindrák L.**, Weise C., **Šafařík I.**, 1999. Purification and characterization of the lysozyme from the gut of the soft tick *Ornithodoros moubata*. *Insect Biochemistry and Molecular Biology* 29: 989-997.

**Kopecký J., Grubhoffer L., Kovář V., Jindrák L., Vokurková D.**, 1999. A putative host cell receptor for tick-borne encephalitis virus identified by anti-idiotypic antibodies and virus affino blotting. *Intervirology* 42: 9-16.

**Kopecký J., Kuthejlová M., Pechová J.**, 1999. Salivary gland extract from *Ixodes ricinus* ticks inhibits production of interferon- $\gamma$  by the upregulation of interleukin-10. *Parasite Immunology* 21: 351-356.

**Kotorová I., Lepš J.**, 1999. Comparative ecology of seedling recruitment in an oligotrophic wet meadow. *Journal of Vegetation Sciences* 10: 175-186.

**Kučera J.**, 1999. *Didymodon australasiae* var. *umbrosus* in the Czech Republic, with a review of recent records from Central Europe. *Journal of Bryology* 21: 71-72.

Lan Q., Hiruma K., Hu X., **Jindra M.**, Riddiford L.M., 1999. Activation of a delayed-early gene, MHR3, by the ecdysone receptor heterodimer EcR-B1/USP-1 but not by EcR-B1/USP-2. *Molecular and Cellular Biology* 19: 4897-4906.

**Lepš J.**, 1999. Nutrient status, disturbance and competition: an experimental test of relationships in a wet meadow. *Journal of Vegetation Sciences* 10: 219-230.

**Lepš J.,** Goldberg D.E., Herben T., Palmer M., 1999. Mechanistic explanations for community structure: Introduction. *Journal of Vegetation Sciences* 10: 147-150.

Lesná I., Vybíral S., **Janský L., Zeman V.**, 1999. Human nonshivering thermogenesis. *Journal of Thermal Biology* 24: 63-69.

Lom J., **Dyková I.,** Tonguthai K., 1999. *Kabataia* gen. n., a new genus proposed for *Microsporidium* spp. infecting trunk muscles of fishes. *Diseases of Aquatic Organisms* 38: 39-46.

Marcogliese D.J., **Scholz T.**, 1999. Recent visitations by eels to Sable Island, Canada, confirmed by parasites. *Journal of Fish Biology* 54: 685-687.

**Marec F.,** Kollárová I., **Pavelka J.**, 1999. Radiation induced inherited sterility combined with a genetic sexing system in *Ephesia kuehniella* (Lepidoptera: Pyralidae). *Annals of the Entomological Society of America* 92: 250-259.

Mathison B.A., **Ditrich O.**, 1999. The fate of *Cryptosporidium parvum* oocysts ingested by dung beetles and their possible role in the dissemination of cryptosporidiosis. *Journal of Parasitology* 85: 678-681.

**Matoušek J.**, Junker V., **Vrba L.**, Schubert J., Patzak J., Steger G., 1999. Molecular characterization and genome organization of 7SL RNA genes from hop (*Humulus lupulus* L.). *Gene* 239: 173-183.

Mendoza-Franco E.F., **Scholz T.**, Vivas-Rodríguez C.M., Vargas-Vázquez J., 1999. Monogeneans of freshwater fishes from cenotes (= sinkholes) of the Yucatan Peninsula, Mexico. *Folia Parasitologica* 46: 267-273.

Moravec F., Hanzelová V., **Scholz T.**, Gerdeaux D., 1999. *Comephoronema oschmarini* (Nematoda: Cystidicolidae), a specific parasite of *Lota lota* (Pisces), occurs in western Europe. *Folia Parasitologica* 46: 159-160.

Mráček Z., Bečvář S., **Kindlmann P.**, 1999. Survey of entomopathogenic nematodes from the families Steinernematidae and Heterorhabditidae (Nematoda: Rhabditida) in the Czech Republic. *Folia Parasitologica* 46: 145-148.

Mráček Z., Bečvář S., **Kindlmann P.**, Webster J.M., 1999. Factors influencing the infectivity of a Canadian isolate of *Steinernema kraussei* (Nematoda: Steinernematidae) at low temperature. *Journal of Invertebrate Pathology* 73: 243-247.

Mráz I., Pánková I., **Petrzik K.**, **Šíp M.**, 1999. *Erwinia* and *Pseudomonas* bacteria can be reliably screened by an improved serological agglutination test. *Journal of Phytopathology* 147: 429-431.

Mráz I., **Petrzik K.**, Chvalová D., **Šíp M.**, **Fránová J.**, 1999. Experiences with testing of Strawberry vein banding virus in strawberries by PCR and dot blot hybridization. *Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz-Journal of Plant Diseases and Protection* 106: 231-236.

**Nedvěd O.**, 1999. Host complexes of predaceous ladybeetles (Col., Coccinellidae). *Journal of Applied Entomology* 123: 73-76.

Nováková L., **Janský L.**, Vybíral S., 1999. Expression of heat shock proteins in lymphocytes of cold exposed man. *Physiological Research* 48: 102.

**Novotný V.**, Basset Y., 1999. Body size and host plant specialization: a relationship from a community of herbivorous insects on *Ficus* from Papua New Guinea. *Journal of Tropical Ecology* 15: 315-328.

**Novotný V.**, Basset Y., Auga J., Boen W., Dal C., Drozd P., Kasbal M., Isua B., Kutil R., Manumbor M., Molem K., 1999. Predation risk for herbivorous insects on tropical vegetation: A search for enemy-free space and time. *Australian Journal of Ecology* 24: 477-483.

**Novotný V.**, Basset Y., Samuelson G., Miller S., 1999. Host use by chrysomelid beetles feeding on Moraceae and Euphorbiaceae in New Guinea. *Advances in Chrysomelidae biology* 1: 343-360.

**Ondřej M.**, **Kocábek T.**, **Rakouský S.**, **Wiesnerová D.**, 1999. Segregation of T-DNA inserts in the offspring of *Arabidopsis thaliana* after *Agrobacterium* transformation. *Biologia Plantarum* 42: 185-195.

**Oriniaková P.**, **Pavingerová D.**, **Matoušek J.**, 1999. Methodical aspects of hop (*Humulus lupulus* L.) genetic transformation. *Plant Production* 45: 219-227.

**Pavingerová D.**, Šedivá J., 1999. The possibility of micropropagation and *Agrobacterium*-mediated transformation of *Kalmia latifolia*. *Biologia Plantarum* 42: 441-444.

- Pérez M.C., Bonilla S., deLeón L., Šmarda J., **Komárek J.**, 1999. A bloom of *Nodularia baltica/spumigena* group (Cyanobacteria) in a shallow coastal lagoon of Uruguay, South America. *Archiv für Hydrobiologie/Algological Studies* 93: 91-101.
- Plantegenest M., **Kindlmann P.**, 1999. Evolutionarily stable strategies of migration in heterogeneous environments. *Evolutionary Ecology* 13: 229-244.
- Posch T., **Šimek K.**, **Vrba J.**, Pernthaler J., Nedoma J., Sattler B., Sonntag B., Psenner R., 1999. Predator-induced changes in bacterial size-structure and productivity studied on an experimental microbial community. *Aquatic Microbial Ecology* 18: 235-246.
- Prach K.**, Joyce C.B., Straškrabová J., 1999. Case study 13 - The Lužnice River Floodplain, Czech Republic. In: Benstead P. et al. (Eds.), *European wet grasslands. Guidelines for management and restoration*. RSPB, Sandy.
- Prach K.**, Pyšek P., 1999. How do species dominating in succession differ from the others? *Journal of Vegetation Sciences* 10: 383-392.
- Prach K.**, Pyšek P., **Šmilauer P.**, 1999. Prediction of vegetation succession in human-disturbed habitats using an expert system. *Restoration Ecology* 7: 15-23.
- Rakouský S.**, Tejklová E., **Wiesner I.**, **Wiesnerová D.**, **Kocábek T.**, **Ondřej M.**, 1999. Hygromycin B - an alternative in flax transformant selection. *Biologia Plantarum* 42: 361-369.
- Reymanová P.**, **Janský L.**, **Kopecký J.**, 1999. Effect of different exogenous pyrogens (LPS, *Borrelia burg.*) on cytokine production in human peripheral blood mononuclear cells. *Physiological Research* 48: 111.
- Rościszewska E., **Soldán T.**, 1999. Morphology of accessory ovaries in adult males of *Perla marginata* (Plecoptera: Perlidae). *European Journal of Entomology* 96: 45-51.
- Rudenko N.**, **Golovchenko M.**, **Grubhoffer L.**, 1999. Lectin-like sequences in genome of *Borrelia burgdorferi*. *Folia Parasitologica* 46: 81-90.
- Rusek J.**, Balík V., Háněl L., Frouz J., 1999. Improved method for comparing abundance data for soil zoological field studies. *European Journal of Soil Biology* 35: 145-152.
- Sahara K., **Marec F.**, Traut, W. 1999. TTAGG telomere repeats in chromosomes of some insects and other arthropods. *Chromosome Research* 7: 449-460.
- Scholz T.**, 1999. Life cycles of species of *Proteocephalus*, parasites of fishes in the Palearctic Region: a review. *Journal of Helminthology* 73: 1-19.
- Scholz T.**, 1999. Parasites in cultured and feral fish. *Veterinary Parasitology* 84: 317-335.
- Scholz T.**, 1999. Redescription of *Phagicola pithecofagicola* Faust, 1920 (Digenea: Heterophyidae), the type species of *Phagicola* Faust, 1920. *Journal of Parasitology* 85: 111-114.
- Scholz T.**, 1999. Taxonomic study of *Ascocotyle (Phagicola) longa* Ransom, 1920 (Digenea: Heterophyidae) and related taxa. *Systematic Parasitology* 43: 147-158.

**Scholz T.**, Aguirre-Macedo L., Salgado-Maldonado G., Vargas-Vázquez J., Vidal-Martínez V., Wolter J., **Kuchta R.**, Körting W., 1999. Redescription of *Pseud-acanthostomum panamense* Caballero, Bravo-Hollis, and Grocott, 1953 (Digenea: Acanthostomidae), a parasite of siluriform fishes of the family Ariidae, with notes on its biology. *Journal of the Helminthological Society of Washington* 66: 146-154.

**Scholz T.**, Hanzelová V., 1999. Species of *Proteocephalus* Weinland, 1858 (Cestoda: Proteocephalidae) from cyprinid fishes in North America. *Journal of Parasitology* 85: 150-154.

**Scholz T.**, Žďárská Z., de Chambrier A., **Drábek R.**, 1999. Scolex morphology of the cestode *Silurotaenia siluri* (Batsch, 1786) (Proteocephalidae: Gangesiinae), a parasite of European wels (*Silurus glanis*). *Parasitology Research* 85: 1-6.

Simona M., Barbieri A., Veronesi M., Malusardi S., **Straškrabová V.**, 1999. Seasonal dynamics of plankton in a mountain lake in the southern Alps (Laghtto Inferiore, Switzerland). *Journal of Limnology* 58: 169-178.

Socha R., **Kodřík D.**, 1999. Differences in adipokinetic response of *Pyrrhocoris apterus* (Heteroptera) in relation to wing dimorphism and diapause. *Physiological Entomology* 24: 278-284.

Socha R., **Kodřík D.**, Zemek R., 1999. Adipokinetic hormone stimulates insect locomotor activity. *Naturwissenschaften* 88: 85-86.

Socha R., **Kodřík D.**, Zemek R., 1999. Stimulation of locomotion in *Pyrrhocoris apterus* (Heteroptera: Pyrrhocoridae) is wing-morph independent and correlated with lipid mobilization by adipokinetic hormone. *European Journal of Entomology* 96: 459-461.

**Soldán T.**, Brunnhofer V., **Mašek P.**, 1999. A capacity method modified for sexing of tsetse puparia: preliminary results and prospects. In: Feldmann U. (Ed.), *Animal Trypanosomosis: Vector and Disease Control Using Nuclear Techniques*. Blackhuys Publishers, Leiden, pp. 129-140.

Soukupová J., Lukavská A., **Lukavský J.**, Nedbal L., 1999. Sensitivity of the algal biotest ISO 10253 to the photosystem 2 herbicides in seawater. *Photosynthetica* 37: 209-216.

**Šafařík I.**, Šafaříková M., 1999. Use of magnetic techniques for the isolation of cells. *Journal of Chromatography B* 722: 33-53.

Šafaříková M., **Šafařík I.**, 1999. Determination of proteolytic activity with magnetic dye-stained gelatine. *Biotechnology Techniques* 13: 621-623.

Šafaříková M., **Šafařík I.**, 1999. Magnetic solid-phase extraction. *Journal of Magnetism and Magnetic Materials* 194: 108-112.

**Šantrůčková H.**, **Šantrůček J.**, **Květoň J.**, Šimková M., **Elhottová D.**, Roháček K., 1999. Carbon balance of a winter wheat-root microbiota system under elevated CO<sub>2</sub>. *Photosynthetica* 36: 341-354.

**Šauman I.**, **Hashimi H.**, 1999. Insect clocks: What are they telling us besides time? *Entomological Science* 2: 589-596.

**Šetlíková E.**, Sofrová D., **Prášil O.**, **Budač P.**, **Koblížek M.**, **Šetlík I.**, 1999. Integrity and activity of photosystem 2 complexes isolated from the thermophilic cyanobacterium *Synechococcus elongatus* using various detergents. *Photosynthetica* 37: 183-200.

**Šimek K.**, Armengol J., Comerma M., Garcia J.C., Chrzanowski T.H., **Kojecká P.**, **Macek M.**, Nedoma J., **Straškrabová V.**, 1999. Impacts of protistan grazing on bacterial dynamics and composition in reservoirs of different trophic. In: Tundisi J.G., **Straškraba M.** (Eds.), Theoretical Reservoir Ecology and its Applications. Brazilian Academy of Sciences and Backhuys Publishers, pp. 267-282.

**Šimek K.**, **Kojecká P.**, Nedoma J., **Hartman P.**, **Vrba J.**, Dolan J. R., 1999. Shifts in bacterial community composition associated with different microzooplankton size fractions in a eutrophic reservoir. *Limnology and Oceanography* 44: 1634-1644.

**Šimek M.**, 1999. The response of denitrifiers in a sandy loam soil affected by a long-term fertilisation to organic carbon and nitrate. *Folia Microbiologica* 44: 85-89.

**Šimek M.**, Hopkins D.W., 1999. Regulation of potential denitrification by soil pH in long-term fertilized arable soil. *Biology and Fertility of Soils* 30: 41-47.

**Šimek M.**, Hopkins D.W., Kalčík J., **Picek T.**, **Šantrůčková H.**, Staňa J., Trávník K., 1999. Biological and chemical properties of arable soils affected by long-term organic and inorganic fertilizer application. *Biology and Fertility of Soils* 29: 300-308.

**Šimek M.**, **Šantrůčková H.**, 1999. Vliv skladování půdních vzorků na mikrobiální biomasu a její aktivitu. *Rostlinná Výroba* 45: 415-419.

**Šimek P.**, **Kodřík D.**, 1999. A novel member of the AKH/RPCH family elucidated by tandem mass spectrometry: adipokinetic hormone that stimulates locomotory activity in the firebug, *Pyrrhocoris apterus* (Heteroptera, Insecta). *Collection Symposium Series* 3: 51-53.

**Špak J.**, Kubelková D., 1999. Identification of raspberry bushy dwarf virus strains occurring in the Czech Republic. *Acta Virologica* 43: 335-336.

**Špakulová M.**, **Scholz T.**, 1999. A chromosome study of the tapeworm *Bathybothrium rectangulum* (Bloch, 1782) (Cestoda: Pseudophyllidea). *Parasitology Research* 85: 270-273.

**Štěpánová-Tresová G.**, **Kopecký J.**, **Kuthejlová M.**, 1999. Identification of *Borrelia burgdorferi* sensu stricto, *Borrelia garinii* and *Borrelia afzelii* in *Ixodes ricinus* ticks from Southern Bohemia using monoclonal antibodies. *Zentralblatt für Bakteriologie* 289: 797-806.

Takeda M., **Šauman I.**, 1999. Milestones of study on insect photoperiodism and the role of the Kuroshio New Year symposium. *Entomological Science* 2: 551-552.

Tawfik A.I., Vedrová A., **Sehnal F.**, 1999. Ecdysteroids dutiny ovaria development and embryogenesi in solitary and gregarious *Schistocerca gregaria*. *Archives of Insect Biochemistry and Physiology* 41: 134-143.

Traut W., Sahara K., Otto T.D., **Marec F.**, 1999. Molecular differentiation of sex chromosomes probed by comparative genomic hybridization. *Chromosoma* 108: 173-180.

Vacek S., **Bastl M.**, **Lepš J.**, 1999. Vegetation changes in forests of the Krkonoše Mts. over a period of air pollution stress (1980-1995). *Plant Ecology* 143: 1-11.



Vybíral S., **Janský L.**, Lesná I., Zeman V., 1999. Thermoregulation in polar swimmers. *Physiological Research* 48: 81.

Yurchenko V., Hobza R., Benada O., **Lukeš J.**, 1999. *Trypanosoma avium*: Large minicircles in the kinetoplast DNA. *Experimental Parasitology* 92: 215-218.

**Zrzavý J.**, **Nedvěd O.**, 1999. Evolution of mimicry in the New World *Dysdercus* (Hemiptera: Pyrrhocoridae). *Journal of Evolutionary Biology* 12: 956-969.

Žďárská Z., **Nebesářová J.**, 1999. Distribution and ultrastructure of two types of scolex gland cells in adult *Proteocephalus macrocephalus*. *Parasite* 6: 49-56.

Žďárská Z., **Nebesářová J.**, 1999. Pseudocoelomocyte ultrastructure of the fish parasite *Capillaria pterophylli* Heinze, 1933. *Acta Parasitologica* 44: 261-265.

Žďárská Z., **Nebesářová J.**, 1999. Regional ultrastructural differences of the scolex and neck tegument of *Proteocephalus macrocephalus*. *Folia Parasitologica* 46: 279-283.

## 2000

Adel M.M., **Sehnal F.**, 2000. Azadirachtin potentiates the action of ecdysteroid agonist RH-2485 in *Spodoptera littoralis*. *Journal of Insect Physiology* 46: 267-274.

Adel M.M., **Sehnal F.**, Jurzysta M., 2000. Effects of alfalfa saponins on the moth *Spodoptera littoralis*. *Journal of Chemical Ecology* 26: 1065-1078.

**Asahina M.**, Ishihara T., **Jindra M.**, Kohara Y., Katsura I., Hirose S., 2000. The conserved nuclear receptor Ftz-F1 is required for embryogenesis, molting and reproduction in *Caenorhabditis elegans*. *Genes Cells* 5: 711-723.

Avliyakov N., **Lukeš J.**, Kajava A.V., Liedberg B., Lundstrom I., Svensson S.P.S., 2000. Suramin blocks nucleotide triphosphate binding to ribosomal protein L3 from *Trypanoplasma borreli*. *European Journal of Biochemistry* 267: 1723-1731.

Basset Y., **Novotný V.**, Miller S.E., Pyke R., 2000. Quantifying biodiversity: Experience with parataxonomists and digital photography in Papua New Guinea and Guyana. *BioScience* 50: 899-908.

**Beneš J.**, 2000. Holz als Rohstoff - Zwei neue Beispiele aus Böhmen. In: Archäologische Arbeitsgemeinschaft Ostbayern / West und Südböhmen, 9. Treffen, Neukirchen b.Hl.Blut, Rahden, pp.183-189.

Beneš J., Kuras T., **Konvička M.**, 2000. Assemblages of mountainous day-active Lepidoptera in the Hrubý Jeseník Mts, Czech Republic. *Biologia* 55: 153-161.

Blom D., De Haan A., Van den Burg J., Van den Berg M., Sloof P., **Jirků M.**, **Lukeš J.**, Benne R., 2000. Mitochondrial minicircles in the free-living bodonid *Bodo saltans* contain two grRNA gene cassettes and are not found in large networks. *RNA* 6: 121-135.

Bo-Ping H., Armengol J., Garcia J., Comerma M., Roura M., Dolz J., **Straškraba M.**, 2000. The thermal structure of Sau Reservoir (NE: Spain): A simulation approach. *Ecological Modelling* 125: 109-122.

Bo-Ping H., Virtanen M., Koponen J., **Straškraba M.**, 2000. Effect of photoinhibition on algal photosynthesis: A dynamic model. *Journal of Plankton Research* 22: 865-885.

**Bříza J., Pavingerová D.**, Niedermeierová H., **Rakoušek S.**, 2000. Germinal excision and reinsertion frequencies of the mobile element *Ds* transposed from two unlinked T-DNA loci in tomato. *Biologia Plantarum* 43: 185-192.

Dědič R., Lovčinský M., **Vácha F.**, Hála J., 2000. Laser inducent hole filling in reaction center of photosystem II. *Journal of Luminescence* 86: 407-413.

Dědič R., Lovčinský M., **Vácha F.**, Hála J., 2000. Low-temperature absorption off-resonant hole-burning spectroscopy of pheophytin a in photosystem II reaction center. *Journal of Luminescence* 87: 809-811.

Dolejš P., **Ditrich O.**, Machula T., Kalousková N., **Půžová G.**, 2000. Occurrence and separation of *Cryptosporidium* oocysts in drinking water treatment. *Water Science Technology* 41: 159-163.

**Doležel D., Jirků M.**, Maslov D.A., **Lukeš J.**, 2000. Phylogeny of the bodonid flagellates (Kinetoplastida) based on small-subunit rRNA gene sequences. *International Journal of Systematic and Evolutionary Microbiology* 50: 1943-1951.

**Dyková I.**, Figueras A., Perić Z., 2000. *Neoparamoeba* Page, 1987: light and electron microscopic observations on six strains of different origin. *Diseases of Aquatic Organisms* 43: 217-223.

**Dyková I.**, Lom J., 2000. Histopathology of *Kabatana arthuri* (Microspora) infection in sutchi catfish, *Pangasius sutchi*. *Folia Parasitologica* 47: 161-166.

**Elhottová D., Tříška J.**, Petersen S., **Šantrůčková H.**, 2000. Analysis of poly-beta-hydroxybutyrate in environmental samples by GC-MS/MS. *Fresenius Journal of Analytical Chemistry* 367: 157-164.

Filippov V., Filippova M., **Sehnal F.**, Gill S.S., 2000. Temporal and spatial expression of the cell-cycle regulator *cul-1* in *Drosophila* and its stimulation by radiation-induced apoptosis. *Journal of Experimental Biology* 203: 2747-2756.

**Fráňová J.**, Karešová R., Navrátil M., Šimková M., Válová P., **Nebesářová J.**, 2000. A carrot proliferation disease associated with rickettsia-like organisms in the Czech republic. *Journal of Phytopathology - Phytopathologische Zeitschrift* 148: 53-55.

**Fráňová J., Voráčková Z.**, Vibio M., Bertaccini A., Navrátil M., **Špak J., Nebesářová J.**, 2000. Identification of phytoplasma infecting winter oilseed rape in the Czech Republic and its comparison with Italian brassica phytoplasmas. *Petria* 1999: 331-347.

**Fric Z.**, Hula V., **Konvička M.**, Pavlíčko A., 2000. A note on the recent distribution of *Aporia crataegi* (Linnaeus, 1758) in the Czech Republic (Lepidoptera, Pieridae). *Atalanta*, 31: 453-454.

**Fric Z., Konvička M.**, 2000. Adult population structure and behaviour of two seasonal generations of the European Map Butterfly, *Araschnia levana*, species with seasonal polyphenism (Nymphalidae). *Nota lepidopterologica* 23: 2-25.

- Frouz J., **Matěna J.**, 2000. Larvae of Tanypodinae (Chironomidae) – regular members of soil fauna? In: Hoffrichter O. (Ed.), Late 20th Century Research on Chironomidae: an Anthology from the 13th International Symposium on Chironomidae. Shaker Verlag, Aachen, pp. 291-293.
- Gartland K.M.A., McHugh A.T., **Vitha S.**, **Beneš K.**, Irvine R.J., Garland J.S., 2000. Analysis of genetically modified plant gene expression using GUS fluorimetry. *Molecular Biotechnology* 14: 235-239.
- Hohausová E.**, 2000. Exchange rate and small-scale movements of fish between a river and its backwater. *Archiv für Hydrobiologie* 147: 485-504.
- Holec M.**, 2000. Spiders (Araneae) of the fishpond eulittoral zone. *Ekológia-Bratislava* 19: 51-54.
- Chval Z.**, **Šíp M.**, 2000. Pentacoordinated transition states of cisplatin hydrolysis. *Journal of Molecular Structure-Theochem* 532: 59-68.
- Ilík P., Kouřil R., Fiala J., Nauš J., **Vácha F.**, 2000. Spectral characterization of chlorophyll fluorescence in barley leaves during linear heating. Analysis of high-temperature fluorescence rise around 60°C. *Journal of Photochemistry and Photobiology B-Biology* 59: 103-114.
- Jankovská V., **Komárek J.**, 2000. Indicative value of *Pediastrum* and other coccal green algae in palaeoecology. *Folia Geobotanica* 35: 59.
- Jürgens K., **Šimek K.**, 2000. Functional response and particle size selection of *Halteria* cf. *grandinella*, a common freshwater oligotrichous ciliate. *Aquatic Microbial Ecology* 22: 57-68.
- Kalushkov P., **Nedvěd O.**, 2000. Cold hardiness of *Pyrrhocoris apterus* (Heteroptera: Pyrrhocoridae) from central and southern Europe. *European Journal of Entomology* 97: 149-153.
- Kierdorf H., Kierdorf U., Richards A., **Sedláček F.**, 2000. Disturbed Enamel Formation in Wild Boars (*Sus scrofa* L.) From Fluoride Polluted Areas in Central Europe. *The Anatomical Record* 259: 12-24.
- Kindlmann P.**, Yasuda H., Sato S., Shinya K., 2000. Key life stages of two predatory ladybird species. *European Journal of Entomology* 97: 495-499.
- Kirschstein O., **Šíp M.**, Kittler L., 2000. Quantitative and sequence-specific analysis of DNA-ligand interaction by means of fluorescent intercalator probes. *Journal of Molecular Recognition* 13: 157-163.
- Kodedová I.**, **Doležel D.**, **Broučková M.**, **Jirků M.**, **Hypša V.**, **Lukeš J.**, **Scholz T.**, 2000. On the phylogenetic positions of the Caryophyllidea, Pseudophyllidea and Proteocephalidea (Eucestoda) inferred from 18S rRNA. *International Journal for Parasitology* 30: 1109-1113.
- Kodrík D.**, Socha R., Šimek P., Zemek R., Goldsworthy G.J., 2000. A new member of the AKH/RPCH family that stimulates locomotory activity in the firebug, *Pyrrhocoris apterus* (Heteroptera). *Insect Biochemistry and Molecular Biology* 30: 489-498.
- Komárek J.**, Azevedo M.T.P., 2000. *Geitlerinema unigranulatum*, a common tropical cyanoprokaryote from freshwater reservoirs in Brazil. *Archiv für Hydrobiologie/ Algological Studies* 99 (Papers of Cyanobacterial Research 1): 39-52.

**Kopáček J., Hejzlar J., Borovec J., Porcal P., Kotorová I., 2000.** Phosphorus inactivation by aluminum in the water column and sediments: Lowering of in-lake phosphorus availability in an acidified watershed-lake ecosystem. *Limnology and Oceanography* 45: 212-225.

**Kopáček J., Hejzlar J., Mosello R., 2000.** Estimation of organic acid anion concentrations and evaluation of charge balance in atmospherically acidified colored waters. *Water Research* 34: 3598-3606.

**Kopáček J., Stuchlík E., Straškrabová V., Pšenáková P., 2000.** Factors governing nutrient status of mountain lakes in the Tatra Mountains. *Freshwater Biology* 43: 369-383.

**Kopáček P., Weise Ch., Saravanan T., Vítová K., Grubhoffer L., 2000.** Characterization of an  $\alpha$ -macroglobulin-like glycoprotein isolated from the plasma of the soft tick *Ornithodoros moubata*. *European Journal of Biochemistry* 267: 465-475.

Koudela B., Šumbera R., Sedláček F., 2000. *Eimeria burdai* sp n. (Apicomplexa : Eimeriidae), a new parasite species from subterranean African silvery mole-rat, *Heliophobius argenteocinereus*. *Folia Parasitologica* 47: 97-99.

**Kovář V., Kopáček P., Grubhoffer L., 2000.** Isolation and characterization of Dorin M, a lectin from plasma of the soft tick *Ornithodoros moubata*. *Insect Biochemistry and Molecular Biology* 30: 195-205.

Křišťůfek V., Diviš J., Dostálková I., Kalčík J., 2000. Accumulation of mineral elements in tuber periderm of potato cultivars differing in susceptibility to common scab. *Potato Research* 43:107-114.

Kritsky D.C., Mendoza-Franco E.F., Scholz T., 2000. Neotropical Monogenoidea. 36. Dactylogyridae from the gills of *Rhamdia guatemalensis* (Siluriformes, Pimelodidae) from cenotes in the Yucatan Peninsula, Mexico, with proposal of *Ameloblastella* gen. n. and *Aphanoblastella* gen. n. (Dactylogyridae: Ancyrocephalinae). *Comparative Parasitology* 67: 76-84.

**Kubečka J., Frouzová J., Čech M., Peterka J., Keetelaars H.A.M., Wagenwoort A.J., Papáček M., 2000.** Hydroacoustic assessment of pelagic stages of freshwater insects. *Aquatic Living Resources* 13: 361-366.

**Kučera J., 2000.** Illustrierter Bestimmungsschlüssel zu den mitteleuropäischen Arten der Gattung *Didymodon*. *Meylania* 19: 2-49.

**Kučera J., Köckinger H., 2000.** The identity of *Grimmia andreaeoides* Limpr. and *Didymodon subandreaeoides* (Kindb.) R.H. Zander. *Journal of Bryology* 22: 49-54.

Kupper H., Šetlík I., Trilek M., Nedbal L., 2000. A microscope for two-dimensional measurements of in vivo chlorophyll fluorescence kinetics using pulsed measuring radiation, continuous actinic radiation, and saturating flashes. *Photosynthetica* 38: 553-570.

Kuras T., Beneš J., Konvička M., 2000. Differing habitat affinities of four *Erebia* species (Lepidoptera: Nymphalidae, Satyrinae) in the Hrubý Jeseník Mts, Czech Republic. *Biologia* 55: 163-169.

Lens P., Hulshoff Pol L., Tichý R., 2000. Sulfur cycle. In: Lederberg J. (Ed.), *Encyclopedia of Microbiology*. Academic Press, San Diego, pp. 495-505.

**Lepš J., Michálek J., Rauch O., Uhlík P., 2000.** Early succession on plots with the upper soil horizon removed. *Journal of Vegetation Science* 11: 259-264.

Lom J., **Dyková I.**, Tonguthai K., 2000. *Kabatana* gen. n., new name for the microsporidian genus *Kabataia* Lom, Dyková et Tonguthai, 1999. *Folia Parasitologica* 47: 78.

Lom J., **Dyková I.**, Wang C.H., Lo C.F., Kou G.H., 2000. Ultrastructural justification for the transfer of *Pleistophora anguillarum* Hoshina, 1959 to the genus *Heterosporis* Schubert, 1969. *Diseases of Aquatic Organisms* 43: 225-231.

**Lukeš J.**, Maslov D.A., 2000. Unexpectedly high variability of histone H4 gene in *Leishmania*. *Parasitology Research* 86: 259-261.

**Lukeš J.**, Votýpka J., 2000. *Trypanosoma avium*: Novel features of the kinetoplast structure. *Experimental Parasitology* 96: 178-181.

Macas J., Požárková D., **Navrátilová A.**, **Nouzová M.**, **Neumann P.**, 2000. Two new families of tandem repeats isolated from genus *Vicia* using genomic self-priming PCR. *Molecular and General Genetics* 263: 741-751.

**Matěna J.**, Frouz J., 2000: Distribution and ecology of Chironomus MEIGEN species in the Czech Republic (Diptera, Chironomidae). In: Hoffrichter O. (Ed.), Late 20th Century Research on Chironomidae: an Anthology from the 13th International Symposium on Chironomidae. Shaker Verlag, Aachen, pp. 543-548.

**Matoušek J.**, Patzak J., 2000. A low transmissibility of hop latent viroid through a generative phase of *Humulus lupulus* L. *Biologia Plantarum* 43: 145-148.

**Matoušek J.**, Ptáček J., Dědič P., Schubert J., 2000. Analysis of variability of P1 gene region of N strain of potato virus Y using temperature-gradient gel electrophoresis and DNA heteroduplex analysis. *Acta Virologica* 44: 40-46.

**Matoušek J.**, Schubert J., Dědič P., Ptáček J., 2000. A broad variability of potato virus S (PVS) revealed by analysis of virus sequences amplified by reverse transcriptase-polymerase chain reaction. *Canadian Journal of Plant Pathology* 22: 29-37.

Mattoni R., Langcore T., **Novotný V.**, 2000. Arthropod monitoring for fine-scale habitat analysis: A case study of the El Segundo sand dunes. *Environmental Management* 25: 445-452.

Mendoza-Franco E., Vidal-Martínez V., Aguirre-Macedo L., Rodríguez-Canul R., **Scholz T.**, 2000. Species of *Sciadicleithrum* (Dactylogyridae: Ancyrocephalinae) of cichlid fishes from southeastern Mexico and Guatemala: new morphological data and host and geographical records. *Comparative Parasitology* 67: 85-91.

Navrátil M., **Fraňová J.**, Válová P., Fialová R., Šimková M., **Nebesářová J.**, 2000. First report on a yellows disease of altyncolicum associated with phytoplasma. *Journal of Plant Diseases and Protection* 4: 380-386.

**Nedvěd O.**, 2000. Chill tolerance in the tropical beetle *Stenotarsus rotundus*. *Cryo-Letters* 21: 25-30.

**Nedvěd O.**, 2000. Snow white and the seven dwarfs: A multivariate approach to classification of cold tolerance. *Cryo-Letters* 21: 339-248.

Nedvídek J., **Janský L.**, 2000. In memoriam Professor Alexej Romanovský (January 13, 1932-July 26, 1999). *Acta Societatis Zoologicae Bohemoslovacae* 64: 217-221.

**Novotný V.**, Basset Y., 2000. Rare species in communities of tropical insect herbivores: pondering the mystery of singletons. *Oikos* 89: 564-572.

**Novotný V.**, Drozd P., 2000. The size distribution of conspecific populations: the people of New Guinea. *Proceedings of the Royal Society of London Series B - Biological Sciences* 267: 947-952.

**Novotný V.**, Missa O., 2000. Local versus regional species richness in tropical insects: one lowland site compared with the island of New Guinea. *Ecological Entomology* 25: 445-451.

Olejníček J., Gelbič I., **Grubhoffer L.**, 2000. Changes of haemagglutination activity in the gut and abdomen of two strains of the *Culex pipiens* complex following glucose liquid sucking. *Biológia-Bratislava* 55: 533-536.

**Pavingerová D.**, 2000. Transgenesis in ornamental plants. *Plant Production* 46: 284-288.

**Pavingerová D.**, **Bříza J.**, Prenerová E., 2000. *In vitro* propagation of *Rhododendron* spp. from flower buds. *Plant Production* 46: 281-283.

**Picek T.**, Lusby F., Čížková H., **Šantrůčková H.**, **Šimek M.**, **Květ J.**, Pechar L., 2000. Microbial activities in soil of a healthy and declining reed stand. *Hydrobiologia* 418: 45-55.

**Picek T.**, **Šimek M.**, **Šantrůčková H.**, 2000. Microbial responses to fluctuation of soil aeration status and redox conditions. *Biology and Fertility of Soils* 31: 315-322.

Pietroock M., **Scholz T.**, 2000. Morphometrics and seasonal occurrence of metacestodes of *Neogryporhynchus cheilancristrotus* (Cyclophyllidea: Dilepididae) in the blue bream (*Abramis ballerus*) from the Oder River (Germany/Poland). *Folia Parasitologica* 47: 181-185.

Rejmánková E., **Komárková J.**, 2000. A function of cyanobacterial mats in phosphorus-limited tropical wetlands. *Hydrobiologia* 431: 135-153.

**Rusek J.**, Marshall V., 2000. Impacts of airborne pollutants on soil fauna. *Annual Review of Ecology and Systematics* 31: 395-423.

Sed'a J., **Devetter M.**, 2000. Zooplankton community structure along a trophic gradient in a canyon-shaped dam reservoir. *Journal of Plankton Research* 22: 1829-1840.

**Scholz T.**, Salgado-Maldonado G., 2000. The introduction and dispersal of *Centrocestus formosanus* (Nishigori, 1924) (Digenea: Heterophyidae) in Mexico: a review. *American Midland Naturalist* 143: 185-200.

**Soldán T.**, **Putz M.**, 2000. The larva of *Rhoenanthus distafurcus* Bae et McCafferty (Ephemeroptera, Potamanthidae) with notes on distribution and biology. *Aquatic Insects* 22: 9-17.

**Straškrabová V.**, **Šimek K.**, Macek M., **Hartman P.**, Fott J., Blažo M., 2000. Pelagic food webs and microbial loop in low-alkalinity mountain lakes. *Verhandlungen Internationale Vereinigung für theoretische und angewandte Limnologie* 27: 513-516.

- Šafařík I., Šafaříková M., 2000.** Biologically active compounds and xenobiotics: magnetic affinity separations. In: Wilson I.D., Adlard T.R., Poole C.F., Cool M. (Eds.), *Encyclopedia of Separation Science*. Academic Press Ltd., London, pp. 2163-2170.
- Šafařík I., Šafaříková M., 2000.** Isolation of cells using magnetic techniques. In: Wilson I.D., Adlard T.R., Poole C.F., Cool M. (Eds.), *Encyclopedia of Separation Science*. Academic Press Ltd., London, pp. 2260-2267.
- Šafaříková M., **Šafařík I., 2000.** One-step partial purification of *Solanum tuberosum* tuber lectin using magnetic chitosan particles. *Biotechnology Letters* 22: 941-945.
- Šantrůčková H., Bird M., Frouz J., Šustr V., Tajovský K., 2000.** Natural abundance of <sup>13</sup>C in leaf litter as related to feeding activity of soil invertebrates and microbial mineralisation. *Soil Biology & Biochemistry* 32: 1793-1797.
- Šantrůčková H., Bird M., Lloyd J., 2000.** Microbial processes and carbon-isotope fractionation in tropical and temperate grassland soils. *Functional Ecology* 14: 108-114.
- Šantrůčková H., Elhottová D., Loiseau P., Soussana F., 2000.** The effect of elevated ambient CO<sub>2</sub> and temperature increase on rhizosphere of perennial ryegrass (*Lolium Perenne* L.). *Rostlinná Výroba* 46: 397-403.
- Šebestian J., 2000.** Searching for a common transport mechanism for cyclosporine A and other pharmacologically important cyclic peptides and silymarines in liver cell plasma membrane. *Chemické Listy* 94: 601-602.
- Šimečková M., **Janský L., Lesná I., Vybíral S., Šrámek P., 2000.** Role of beta adrenoreceptors in metabolic and cardiovascular responses of cold exposed humans. *Journal of Thermal Biology* 25: 437-442.
- Šimek K., Jürgens K., Nedoma J., Comerma M., Armengol J., 2000.** Ecological role and bacterial grazing of Halteria spp.: small freshwater oligotrichs as dominant pelagic ciliate bacterivores. *Aquatic Microbial Ecology* 22: 43-56.
- Šimek M., 2000.** Changes in potential denitrification and respiration during the cold storage of soils. *Folia Microbiologica* 45: 187-190.
- Šimek M., 2000.** Nitrifikace v půdě – terminologie a metodologie (studie). *Rostlinná Výroba* 46: 385-395.
- Šimek M., Cooper J., Pícek T., Šantrůčková H., 2000.** Denitrification in arable soils in relation to their physico-chemical properties and fertilisation practice. *Soil Biology & Biochemistry* 32: 101-110.
- Šimek M., Webster E., 2000.** Persistence of denitrifying enzyme activity in refrigerated and air-dried Cambisols. *Soil Use and Management* 16: 232-233.
- Šmilauer P., Šmilauerová M., 2000.** Effect of AM symbiosis exclusion on grassland community composition. *Folia Geobotanica* 35: 13-25.
- Špak J., Kubelková D., 2000.** Epidemiology of raspberry bushy dwarf virus in the Czech Republic. *Journal of Phytopathology* 148: 371-377.

**Špak J.**, Kubelková D., 2000. Serological variability among European isolates of radish mosaic virus. *Plant Pathology* 49: 295-301.

Šrámek P., Šimečková M., **Janský L.**, 2000. Human physiological responses to immersion into water of different temperatures. *European Journal of Applied Physiology* 81: 436-442.

**Šula J.**, Spitzer K., 2000. Allozyme polymorphism in isolated populations of the moth *Coenophila subrosea* (Lepidoptera: Noctuidae) from three Central European peat bogs. *European Journal of Entomology* 97: 7-12.

Tamborský J., Tamborská M., Štípek S., Jesenská A., **Trantírek L.**, Sklenář V., 2000. Effect of the carbon source on assessment of degrading bacteria with the spread-plating technique during in situ bioremediation. *Folia Microbiologica* 45: 35-40.

Titus J.H., **Lepš J.**, 2000. The response of arbuscular mycorrhizae to fertilization, mowing and removal of dominant in a diverse oligotrophic wet meadow. *American Journal of Botany* 87: 392-401.

**Trantírek L.**, Štefl R., Vorlíčková M., Koča J., Sklenář V., Kypr J., 2000. An A-type double helix of DNA having B-type puckering of the deoxyribose rings. *Journal of Molecular Biology* 297: 907-922.

**Trantírek L.**, Urbášek M., Štefl R., Feigon J., Sklenář V., 2000. A method for direct determination of helical parameters in nucleic acids using residual dipolar couplings. *Journal of the American Chemical Society* 122: 10454-10455.

**Vašková D.**, **Petrzik K.**, Karešová R., 2000. Variability and molecular typing of the woody-tree infecting prunus necrotic ringspot ilarvirus. *Archives of Virology* 145: 699-709.

**Vašková D.**, **Petrzik K.**, **Špak J.**, 2000. Molecular variability of the capsid protein of the prune dwarf virus. *European Journal of Plant Pathology* 106: 573-580.

**Vácha F.**, Vácha M., **Bumba L.**, Hashizume K., Tani T., 2000. Inner structure of intact chloroplasts observed by a low temperature laser scanning microscope. *Photosynthetica* 38: 493-496.

Van der Putten W.H., Mortimer S.R., Hedlund K., Van Dijk C., Brown V.K., **Lepš J.**, Rodriguez-Barrueco C., Roy J., Len T.A.D., Gormsen D., Korthals G.W., Lavorel S., Regina I.S., **Šmilauer P.**, 2000. Plant species diversity as a driver of early succession in abandoned fields: a multi-site approach. *Oecologia* 124: 91-99.

Vybíral S., **Janský L.**, Lesná I., Štich V., Zeman V., 2000. Differences in thermoregulatory responses to cold in cold adapted and obese humans. In: Werner J., Hexamer M. (Eds.), *Environmental Ergonomics IX*. Shaker Verlag, Aachen, pp 169–172.

Vybíral S., Lesná I., **Janský L.**, Zeman V., 2000. Thermoregulation in winter swimmers and physiological significance of human catecholamine thermogenesis. *Experimental Physiology* 85: 321-326.

Yurchenko V., Kolesnikov A.A., **Lukeš J.**, 2000. Phylogenetic analysis of Trypanosomatina Protozoa: Kinetoplastida based on minicircle conserved regions. *Folia Parasitologica* 47: 1-5.

Žďárská Z., **Nebesářová J.**, 2000. Bacillary band ultrastructure of the fish parasite *Capillaria pterophylli*. *Folia Parasitologica* 47: 45-48.



## 2001

Aguirre-Macedo M.L., **Scholz T.**, González-Solís D., Vidal-Martínez V.M., Posel P., Arjona-Torres G., Dumailo S., Siu-Estrada E., 2001. Some adult endohelminths parasitizing freshwater fishes from the Atlantic drainages of Nicaragua. *Comparative Parasitology* 68: 190-195.

Aguirre-Macedo M.L., **Scholz T.**, González-Solís D., Vidal-Martínez V.M., Posel P., Arjona-Torres G., Siu-Estrada E., Dumailo S., 2001. Larval helminths parasitizing freshwater fishes from the Atlantic coast of Nicaragua. *Comparative Parasitology* 68: 42-51.

**Bastlová-Hanzélyová D.**, 2001. Comparative study of native and invasive populations of *Lythrum salicaria*: population characteristics, site and community relationships. In: Brundu G., Brock J., Camarda I., Child L., Wade M. (Eds.), *Plant Invasions: Species Ecology and Ecosystem Management*. Backhuys Publishers, Leiden, pp. 33-40.

**Berec L., Boukal D., Berec M.**, 2001. Linking the allee effect, sexual reproduction, and temperature-dependent sex determination via spatial dynamics. *American Naturalist* 157: 217-230.

Bird M.I., **Šantrůčková H.**, Lloyd J., Veenendaal E.M., 2001. The global soil organic carbon pool. In: Schulze E-D., Heimann M., Harrison S., Holland E., Lloyd J., Prentice I.C., Schimel D. (Eds.), *Global Biogeochemical Cycles in the Climate System*. Academic Press, San Diego, 350 p.

Bo-Ping H., **Straškraba M.**, 2001. Control mechanisms of diel vertical migration: Theoretical assumptions. *Journal of Theoretical Biology* 210: 305-318.

Bo-Ping H., **Straškraba M.**, 2001. Size dependence of biomass spectra and abundance spectra: the optimal distributions. *Ecological Modelling* 145: 175-187.

**Borovec J., Hejzlar J.**, 2001. Phosphorus fractions and phosphorus sorption characteristics of freshwater sediments and their relationship to sediment composition. *Archiv für Hydrobiologie* 151: 687-703.

**Borovská M., Janský L.**, Slováček K., Jandová D., Machálek Z., Vybíral S., 2001. Adaptability of CIVD: Yes or not? *Physiological Research* 59: 3.

**Braunfuchsová P., Salát J., Kopecký J.**, 2001. CD8<sup>+</sup> T lymphocytes protect SCID mice against *Encephalitozoon cuniculi* infection. *International Journal for Parasitology* 31: 681-686.

Bruňanská M., **Nebesářová J., Scholz T.**, Fagerholm H.P., 2001. Spermiogenesis in the pseudophyllid cestode *Eubothrium crassum* (Bloch, 1779). *Parasitology Research* 87: 579-588.

Caneda-Guzman I.C., de Chambrier A., **Scholz T.**, 2001. *Thaumasioscolex didelphidis* n. gen., n. sp. (Eucestoda: Proteocephalidae) from the black-eared opossum *Didelphis marsupialis* from Mexico, the first proteocephalidean tapeworm from a mammal. *Journal of Parasitology* 87: 639-646.

Comerma M., García J., Armengol J., Romero M., **Šimek K.**, 2001. Planktonic food web structure along the Sau Reservoir (Spain) in summer 1997. *International Review of Hydrobiology* 86: 195-209.

Čeřovská N., Moravec T., Filigarová M., **Petrzik K.**, 2001. Nucleotide sequences of 5'-terminal parts of coat protein genes of various isolates of NTN strain of potato virus Y. *Acta Virologica* 45: 55-59.

Čížková H., Pechar L., Husák Š., **Květ J.**, Bauer V., Radová J., **Edwards K.**, 2001. Chemical characteristics of soils and pore waters of three wetland sites dominated by *Phragmites australis*: relation to vegetation composition and reed performance. *Aquatic Botany* 69: 235-249.

Duncan A., **Kubečka J.**, Kett S., Hanna N., Skeldon J., 2001. Habitats of 0+ fry in an English lowland river. *Archiv für Hydrobiologie Supplement* 135: 153-171.

Duras J., **Hejzlar J.**, 2001. The effect of outflow depth on phosphorus retention in a small hypertrophic temperate reservoir with short hydraulic residence time. *International Review of Hydrobiology* 86: 585-601.

**Durchan M.**, **Vácha F.**, Krieger-Liszkay A., 2001. Effects of severe CO<sub>2</sub> starvation on the photosynthetic electron transport chain in tobacco plants. *Photosynthesis Research* 68: 203-213.

Dusbábek F., Šimek P., **Bouman E.A.P.**, Zahradníčková H., Zemek R., 2001. The composition and effect of several semiochemicals in *Ixodes ricinus* (L.) (Acari: Ixodidae). In: Buczek A., Blaszkak C. (Eds.), *Stawonogi pasożyty i nosiciele*. Wydawnictwo KGM, Lublin, pp. 33-43.

**Dyková I.**, **Kyselová I.**, Pecková H., **Oborník M.**, **Lukeš J.**, 2001. Identity of *Naegleria* strains isolated from organs of freshwater fishes. *Diseases of Aquatic Organisms* 46: 115-121.

**Elster J.**, Seckbach J., Vincent W., **Lhotský O.** (Eds.) 2001. Proceedings of International conference - Algae and Extreme Environments - Ecology and Physiology. Nova Hedvigia, Beiheft 123. 665 p.

**Elster J.**, Svoboda J., Kanda H. 2001. Controlled environment platform used in temperature manipulation study of a stream periphyton in the Ny-Alesund, Svalbard. In: **Elster J.**, Seckbach J., Vincent W., **Lhotský O.** (Eds.), Proceedings of International conference - Algae and Extreme Environments - Ecology and Physiology. Nova Hedvigia, Beiheft 123: 63-75.

Evans C.D., Cullen J.M., **Kopáček J.**, Marchetto A., Moldan, F., Prechtel A., Rogora M., Veselý J., Wright R., 2001. Recovery from acidification in European surface waters. *Hydrology and Earth System Sciences* 5: 283-297.

**Francírková T.**, 2001. Contribution to the invasive ecology of *Rudbeckia laciniata*. In: Brundu G., Brock J., Camarda I., Child L., Wade M. (Eds.), *Plant Invasions: Species Ecology and Ecosystem Management*. Backhuys Publishers, Leiden, pp. 89-98.

**Frantová D.**, 2001. Capillariid nematodes (Nematoda: Capillariidae) parasitic in the common cormorant (*Phalacrocorax carbo*), with redescription of *Baruscapillaria carbonis* (Dubinin et Dubinina, 1940). *Folia Parasitologica* 48: 225-230.

**Fránová J.**, Krešová R., Šimková M., **Nebesářová J.**, Navrátil M., 2001. The occurrence of rhabdovirus in *Daphne mezereum* in the Czech Republic. *Journal of Phytopathology* 149: 293-296.

Frouz J., Keplin B., Pižl V., Tajovský K., Starý J., Lukešová A., Nováková A., Balík V., Háněl L., **Matěna J.**, Düker C.H., Chalupský J., **Rusek J.**, Heinkele T., 2001. Soil biota and upper soil layer development in two contrasting post-mining chronosequences. *Ecological Engineering* 17: 275-284.

Frouz J., **Kindlmann P.**, 2001. The role of source - sink interaction in the population dynamics of insects living in unstable habitats: an example of terrestrial chironomids. *Oikos* 93: 50-58.

Gelbič I., **Němec V.**, 2001. Developmental changes caused by metyrapone and azadirachtin in *Spodoptera littoralis* (Boisd.) (Lep., Noctuidae) and *Galleria mellonella* (L.) (Lep., Pyralidae). *Journal of Applied Entomology* 125: 417-422.

Gough L., Goldberg D.E., Hershock C., Pauliukonis N., **Petrů M.**, 2001. Investigating the community consequences of competition among clonal plants. *Evolutionary Ecology* 15: 547-563.

**Gruberová H., Bendová K., Prach K.**, 2001. Seed ecology of alien *Bidens frondosa* in comparison with native species of the genus. In: Brundu G., Brock J., Camarda I., Child L., Wade M. (Eds.), *Plant Invasions: Species Ecology and Ecosystem Management*. Backhuys Publishers, Leiden, pp. 99-104.

Hansen I., **Sehnal F.**, Meyer S., Scheller K., 2001. Corazonin gene expression in the waxmoth *Galleria mellonella*. *Insect Molecular Biology* 10: 341-346.

Healy C.J., **Scholz T.**, Caira J.N., 2001. *Erudituncus* n. g. (Tetraphyllidea: Onchobothriidae) with a redescription of *E. musteli* (Yamaguti, 1952) n. comb. and comments on its hook homologies. *Journal of Parasitology* 87: 833-837.

**Janský L.**, 2001. Human adaptability to cold. *Physiological Research* 50: 9.

Jelinková E., **Straškrabová V.**, 2001. Long-term ecological research in the Czech Republic - Case study with a 3-year project. *Ekológia-Bratislava* 20: 50-56.

Kalushkov P., Hodková M., **Nedvěd O.**, Hodek I., 2001. Effect of thermoperiod on diapause intensity in *Pyrrhocoris apterus* (Heteroptera Pyrrhocoridae). *Journal of Insect Physiology* 47: 55-61.

**Kaštovský J., Komárek J.**, 2001. Phototrophic microvegetation of thermal springs in Karlovy Vary, Czech Republic. In: **Elster J., Seckbach J., Vincent W., Lhotský O.** (Eds.), *Algae and Extreme Environments - Ecology and Physiology*. Nova Hedvigia, Beiheft 123: 107-119.

**Kindlmann P., Balounová Z.**, 2001. Irregular flowering patterns in terrestrial orchids: theories vs. empirical data. *Web Ecology* 2: 75-82.

**Kindlmann P.**, Dixon A.F.G., 2001. When and why top-down regulation fails in arthropod predator-prey systems. *Basic and Applied Ecology* 2: 333-340.

**Kindlmann P.**, Dixon A.F.G., **Dostálková I.**, 2001. Role of ageing and temperature in shaping reaction norms and fecundity functions in insects. *Journal of Evolutionary Biology* 14: 835-840.

**Kodrík D.**, Nirmala X., 2001. Insect silk contains protease inhibitors. *Physiological Research* 50: 12.

**Komárek J.**, 2001. Review of the cyanoprokaryotic genus *Romeria*. *Czech Phycology* : 5-19.

**Komárek J.**, Azevedo S.M.F.O., Domingos P., **Komárková J.**, Tichý M., 2001. Background of the Caruaru tragedy; a case taxonomic study of toxic cyanobacteria. *Archive für Hydrobiologie/ Algological Studies (Papers of Cyanobacterial Research 2)* 103: 9-29.

**Komárek J., Cronberg G., 2001.** Some chroococcalean and oscillatorialean Cyanoprokaryotes from southern African lakes, ponds and pools. *Nova Hedwigia* 73: 129-160.

Komárek O., **Komárek J., 2001.** Contribution to the taxonomy and ecology of green cryosestic algae in the summer season 1995-96 at King George Island, S. Shetland Islands. *Nova Hedwigia*, Beiheft 123: 121-140.

**Kopáček J., Borovec J., Hejzlar J., Porcal P., 2001.** Spectrophotometric determination of iron, aluminum, and phosphorus in soil and sediment extracts after their nitric and perchloric acid digestion. *Communications in Soil Science and Plant Analysis* 32: 1431-1443.

**Kopáček J., Ulrich K.U., Hejzlar J., Borovec J., Stuchlík E., 2001.** Natural inactivation of phosphorus by aluminium in atmospherically acidified water bodies. *Water Research* 35: 3783-3790.

**Kopáček J., Veselý J., Stuchlík E., 2001.** Sulphur and nitrogen fluxes and budgets in the Bohemian Forest and Tatra Mountains during the Industrial Revolution (1850-2000). *Hydrology and Earth System Sciences* 5: 391-405.

Korthals G.W., **Šmilauer P., Van Dijk C., Van der Putten W.H., 2001.** Linking above- and below-ground biodiversity: abundance and trophic complexity in soil as a response to experimental plant communities on abandoned arable land. *Functional Ecology* 15: 506-514.

Kovář L., **Kopecký J., Říhová B., 2001.** Salivary gland extract from *Ixodes ricinus* tick polarizes the cytokine profile toward Th2 and suppresses proliferation of T lymphocytes in human PBMC culture. *Journal of Parasitology* 87: 1342-1348.

Kráľová I., Hanzelová V., **Scholz T., Gerdeaux D., Špakulová M., 2001.** A comparison of the internal transcribed spacer of the ribosomal DNA in *Eubothrium crassum* and *E. salvelini* (Cestoda: Pseudophyllidea), parasites of salmonid fish. *International Journal for Parasitology* 31: 93-96.

**Kubečková K., Elster J., Kanda H., 2001.** Periphyton ecology of glacial and snow-fed streams, Ny-Ålesund, Svalbard: the influence of direct physical disturbances – erosive discharge and presence of mineral particles in water. In: **Elster J., Seckbach J., Vincent W., Lhotský O. (Eds.),** Proceedings of International conference – Algae and Extreme Environments – Ecology and Physiology. *Nova Hedwigia*, Beiheft, pp. 141-172.

Kuras T., **Konvička M., Beneš J., 2001.** Different frequencies of partial albinism in populations of alpine butterflies of different size and connectivity (Erebia: Nymphalidae, Satyrinae). *Biologia* 56: 503-512.

**Kutá Smatanová I., Šáchová M., Vácha F., 2001.** Crystalization experiments on the plant photosystem II reaction center. *Materials Structure* 8: 23-24.

**Kuthejlová M., Kopecký J., Štěpánová G., Macela A., 2001.** Tick salivary gland extract inhibits killing of *Borrelia afzelii* spirochetes by mouse macrophages. *Infection and Immunity* 69: 575-578.

**Květoň J., 2001.** Activities of ribulose-1,5-bisphosphate carboxylase/oxygenase and phosphoenolpyruvate carboxylase, and oxygen evolution in transgenic tobacco plants. *Biologia Plantarum* 44: 447-450.

**Kvíděrová J., Lukavský J., 2001.** A new unit for crossed gradients of temperature and light. In: **Elster J. et al. (Eds.),** Algae and Extreme Environments. Proceedings of International conference - Algae and

Extreme Environments - Ecology and Physiology. Nova Hedvigia, Beiheft 123: 539-548.

**Lepš J.**, 2001. Species-pool hypothesis: Limits to its testing. Folia Geobotanica 36: 45-52.

**Lepš J.**, Brown V.K., Len T.A.D., Gormsen D., Hedlund K., **Kailová J.**, Korthals G.W., Mortimer S.R., Rodriguez-Barrueco C., Roy J., Regina I.S., van Dijk C., van der Putten W.H., 2001. Separating the chance effect from other diversity effects in the functioning of plant communities. Oikos 92: 123-134.

**Lepš J.**, **Novotný V.**, Basset Y., 2001. Habitat and successional status of plants in relation to the communities of their leaf-chewing herbivores in Papua New Guinea. Journal of Ecology 89: 186-199.

Lom J., Nilsen F., **Dyková I.**, 2001. *Thelohania contejeani* Henneguy, 1892: dimorphic life cycle and taxonomic affinities, as indicated by ultrastructural and molecular study. Parasitology Research 87: 860-872.

**Lukavský J.**, Simmer J., 2001. Microprocedure for the standard marine algal bioassay (ISO 10253). Algological Studies 101: 137-147.

**Lukeš J.**, Hines J.C., Evans C.J., Avliyakov N.K., Prabhu V.P., Chen J., Ray D.S., 2001. Disruption of the *Crithidia fasciculata* KAP1 gene results in extensive structural rearrangement of the kinetoplast disc. Molecular and Biochemical Parasitology 117: 179-186.

Macek M., **Šimek K.**, Bittl T., 2001. Conspicuous peak of oligotrichous ciliates following winter stratification in a bog lake. Journal of Plankton Research 23: 353-363.

**Macháček J.**, 2001. Daphnia galeata life history response to heterogeneous food conditions and dissolved chemicals in the Rimov Reservoir. Hydrobiologia 442: 215-222.

**Marec F.**, Kollárová I., Jegorov A., 2001. Mutagenicity of natural anthraquinones from Rubia tinctorum L. in the Drosophila wing spot test. Planta Medica 67: 127-131.

**Marec F.**, **Tothová A.**, Sahara K., Traut W., 2001. Meiotic pairing of sex chromosome fragments and its relation to atypical transmission of a sex-linked marker in Ephestia kuehniella (Insecta, Lepidoptera). Heredity 87: 659-671.

**Matoušek J.**, Patzak J., Orctová L., Schubert J., **Vrba L.**, Steger G., Riesner D., 2001. The variability of hop latent viroid as induced upon heat treatment. Virology 287: 349-358.

Mattoni R., Longcore T., Zonneveld C., **Novotný V.**, 2001. Analysis of transect counts to monitor population size in endangered insects: the case of the El Segundo blue butterfly, *Euphilotes bernardino allyni*. Journal of Insect Conservation 5: 197-206.

**Maxová A.**, **Kodřík D.**, Zemek R., Socha R., 2001. Diel changes in adipokinetic response and walking activity of *Pyrrhocoris apterus* (Heteroptera) in relation to physiological status and wing dimorphism. European Journal of Entomology 98: 433-438.

Meyering-Vos M., Wu X., Huang J., **Jindra M.**, Hoffmann K.H., **Sehnal F.**, 2001. The allatostatin gene of the cricket *Gryllus bimaculatus* Ensifera, Gryllidae. Molecular and Cellular Endocrinology 184: 103-114.

**Mihulka S.**, 2001. Related alien species in their native and invaded ranges: A comparative study of the genus *Oenothera* in Arkansas (USA) and in the Czech Republic. In: Brundu G., Brock J., Camarda I., Child L., Wade M. (Eds.), *Plant Invasions: Species Ecology and Ecosystem Management*. Backhuys Publishers, Leiden, pp. 133-144.

**Mihulka S.**, Pyšek P., 2001. Invasion history of *Oenothera* congeners in Europe: a comparative study of spreading rates in the last 200 years. *Journal of Biogeography* 28: 597-610.

Modrý D., Šlapeta J.R., **Jirků M.**, **Oborník M.**, **Lukeš J.**, Koudela B., 2001. Phylogenetic position of a renal coccidium of the European green frogs, '*Isospora lieberkuehni* Labbé, 1894 (Apicomplexa: Sarcocystidae) and its taxonomic implications. *International Journal of Systematic and Evolutionary Microbiology* 51: 767-772.

**Nedvěd O.**, Ceryngier P., Hodková M., Hodek I., 2001. Flight potential and oxygen uptake during early dormancy in *Coccinella septempunctata*. *Entomologia Experimentalis et Applicata* 99: 371-380.

Nirmala X., **Hypša V.**, **Žurovec M.**, 2001. Molecular phylogeny of Calyptratae (Diptera: Brachycera): the evolution of 18S and 16S ribosomal rDNAs in higher dipterans and their use in phylogenetic inference. *Insect Molecular Biology* 10: 475-485.

Nirmala X., **Kodřík D.**, **Žurovec M.**, **Sehnal F.**, 2001. Insect silk contains both a Kunitz-type and a unique Kazal-type proteinase inhibitor. *European Journal of Biochemistry* 268: 2064-2073.

Nirmala X., Mita K., Vanisree V., **Žurovec M.**, **Sehnal F.**, 2001. Identification of four small molecular mass proteins in the silk of *Bombyx mori*. *Insect Molecular Biology* 10: 437-445.

**Nouzová M.**, **Neumann P.**, **Navrátilová A.**, Galbraith D.W., Macas J., 2001. Microarray-based survey of repetitive genomic sequences in *Vicia* spp. *Plant Molecular Biology* 45: 229-244.

**Novotný V.**, Drozd P., 2001. Sampling error can cause false rejection of the core-satellite species hypothesis. *Oecologia* 126: 360-362.

**Oborník M.**, **Jirků M.**, **Doležel D.**, 2001. Phylogeny of mitosporic entomopathogenic fungi: is the genus *Paecilomyces* polyphyletic? *Canadian Journal of Microbiology* 47: 813-819.

**Ondřej M.**, 2001. Transgenesis of *Arabidopsis thaliana* for understanding gene functions and interactions. *Biológia* 56: 1-5.

Patzak J., **Matoušek J.**, Krofta K., **Svoboda P.**, 2001. Hop latent viroid (HLVd)-caused pathogenesis: effects of HLVd infection on lupulin composition of meristem culture-derived *Humulus lupulus*. *Biologia Plantarum* 44: 579-585.

**Pavingerová D.**, **Bříza J.**, Niedermeierová H., 2001. Timing of transposition of *Ac* mobile element in potato. *Biologia Plantarum* 44: 347-353.

Pernthaler J., Posch T., **Šimek K.**, **Vrba J.**, Pernthaler A., Glöckner F., Nübel U., Psenner R., Amann R., 2001. Predator-specific enrichment of actinobacteria from a cosmopolitan freshwater clade in mixed continuous culture. *Applied and Environmental Microbiology* 67: 2145-2155.

**Petrzik K.**, Mráz I., Kubelková D., 2001. Preparation of recombinant coat protein of *Prunus* necrotic ringspot virus. *Acta Virologica* 45: 61-63.

**Pichlová R.**, Vijverberg J., 2001. A laboratory study of functional response of *Leptodora kindtii* to some cladoceran species and copepod nauplii. *Archiv für Hydrobiologie* 150: 529-544.

Plantegenest M., Pierre J.S., Dedryver C.A., **Kindlmann P.**, 2001. Relative impact of different natural enemy species on population dynamics of the grain aphid, *Sitobion avenae* (Homoptera: Aphididae) in the field: model vs. empirical data. *Ecological Entomology* 26: 404-410.

Posch T., **Jezbera J.**, **Vrba J.**, **Šimek K.**, Pernthaler J., Andreatta S., Sonntag B., 2001. Size selective feeding in *Cyclidium glaucoma* (Ciliophora, Scuticociliatida) and its effects on bacterial community structure: a study from a continuous cultivation system. *Microbial Ecology* 42: 217-227.

**Prach K.**, Bartha S., Joyce C.B., Pyšek P., Van Diggelen R., Wiegleb G., 2001. The role of spontaneous vegetation succession in ecosystem restoration: A perspective. *Applied Vegetation Science* 4: 111-114.

**Prach K.**, Pyšek P., 2001. Using spontaneous succession for restoration of human-disturbed habitats: Experience from Central Europe. *Ecological Engineering* 17: 55-62.

**Prach K.**, Pyšek P., **Bastl M.**, 2001. Spontaneous vegetation succession in human-disturbed habitats: A pattern across seres. *Applied Vegetation Science* 4: 83-88.

Prechtel A., Alewell C., Armbruster M., Bittersohl J., Cullen J., Evans C., Helliwell R., **Kopáček J.**, Marchetto A., Matzner E., Meesenburg H., Moldan F., Moritz K., Veselý J., Wright R.F., 2001. Response of sulphur dynamics in European catchments to decreasing sulphate deposition. *Hydrology and Earth System Sciences* 5: 311-325.

Příbylová J., **Špak J.**, **Fránová J.**, **Petrzik K.**, 2001. Association of aster yellows subgroup 16SrI-B phytoplasmas with a disease of *Rehmannia glutinosa* var. *purpurea*. *Plant Pathology* 50: 652-657.

Pyšek P., Mandák B., **Francírková T.**, **Prach K.**, 2001. Persistence of stout clonal herbs as invaders in the landscape: A field test of historical records. In: Brundu G., Brock J., Camarda I., Child L., Wade M. (Eds.), *Plant Invasions: Species Ecology and Ecosystem Management*. Backhuys Publishers, Leiden, pp. 235-244.

Pyšek P., **Prach K.**, Mullerová J., Joyce C., 2001. The role of vegetation succession in ecosystem restoration: Introduction. *Applied Vegetation Science* 4: 3-4.

Ray S., **Berec L.**, **Straškraba M.**, Jorgensen S., 2001. Optimization of exergy and implications of body sizes of phytoplankton and zooplankton in an aquatic ecosystem model. *Ecological Modelling* 140: 219-234.

Ray S., **Berec L.**, **Straškraba M.**, Ulanowicz R., 2001. Evaluation of system performance through optimizing ascendancy in an aquatic ecosystem model. *Journal of Biological Systems* 9: 269-290.

Ray S., **Straškraba M.**, 2001. The impact of detritivorous fishes on a mangrove estuarine system. *Ecological Modelling* 140: 207-218.

**Rusek J.**, 2001. Microhabitats of Collembola (Insecta : Entognatha) in beech and spruce forests and their influence on biodiversity. *European Journal of Soil Biology* 37: 237-244.

**Salát J., Braunfuchsová P., Kopecný J.**, 2001. Experimental infection of immunocompetent and immunodeficient mice with *Encephalitozoon cuniculi*. *Folia Parasitologica* 48: 249-254.

Santana D.M., **Lukeš J.**, Sturm N.R., Cambell D.A., 2001. Two sequence classes of kinetoplastid 5S ribosomal RNA gene revealed among bodonid spliced leader RNA gene arrays. *FEMS Microbiology Letters* 204: 233-237.

**Sedláček F., Zemek F.**, Heřman M., Kierdorf H., Kierdosf U., 2001. Fluoride Load on Ecosystems in Western Part of Krušné hory Mts Determined by Bioindication. *Ekológia* 20: 70-79.

**Scholz T.**, 2001. Identity of *Cysticercoides menidia* Chandler, 1935 (Cestoda: Dilepididae). *Journal of Parasitology* 87: 927-928.

**Scholz T.**, 2001. Taxonomy of helminths after the year 2000. *Helminthologia* 38: 155-163.

**Scholz T.**, Aguirre-Macedo M.L., Salgado-Maldonado G., 2001. Trematodes of the family Heterophyidae (Digenea) in Mexico: a review of species and new host and geographical records. *Journal of Natural History* 35: 1733-1772.

**Scholz T.**, Bray R.A., 2001. *Probothriocephalus alaini* n. sp. (Cestoda: Triaenophoridae) from the deep-sea fish *Xenodermichthys copei* in the North Atlantic Ocean. *Systematic Parasitology* 50: 231-235.

**Scholz T.**, de Chambrier A., Salgado-Maldonado G., 2001. *Monticellia ophisterni* n. sp. (Cestoda: Monticelliidae) from the swamp-eel *Ophisternon aenigmaticum* (Synbranchiformes) from Mexico. *Journal of Parasitology* 87: 1328-1333.

**Scholz T.**, Salgado-Maldonado G., 2001. Metacestodes of the family Dilepididae (Cestoda: Cyclophyllidea) parasitising fishes in Mexico. *Systematic Parasitology* 49: 23-40.

**Scholz T.**, Shimazu T., Olson P.D., Nagasawa K., 2001. Caryophyllidean tapeworms (Platyhelminthes: Eucestoda) from freshwater fishes in Japan. *Folia Parasitologica* 48: 275-288.

Schreiber L., **Skrabs M.**, Hartman K.D., Diamantopoulos P., **Šimáňová E.**, **Šantrůček J.**, 2001. Effect of humidity on cuticular transpiration of isolated cuticular membranes and leaf discs. *Planta* 214: 274-282.

Socha R., **Šula J.**, **Kodřík D.**, 2001. Sexual activity an macropterous and brachypterous males of a flightless bug, *Pyrrhocoris apterus* (Heteroptera). *European Journal of Entomology* 98: 19-24.

**Soldán T.**, 2001. Status of the systematic knowledge and priorities in Ephemeroptera studies: The Oriental region. In: Domínguez E. (Ed.), *Trends in Research in Ephemeroptera and Plecoptera*. Kluwer Academic/Plenum Publishers, London, New York, pp. 53-66.

**Straškraba M.**, 2001. Natural control mechanisms in models of aquatic ecosystems. *Ecological Modelling* 140: 195-205.

**Syrová Z.**, Hodková M., **Doležel D.**, **Šauman I.**, 2001. Identification of putative circadian clock cells in a heteropteran insect, *Pyrrhocoris apterus*. In: Berger J. (ed.), *Cells III*. p. 156.

**Šafařík I.**, Mucha P., Pechoč J., Stoklasa J., Šafaříková M., 2001., Separation of magnetic affinity biopolymer adsorbents in a Davis tube magnetic separator. *Biotechnology Letters* 23: 851-855.



- Šafařík I.**, Ptáčková L., Šafaříková M., 2001. Large-scale separation of magnetic bioaffinity adsorbents. *Biotechnology Letters* 23: 1953-1956.
- Šafařík I.**, Šafaříková M., 2001. Isolation and removal of proteolytic enzymes with magnetic cross-linked erythrocytes. *Journal of Magnetism and Magnetic Materials* 225: 169-174.
- Šafaříková M., **Šafařík I.**, 2001. Immunomagnetic separation of *Escherichia coli* O26, O111 and O157 from vegetables. *Letters in Applied Microbiology* 33: 36-39.
- Šafaříková M., **Šafařík I.**, 2001. The application of magnetic techniques in biosciences. *Magnetic and Electrical Separation* 10: 223-252.
- Šantrůček J.**, Schreiber L., **Šimáňová E.**, **Hronková M.**, **Květoň J.**, 2001. Spatial heterogeneity of leaf gas exchange. *Photosynthesis Research* 69: 211-212.
- Šantrůčková H.**, **Pícek T.**, **Šimek M.**, Bauer V., **Kopecký J.**, Pechar L., Lukavská J., Čížková H., 2001. Decomposition processes in soil of a healthy and a declining *Phragmites australis* stand. *Aquatic Botany* 69: 217-234.
- Šauman I.**, Hyršl P., Marek M., 2001. Cooling shock induction of protein synthesis by larvae of *Galleria mellonella* L. *Insecta: Lepidoptera. The Biological Bulletin* 382: 151-162.
- Šebestian J.**, **Petrmichlová Z.**, **Šebestianová Š.**, Náprstek J., Svoboda J., 2001. Osmoregulation in *Bacillus subtilis* under potassium limitation: A new inducible K<sup>+</sup> stimulated VO<sub>4</sub><sup>3-</sup> inhibited ATPase. *Canadian Journal of Microbiology* 47: 1116-1125.
- Šimek J.**, 2001. Patterns of breeding fidelity in the Red-backed Shrike (*Lanius collurio*). *Ornis Fennica* 78: 61-71.
- Šimek K.**, Armengol J., Comerma M., Garcia J.C., **Kojecká P.**, Nedoma J., **Hejzlar J.**, 2001. Changes in the epilimnetic bacterial community composition, production, and protist-induced mortality along the longitudinal axis of a highly eutrophic reservoir. *Microbial Ecology* 42: 359-371.
- Šimek K.**, Pernthaler J., Weinbauer M., **Hornák K.**, Dolan J., Nedoma J., **Mašín M.**, Amann R., 2001. Changes in bacterial community composition and dynamics and viral mortality rates associated with enhanced flagellate grazing in a mesoeutrophic reservoir. *Applied and Environmental Microbiology* 67: 2723-2733.
- Šimek M.**, Cooper J., 2001. Nitrogen use efficiency in temperate zone arable lands. In: *Structure and function in agroecosystem design and management*. CRC Press, Boca Raton, pp. 227-251.
- Šimek P., Lepša L., **Kodřík D.**, 2001. LC/MS analysis of adipokinetic peptides in the *Pyrrhocoris apterus* (Heteroptera). *Collection Symposium Series* 4: 90-92.
- Škeříková A.**, **Hypša V.**, **Scholz T.**, 2001. Phylogenetic analysis of European species of *Proteocephalus* (Cestoda: Proteocephalidea): compatibility of molecular and morphological data, and parasite-host coevolution. *International Journal for Parasitology* 31: 1121-1128.
- Šlapeta J.R., Modrý D., Votýpka J., **Jirků M.**, Koudela B., **Lukeš J.**, 2001. Multiple origin of the dihomoxenous life cycle in sarcosporidia. *International Journal for Parasitology* 31: 413-417.

Šlapeta J.R., Modrý D., Votýpka J., **Jirků M.**, **Oborník M.**, **Lukeš J.**, Koudela B., 2001. *Eimeria telekii* n. sp. (Apicomplexa: Coccidia) from *Lemniscomys striatus* (Rodentia: Muridae): morphology, pathology and phylogeny. Parasitology 122: 133-143.

**Šmilauer P.**, 2001. Communities of arbuscular mycorrhizal fungi in grassland: seasonal variability and effects of environment and host plants. Folia Geobotanica 36: 243-263.

**Šmilauerová M.**, 2001. Plant root response to heterogeneity of soil resources: Effects of nutrient patches, am symbiosis, and species composition. Folia Geobotanica 36: 337-351.

**Špačková I.**, **Lepš J.**, 2001. Procedure for separating the selection effect from other effects in diversity-productivity relationship. Ecology Letters 4: 585-594.

Štefl R., **Trantírek L.**, Vorlíčková M., Koca J., Sklenář V., Kypr J., 2001. A-like guanine-guanine stacking in the aqueous DNA duplex of dGGGGCCCC. Journal of Molecular Biology 307: 513-524.

**Štolba P.**, **Jirků M.**, **Lukeš J.**, 2001. Polykinetoplast DNA structure in *Dimastigella trypaniformis* and *Dimastigella mimosa* (Kinetoplastida). Molecular and Biochemical Parasitology 113: 323-326.

**Šumbera R.**, 2001. The mating behaviour of the silvery mole-rat. In: Denys C., Granjon L., Poulet A. (Eds.), Collection colloques et séminaires – African small mammals. IRD Editions, Paris, pp. 353-364.

**Tothová A.**, **Marec F.**, 2001. Chromosomal principle of radiation-induced F1 sterility in *Ephestia kuehniella* (Lepidoptera: Pyralidae). Genome 44: 172-184.

**Trantírek L.**, Hynková K., Nagata Y., Murzin A., Ansorgová A., Sklenář V., Tamborský J., 2001. Reaction mechanism and stereochemistry of gamma-hexachlorocyclohexane dehydrochlorinase LinA. Journal of Biological Chemistry 276: 7734-7740.

Tryjanowski P., Kuczynski L., **Antczak M.**, Skoracki M., **Hromada M.**, 2001. Within-clutch repeatability of egg dimensions in the jackdaw *Corvus monedula*: a study based on a museum collection. Biologia 56: 211-215.

Vidal-Martínez V.M., Aguirre-Macedo M.L., **Scholz T.**, González-Solís D., Mendoza-Franco E.F., 2001. Atlas of the helminth parasites of cichlid fish of Mexico. Academia, Prague, 166 p.

Vidal-Martínez V.M., **Scholz T.**, Aguirre-Macedo M.L., 2001. Dactylogyridae of cichlid fishes from Nicaragua, Central America, with descriptions of *Gussevia herotilapiae* sp. n. and three new species of *Sciadicleithrum* (Monogenea: Ancyrocephalinae). Comparative Parasitology 68: 76-86.

Villeneuve V., Vincent W.F., **Komárek J.**, 2001. Community structure and microhabitat characteristics of cyanobacterial mats in an extreme high Arctic environment: Ward Hunt Lake (lat. 82.8°N). Nova Hedwigia, Beiheft 123: 199-223.

Votýpka J., Ray D.S., **Lukeš J.**, 2001. *Crithidia fasciculata*: a test for genetic exchange. Experimental Parasitology 99: 104-107.

Vybíral S., **Janský L.**, Slováček K., Jandová D., Machálek Z., **Borovská M.**, **Nováková L.**, **Reymanová P.**, 2001. Vasomotor changes in humans induced by local peripheral cooling. *Physiological Research* 50: 33.

Wang F., **Sehnal F.**, 2001. Effects of the imidazole derivative KK-42 on the females and embryos of *Schistocerca gregaria*. *Entomological Science* 44: 387-392.

Webster E., Hopkins D., Chudek J., Haslam S., **Šimek M.**, **Picek T.**, 2001. The relationship between microbial carbon and the resource quality of soil carbon. *Journal of Environmental Quality* 30: 147-150.

Weeks A.R., **Marec F.**, Breeuwer J.A.J., 2001. A mite species that consists entirely of haploid females. *Science* 292: 2479-2482.

Willems J.H., **Balounová Z.**, **Kindlmann P.**, 2001. The effect of experimental shading on seed production and plant survival in the threatened species *Spiranthes spiralis* (Orchidaceae). *Lindleyana* 16: 31-37.

Yasuda H., Kikuchi T., **Kindlmann P.**, Sato S., 2001. Relationships between attack and escape rates, cannibalism and intraguild predation in larvae of two predatory ladybirds. *Journal of Insect Behavior* 14: 373-384.

**Zahrádková H.**, **Soldán T.**, Kokeš J., 2001. A prediction model of river ecosystem in the Czech Republic based on mayfly taxocoenes of undisturbed rhithral streams. In: Domínguez E. (Ed.), *Trends in Research in Ephemeroptera and Plecoptera*. Kluwer Academic/Plenum Publishers, London, New York, pp. 179-197.

**Zrzavý J.**, 2001. Ecdysozoa versus Articulata: clades, artifacts, prejudices. *Journal of Zoological Systematics and Evolutionary Research* 39: 159-163.

**Zrzavý J.**, 2001. The interrelationships of metazoan parasites: a review of phylum- and higher-level hypotheses from recent morphological and molecular phylogenetic analyses. *Folia Parasitologica* 48: 81-103.

**Zrzavý J.**, **Hypša V.**, **Tietz D.**, 2001. Myzostomida are not annelids: molecular and morphological support for a clade of animals with anterior sperm flagella. *Cladistics* 17: 170-198.

Žďárská Z., Huffman D.G., Moravec F., **Nebesářová J.**, 2001. Egg shell ultrastructure of the fish nematode *Huffmanella huffmanii* (Trichosomoididae). *Folia Parasitologica* 48: 231-234.

## 2002

**Antczak M.**, Konwerski S., Grobelny S., Tryjanowski P., 2002. The food composition of immature and non-breeding White Storks in Poland. *Waterbirds* 25: 424-428.

Arneth A., Lloyd J., **Šantrůčková H.**, Bird M., Grigoryev S., Kalaschnikov Y., Gleixner G., Schulze E., 2002. Response of central Siberian Scots pine to soil water deficit and long-term trends in atmospheric CO<sub>2</sub> concentration. *Global Biogeochemical Cycles* 16: 1-13.

**Bastlová D., Květ J.**, 2002. Differences in dry weight partitioning and flowering phenology between native and non-native plants of purple loosestrife (*Lythrum salicaria* L.). *Flora* 197: 332-340.

**Beneš J., Kaštovský J., Kočárová R., Kočár P., Kubečková K., Pokorný P., Starec P.**, 2002. Archaeobotany of the Old Prague Town defence system, Czech Republic: archaeology, macro-remains, pollen, and diatoms. *Vegetation History and Archeobotany* 11: 107-119.

Bettarel Y., Dolan J.R., **Horňák K.**, Lemeé R., Masin M., Pedrotti M.L., Rochelle-Newall E., **Šimek K.**, Sime-Ngando T., 2002. Strong, weak, and missing links in a microbial community of the NW Mediterranean Sea. *FEMS Microbiology Ecology* 42: 451-462.

**Bezděk A.**, 2002. Relationship between geographic distribution and position of species on an ecological successional gradient in ground beetles (Coleoptera, Carabidae). *Biológia-Bratislava* 57: 191-197.

Bird M.I., **Šantrůčková H.**, Arneth A., Grigoriev S., Gleixner G., Kalaschnikov Y.N., Lloyd J., Schulze E.D., 2002. Soil carbon inventories and carbon-13 on a latitude transect in Siberia. *Tellus B* 54: 631-641.

Bird M., **Šantrůčková H.**, Lloyd J., Lawson E., 2002. The isotopic composition of soil organic carbon on a north-south transect in western Canada. *European Journal of Soil Science* 53: 393-403.

**Brandl Z.**, 2002. Methodology and general ecology. In: Fernando C.H. (Ed.), *A Guide to Tropical Freshwater Zooplankton. Identification, Ecology and Impact on Fisheries*. Backhuys Publishers, Leiden, pp. 1-21.

**Braunfuchsová P., Salát J., Kopecký J.**, 2002. Comparison of the significance of CD4+ and CD8+ T lymphocytes in the protection of mice against *Encephalitozoon cuniculi* infection. *Journal of Parasitology* 88: 797-799.

Bruňanská M., **Nebesářová J., Scholz T.**, Fagerholm H.P., 2002. Ultrastructure of the spermatozoon of the pseudophyllidean cestode *Eubothrium crassum* (Bloch, 1779). *Parasitology Research* 88: 285-291.

**Bříza J.**, Niedermeierová H., **Pavingerová D.**, Thomas C.M., Klimyuk V.I., Jones J.D.G., 2002. Transposition patterns of unlinked transposed *Ds* elements from two T-DNA loci on tomato chromosomes 7 and 8. *Molecular Genetics and Genomics* 266: 882-890.

Curtis C. J., Barbieri A., Camarero L., Gabathuler M., Galas J., Hanselmann K., **Kopáček J.**, Mosello J., Nickus U., Rose N., Stuchlík E., Thies H., Ventura M., Wright R., 2002. Application of static load models for acidity to high mountain lakes in Europe. *Water, Air and Soil Pollution* 2: 115-126.

**Čech M., Kubečka J.**, 2002. Sinusoidal cycling swimming pattern of reservoir fishes. *Journal of Fish Biology* 61: 456-471.

**Doležal J., Šrůtek M.**, 2002. Altitudinal changes in composition and structure of mountain-temperate vegetation: a case study from the Western Carpathians. *Plant Ecology* 158: 201-221.

**Dostálková I., Kindlmann P.**, Dixon A.F.G., 2002. Are classical predator-prey models relevant to the real world? *Journal of Theoretical Biology* 218: 323-330.

**Dostálková I., Špínka M., Kindlmann P.**, 2002. Begging for milk: a model of teat massaging evolution in suckling pigs. *Journal of Theoretical Biology* 215: 321-332.

- Dušek J.**, 2002. Seasonal dynamics of nonstructural saccharides in a rhizomatous grass *Calamagrostis epigeios*. *Biologia Plantarum* 45: 385-387.
- Dyková I.**, Avila E.J.F., **Fiala I.**, 2002. *Kudoa diana* sp. n. (Myxosporea: Multivalvulida), a new parasite of bullseye puffer, *Sphoeroides annulatus* (Tetraodontiformes: Tetraodontidae). *Folia Parasitologica* 49: 17-23.
- Dyková I.**, **Fiala I.**, Nie P., 2002. *Myxobolus lentisuturalis* sp. n. (Myxozoa: Myxobolidae), a new muscle-infecting species from the Prussian carp, *Carassius gibelio* from China. *Folia Parasitologica* 49: 253-258.
- Dyková I.**, **Veverková M.**, **Fiala I.**, Macháčková B., 2002. A free-living amoeba with unusual pattern of mitochondrial structure isolated from Atlantic salmon, *Salmo salar* L. *Acta Protozoologica* 41: 415-419.
- Elster J.**, 2002. Ecological classification of terrestrial algal communities in polar environments. *Ecological Studies. Geoecology of Antarctic Ice-Free Coastal Landscapes* 154: 303-326.
- Elster J.**, 2002. Ecological classification of terrestrial algal communities of polar environment. In: Beyer L., Boelter M. (Eds.), *GeoEcology of Terrestrial Oases: Ecological Studies*. Springer-Verlag, Berlin, Heidelberg, pp. 303-319.
- Elster J.**, Svoboda J., Ohtani S., Kanda H., 2002. Feasibility studies on future phycological research in polar regions. *Polar Bioscience* 15: 114-122.
- Faltýnková A.**, Literák I., 2002. Cercariae of trematodes from *Bythinia austriaca* (Frauenfeld, 1857) agg. (Gastropoda: Prosobranchia). *Acta Parasitologica* 47: 196-204.
- Fedič R.**, **Žurovec M.**, **Sehnal F.**, 2002. The silk of Lepidoptera. *Journal of Insect Biotechnology and Seriocology* 71: 1-15.
- Fousek J., Mráz I., **Petrzik K.**, 2002. Comparison of genetic variability between Czech and foreign isolates of phytopathogenic bacteria *Clavibacter michiganensis* subsp. *sepedonicus* by Rep-PCR technique. *Folia Microbiologica* 47: 450-454.
- Fric Z.**, **Konvička M.**, 2002. Generations of the polyphenic butterfly *Araschnia levana* differ in body design. *Evolutionary Ecology Research* 4: 1017-1033.
- Frydrychová R.**, **Marec F.**, 2002. Repeated losses of TTAGG telomere repeats in evolution of beetles (Coleoptera). *Genetica* 115: 179-187.
- Fudali E., **Kučera J.**, 2002. *Andreaea nivalis* (Andreaeaceae, Musci) new to the Karkonosze Mts (SW Poland). *Polish Botanical Journal* 47: 45-47.
- Gasol J.M., Comerma M., García J.C., Armengol J., Casamayor E.O., **Kojecká P.**, **Šimek K.**, 2002. A transplant experiment to identify the factors controlling bacterial abundance, activity, production, and community composition in a eutrophic canyon-shaped reservoir. *Limnology and Oceanography* 47: 62-77.
- Gelbič I., Olejníček J., **Grubhoffer L.**, 2002. Effect of insect hormones on hemagglutination activity in two members of the *Culex pipiens* complex. *Experimental Parasitology* 100: 75-79.

Gigord L.D.B., Macnair M.R., **Stříteský M.**, Smithson A., 2002. The potential for floral mimicry in rewardless orchids: an experimental study. *Proceedings of the Royal Society of London Series B-Biological Sciences* 269: 1389-1395.

Goldsworthy G.J., **Kodrík D.**, Comley R., Lightfoot M., 2002. A quantitative study of adipokinetic hormone of the firebug, *Pyrrhocoris apterus*. *Journal of Insect Physiology* 48: 1103-1109.

Hanzelová V., **Scholz T.**, Gerdeaux D., **Kuchta R.**, 2002. A comparative study of *Eubothrium salvelini* and *E. crassum* (Cestoda: Pseudophyllidea) parasites of Arctic charr and brown trout in alpine lakes. *Environmental Biology of Fishes* 64: 245-256.

**Hejman M.**, Brezina S., **Rauch O.**, 2002. Livestock grazing as an alternative man-agreement for montane meadows in the Giant Mountains - preliminary results. In: Bottarin R., Tappeiner U. (Eds.), *Interdisciplinary Mountain Research*. Blackwell Publishing LTD, Oxford, pp. 221-251.

Hejny S., Hroudová Z., **Květ J.**, 2002. Fishpond vegetation: an historical view. In: **Květ J.**, Jeník J., Soukupová L. (Eds.), *Freshwater Wetlands and Their Sustainable Future*. Man and the Biosphere Series, Vol. 28. UNESCO Paris and The Parthenon Publishing Group, Boca Raton, pp. 63-96.

Horváth A., Neboháčová M., **Lukeš J.**, Maslov D.A., 2002. Unusual polypeptide synthesis in the kinetoplast-mitochondria from *Leishmania tarentolae*. Identification of individual *de novo* translation products. *Journal of Biological Chemistry* 277: 7222-7230.

Hromada M., Tryjanowski P., **Antczak M.**, 2002. Presence of the great grey shrike *Lanius excubitor* affects breeding passerine assemblage. *Annales Zoologici Fennici* 39: 125-130.

**Hypša V.**, **Tietz D.F.**, **Zrzavý J.**, **Rego R.O.M.**, Galvao C., Jurberg J., 2002. Phylogeny and biogeography of Triatominae (Hemiptera: Reduviidae): molecular evidence of a new World origin of the Asiatic clade. *Molecular Phylogenetics and Evolution* 23: 447-457.

**Janský L.**, Janský P., 2002. Sites and cellular mechanisms of human adrenergic thermogenesis - a review. *Journal of Thermal Biology* 27: 269-277.

**Janský L.**, **Vávra V.**, Kunc P., Knížková I., Janský P., Jandová D., Slováček K., 2002. Skin temperature changes in humans induced by local peripheral cooling - use of infrared thermography. *Physiological Research* 51: 15.

Janský P., **Janský L.**, **Vávra V.**, Jandová D., Slováček K., 2002. Modulation of cardiovascular functions in humans due to repeated cooling of lower extremities. *Physiological Research* 51: 15.

Jeník J., **Květ J.**, 2002. Human impacts on the Třeboň Basin Biosphere Reserve. In: **Květ J.**, Jeník J., Soukupová L. (Eds.), *Freshwater Wetlands and Their Sustainable Future*. Man and the Biosphere Series, Vol. 28. UNESCO Paris and The Parthenon Publishing Group, Boca Raton, pp. 3-11.

**Jersáková J.**, **Kindlmann P.**, **Stříteský M.**, 2002. Population dynamics of *Orchis morio* in the Czech Republic under human influence. In: **Kindlmann P.**, Willems J. H., Whigham D. F. (Eds.), *Trends and Fluctuations and Underlying Mechanisms in Terrestrial Orchid Populations*. Backhuys Publisher, Leiden, pp. 209-224.

**Jirků M.**, Modrý D., Šlapeta J.R., Koudela B., **Lukeš J.**, 2002. The phylogeny of *Goussia* and *Choleoeimeia* (Apicomplexa; Eimeriorina) and the evolution of excystation structures in coccidia. *Protist* 153: 379-390.

Jorgensen S.E., Ray S., **Berec L.**, **Straškraba M.**, 2002. Improved calibration of a eutrophication model by use of the size variation due to succession. *Ecological Modelling* 153: 269-277.

**Kindlmann P.**, Willems J. H., Whigham D.F., 2002. Trends and fluctuations and underlying mechanisms in terrestrial orchid populations. Backhuys, Leiden, 254 p.

**Kodrík D.**, Socha R., **Syrová Z.**, 2002. AKH content fluctuates in *Pyrrhocoris apterus* (L.) body. In: Keller R., Dirksen H., Sedlmeier D., Vaundry H. (Eds.), *European Comparative Endocrinologists*. Munduzzi Editore, Bonn, pp 175-178.

**Kodrík D.**, Socha R., Zemek R., 2002. Topical application of Pya-AKH stimulates lipid mobilization and locomotion in the flightless bug, *Pyrrhocoris apterus* L. (Heteroptera). *Physiological Entomology* 27: 15-20.

**Kodrík D.**, Socha R., Zemek R., **Maxová A.**, 2002. The manner of Pya-AKH application determines the pattern of physiological and behavioural responses in *Pyrrhocoris apterus* L. (Heteroptera). In: Konopinska D. (Ed.), *Arthropods – Chemical, Physiological and Environmental Aspects*. University of Wroclaw, Poland, pp 35-40.

**Kodrík D.**, Šimek P., Lepša L., Socha R., 2002. Identification of the cockroach neuropeptide Pea-CAH.II as a second adipokinetic hormone in the firebug *Pyrrhocoris apterus*. *Peptides* 23: 585-587.

**Komárek J.**, 2002. Problems in cyanobacterial taxonomy; implication for most common toxin producing species. In: Melchiorre S., Viaggiu E., Bruno M. (Eds.), *Rapporti ISTISAN*. Istituto Superiore di Sanità, Roma, pp. 6-43.

**Komárek J.**, Cronberg G., 2002. Some chroococcalean and oscillatoriacean Cyanoprokaryotes from southern African lakes, ponds and pools. *Nova Hedwigia* 73: 129-160.

**Komárek J.**, **Komárková J.**, 2002. Contribution to the knowledge of planktic cyanoprokaryotes from central Mexico. *Preslia* 74: 207-233.

**Komárek J.**, **Komárková J.**, 2002. Review of the European *Microcystis*- morphospecies (Cyanoprokaryotes) from nature. *Czech Phycology* 2: 1-24.

**Komárek J.**, **Komárková J.**, Sant'Ann C.L., Azevedo M.T., Senna P.A.C., 2002. Two common *Microcystis* species (Chroococcales, Cyanobacteria) from tropical America, including *M. panniformis* sp. nov. *Cryptogamie Algologie* 23: 159-177.

**Komárková J.**, 2002. Cyanobacterial picoplankton and its colonial formations in two eutrophic canyon reservoirs (Czech Republic). *Archiv für Hydrobiologie* 154: 605-623.

**Komárková J.**, 2002. Do cyanobacterial picoplankton exist in eutrophic reservoirs? *Verhandlungen Internationale Vereinigung für theoretische und angewandte Limnologie* 28: 497-500.

**Konvička M.**, Beneš J., Kuras T., 2002. Behaviour and microdistribution of two sympatric alpine butterflies (*Erebia epiphron* and *E. euryale*): relation to weather, vegetation and time of day. *Biologia*. 57: 223-233.

**Konvička M.**, Nedvěd O., Fric Z., 2002. Early-spring floods decrease the survival of hibernating larvae of wetland-inhabiting population of *Neptis rivularis* (Lepidoptera: Nymphalidae). *Acta Zoologica Academiae Scientiarum Hungaricae* 48: 79-88.

**Kopáček J.**, Stuchlík E., Veselý J., Schaumburg J., Anderson I.C., Fott J., **Hejzlar J.**, **Vrba J.**, 2002. Hysteresis in reversal of Central European mountain lakes from atmospheric acidification. *Water, Air and Soil Pollution* 2: 91-114.

Kupper H., **Šetlík I.**, Spiller M., Kupper F.C., **Prášil O.**, 2002. Heavy metal-induced inhibition of phototynthesis: Targets of in vivo heavy metal chlorophyll formation. *Journal of Phycology* 38: 429-441.

**Květ J.**, Jeník J., 2002. Development of IPB and MaB studies in the Třeboň basin biosphere reserve. In: **Květ J.**, Jeník J., Soukupová L. (Eds.), *Freshwater Wetlands and Their Sustainable Future. Man and the Biosphere Series*, Vol. 28. UNESCO Paris and The Parthenon Publishing Group, Boca Raton, pp. 19-30.

**Květ J.**, Jeník J., Soukupová L. (Eds.), *Freshwater Wetlands and Their Sustainable Future. Man and the Biosphere Series*, Vol. 28. UNESCO Paris and The Parthenon Publishing Group, Boca Raton, 490 p.

**Květ J.**, Lukavská J., Tetter M., 2002. Biomass and net primary production in graminoid vegetation. In: **Květ J.**, Jeník J., Soukupová L. (Eds.), *Freshwater Wetlands and Their Sustainable Future. Man and the Biosphere Series*, Vol. 28. UNESCO Paris and The Parthenon Publishing Group, Boca Raton, pp. 293-304.

**Lepš J.**, **Novotný V.**, **Čížek L.**, Molem K., Isua B., Boen W., Kutil R., Auga J., Kasbal M., Manumbor M., Hiuk S., 2002. Successful invasion of the neotropical species *Piper aduncum* in rain forests in Papua New Guinea. *Applied Vegetation Science* 5: 255-267.

Lom J., **Dyková I.**, 2002. Ultrastructure of *Nucleospora secunda* n. sp. (Microsporidia), parasite of enterocytes of *Nothobranchius rubripinnis*. *European Journal of Protistology* 38: 19-27.

**Lukeš J.**, Guilbride D.L., Votýpka J., **Zíková A.**, Benne R., Englund P.T., 2002. Kinetoplast DNA network: Evolution of an improbable structure. *Eukaryotic Cell* 1: 495-502.

Maslov D.A., **Zíková A.**, **Kyselová I.**, **Lukeš J.**, 2002. A putative novel nuclear-encoded subunit of the cytochrome c oxidase complex in trypanosomatids. *Molecular and Biochemical Parasitology* 125: 113-125.

**Martínková J.**, **Šmilauer P.**, **Mihulka S.**, 2002. Phenological pattern of grassland species: relation to the ecological and morphological traits. *Flora* 197: 290-302.

**Matoušek J.**, **Novák P.**, **Bříza J.**, Patzak J., Niedermeierová H., 2002. Cloning and characterisation of chs-specific DNA and cDNA sequences from hop (*Humulus lupulus* L.). *Plant Science* 162: 1007-1018.

**Matoušek J.**, **Novák P.**, Patzak J., **Bříza J.**, Krofta K., 2002. Analysis of true chalcone synthase from *Humulus lupulus* L. and biotechnology aspects of „medicinal hops“. *Rostlinná výroba* 48: 7-14.



Miller S. E., **Novotný V.**, Basset, Y., 2002. Case studies of arthropod diversity and distribution. In: Chazdon R.L., Whitmore T.C. (Eds.), *Foundations of Tropical Forest Biology: Key papers and commentaries*. University of Chicago Press, Chicago, pp. 407-413.

Modrý D., Šlapeta J.R., **Kyselová I.**, Hořejš R., **Lukeš J.**, Koudela B., 2002. Dog shedding oocysts of *Neospora caninum*: diagnostic and phylogenetic approach to the taxonomy of related organisms. *Veterinary Parasitology* 109: 157-167.

Moravec F., Van As J.G., **Dyková I.**, 2002. *Proleptus obtusus* Dujardin, 1845 (Nematoda: Physalopteridae) from the puffadder shyshark *Haploblepharus edwardsii* (Scyliorhinidae) from off South Africa. *Systematic Parasitology* 53: 169-173.

**Němec V.**, 2002. Quantitative changes in protein, glycogen and fat content in the eggs of the locusts, *Locusta migratoria migratorioides* and *Schistocerca gregaria* (Orthoptera), during embryogenesis. *European Journal of Entomology* 99: 557-559.

**Novotný V.**, Basset Y., Miller S.E., Drozd P., **Čížek L.**, 2002. Host specialisation of leaf chewing insects in a New Guinea rainforest. *Journal of Animal Ecology* 71: 400-412.

**Novotný V.**, Basset Y., Miller S.E., Weibles G.D., Bremer B., **Čížek L.**, Drozd P., 2002. Low host specificity of herbivorous insects in a tropical forest. *Nature* 416: 841-844.

**Novotný V.**, Miller S.E., Basset Y., **Čížek L.**, Drozd P., Darrow K., **Lepš J.**, 2002. Predictably simple: communities of caterpillars (Lepidoptera) feeding on rainforest trees in Papua New Guinea. *Proceedings of the Royal Society of London. Series B, Biological Sciences* 269: 2337-2344.

**Oborník M.**, **Jirků M.**, Šlapeta J.R., Modrý D., Koudela B., **Lukeš J.**, 2002. Notes on coccidian phylogeny, based on the apicoplast small subunit ribosomal DNA. *Parasitology Research* 88: 360-363.

**Oborník M.**, Van de Peer Y., **Hypša V.**, Frickey T., Šlapeta J.R., Meyer A., **Lukeš J.**, 2002. Phylogenetic analyses suggest lateral gene transfer from the mitochondrion to the apicoplast. *Gene* 285: 109-118.

**Pechová J.**, Štěpánová G., Kovář L., **Kopecký J.**, 2002. Tick salivary gland extract-activated transmission of *Borrelia afzelii* spirochaetes. *Folia Parasitologica* 49: 153-159.

**Petrzik K.**, Kubelková D., Mráz I., 2002. Strawberry vein banding virus detection by double antibody sandwich ELISA with antibodies to recombinant coat protein. *Acta Virologica* 46: 125-126.

**Petrzik K.**, **Lenz O.**, 2002. Remarkable variability of apple mosaic virus capsid protein gene after nucleotide position 141. *Archives of Virology* 147: 1275-1285.

**Pipalova I.**, 2002. Initial impact of low stocking density of grass carp on aquatic macrophytes. *Aquatic Botany* 73: 9-18.

Pokorný J., **Květ J.**, Čerovská K., 2002. The role of wetlands in the energy and material flows in the landscape. In: **Květ J.**, Jeník J., Soukupová L. (Eds.), *Freshwater Wetlands and Their Sustainable Future. Man and the Biosphere Series, Vol. 28*. UNESCO Paris and The Parthenon Publishing Group, Boca Raton, pp. 445-462.

Pokorný J., **Květ J.**, Eiseltová M., Rejmánková E., Dykyjová D., 2002 Role of macrophytes and filamentous algae in fishponds. In: **Květ J.**, Jeník J., Soukupová L. (Eds.), *Freshwater Wetlands and Their*

Sustainable Future. Man and the Biosphere Series, Vol. 28. UNESCO Paris and The Parthenon Publishing Group, Boca Raton, pp. 97-124.

**Prach K.**, 2002. Human impact on vegetation around Rožmberk pond. In: **Květ J.** et al. (Eds.), Freshwater Wetlands and Their Sustainable Future. A Case Study of Třeboň Basin Biosphere Reserve, Czech Republic. UNESCO Paris and The Parthenon Publishing Group, Boca Raton, pp. 187-193.

**Prach K.**, Soukupová L., 2002. Alteration in the wet meadows vegetation pattern. In: **Květ J.** et al. (Eds.), Freshwater Wetlands and Their Sustainable Future. A Case Study of Třeboň Basin Biosphere Reserve. Czech Republic. Unesco and The Parthenon Publishing Group, Boca Raton, pp. 243-254.

Příbylová J., Kubelková D., **Špak J.**, 2002. Mixed infection of black currant (*Ribes nigrum* L.) plants with blackcurrant reversion associated virus and rhabdovirus-like particles with symptoms of black currant reversion disease. Acta Virologica 46: 253-256.

Ptáček J., Škopek J., Dědič P., **Matoušek J.**, 2002. Immunocapture RT-PCR probing of potato virus Y isolates. Acta virologica 46: 63-68.

**Rektoris L.**, **Rauch O.**, Příbáň K., 2002. Groundwater fluctuations in Bog Pine Stands. In: **Květ J.**, Jeník J., Soukupová L. (Eds.), Freshwater Wetlands and Their Sustainable Future. Man and the Biosphere Series, Vol. 28. UNESCO Paris and The Parthenon Publishing Group, Boca Raton, pp. 409-419.

**Rusek J.**, 2002. Development and progress in Apterygota research in the territory of the former Czechoslovakia. Pedobiologia 46: 201-208.

**Rusek J.**, 2002. Do we have Cryptopygus-representatives (Collembola: Isotomidae) in Europe? Pedobiologia 46: 302-310.

**Rusek J.**, 2002. Taxonomy of Collembola at the beginning of the new millennium. Pedobiologia 46: 215-224.

**Salát J.**, **Braunfuchsová P.**, **Kopecný J.**, **Ditrich O.**, 2002. Role of CD4+ and CD8+ T lymphocytes in the protection of mice against *Encephalitozoon intestinalis* infection. Parasitology Research 88: 603-608.

Ságová-Marečková M., **Květ J.**, 2002. Impact of oxygen released by the roots of aquatic macrophytes on composition and distribution of benthic macroinvertebrates in a mesocosm experiment. Archiv für Hydrobiologie 155: 567-584.

Ságová-Marečková M., **Květ J.**, 2002. Performance of Sparganium emersum Rehm. shoots in response to sediment quality. Hydrobiologia 479: 131-141.

**Sehnal F.**, Hansen I., Scheller K., 2002. The cDNA-structure of the prothoracicotropic hormone PTTH of the silkworm *Hyalophora cecropia*. Insect Biochemistry and Molecular Biology 32: 233-237.

**Scholz T.**, 2002. Family Gymnophallidae Odhner, 1905. In: Gibson D.J., Jones A., Bray R.A. (Eds.), Keys to the Trematoda. CAB International & The Natural History Museum, London, pp. 245-251.

**Scholz T.**, **Kuchta R.**, Salgado-Maldonado G., 2002. Cestodes of the family Dilepididae (Cestoda: Cyclophyllidae) from fish-eating birds in Mexico: a survey of species. Systematic Parasitology 52: 171-182.

**Scholz T.**, Steele E., Beckham M., Bray R.A., 2002. Larval tapeworms (Cestoda: Dilepididae) from the mummichog *Fundulus heteroclitus* (Linnaeus, 1766) and striped killifish *Fundulus majalis* (Walbaum, 1792) from South Carolina, U.S.A. *Comparative Parasitology* 69: 104-108.

Simpson A.G.B., **Lukeš J.**, Roger A.J., 2002. The evolutionary history of kinetoplastids and their kinetoplast. *Molecular Biology and Evolution* 19: 2071-2083.

Stadler B., Dixon A.F.G., **Kindlmann P.**, 2002. Relative fitness of aphids: effects of plant quality and ants. *Ecology Letters* 5: 216-222.

Stuchlík E., Appleby P., Bitušík P., Curtis C., Fott J., **Kopáček J.**, Pražáková M., Rose N., Strunecký O., Wright R.F., 2002. Reconstruction of long-term changes in lake water chemistry, zooplankton and benthos of a small, acidified high-mountain lake: magic modelling and palaeolimnological analysis. *Water, Air and Soil Pollution* 2: 127-138.

**Šafařík I.**, Šafaříková M., 2002. Detection of low concentrations of malachite green and crystal violet in water. *Water Research* 36: 196-200.

**Šafařík I.**, Ptáčková L., Koneracká M., Šafaříková M., Timko M., Kopčanský P., 2002. Determination of selected xenobiotics with ferrofluid-modified trypsin. *Biotechnology Letters* 24: 355-358.

**Šafařík I.**, Ptáčková L., Šafaříková M., 2002. Adsorption of dyes on magnetically labeled baker's yeast cells. *European Cells and Materials* 3: 52-55.

**Šafařík I.**, Šafaříková M., 2002. Magnetic nanoparticles and biosciences. *Monatshefte für Chemie* 133: 737-759.

**Šafařík I.**, Šafaříková M., 2002. Magnetic nanoparticles and biosciences. In: Hofmann H., Rahman Z., Schubert U. (Eds.), *Nanostructured Materials*. Springer-Verlag, Wien, pp. 1-23.

Šafaříková M., **Šafařík I.**, 2002. Interaction of tricyclic drugs with copper phthalocyanine dye immobilized on magnetic carriers. *European Cells and Materials* 3: 188-191.

Šafaříková M., **Šafařík I.**, 2002. Magnetic solid-phase extraction of target analytes from large volumes of urine. *European Cells and Materials* 3: 192-195.

Šálek M., **Šmilauer P.**, 2002. Predation of northern lapwing *Vanellus vanellus* nests: the effect of population density and spatial distribution of nests. *Ardea* 90: 51-60.

**Šebestian J.**, Jechová G., **Šebestianová Š.**, **Moulisová V.**, Jegorov A., 2002. Interaction of different cyclosporines and silymarines with the lipidic part of hepatocyte plasma membrane: The role of the second aminoacid substituent in cyclosporines, different effect on the fluidity of model and native membranes. *Materials Structure* 9: 48-49.

**Šimek K.**, Nedoma J., Pernthaler J., Posh T., Dolan J.R., 2002. Altering the balance between bacterial production and protistan bacterivory triggers shifts in freshwater bacterial community composition. *Antonie van Leeuwenhoek* 81: 453-463.

**Šimek M.**, Cooper J.E., 2002. The influence of soil pH on denitrification: progress towards the understanding of this interaction over the last 50 years. *European Journal of Soil Science* 53: 345-354.

**Šimek M.**, Jiřová L., Hopkins D.W., 2002. What is the so-called optimum pH for denitrification in soil? *Soil Biology & Biochemistry* 34: 1227-1234.

Šlapeta J.R., Koudela B., Votýpka J., Modrý D., Hořejř R., **Lukeř J.**, 2002. Coprodiagnosis of *Hammondia heydorni* in dogs by PCR based on ITS 1 rRNA: Differentiation from morphologically indistinguishable oocysts of *Neospora caninum*. *Veterinary Journal* 163: 147-154.

Šlapeta J.R., **Kyselová I.**, Richardson A.O., Modrý D., **Lukeř J.**, 2002. Phylogeny and sequence variability of the *Sarcocystis singaporensis* Zaman and Colley 1975 1976 ssrDNA. *Parasitology Research* 88: 810-815.

Šlapeta J.R., Modrý D., **Kyselová I.**, Hořejř R., **Lukeř J.**, Koudela B., 2002. Dog shedding oocysts of *Neospora caninum*: PCR diagnosis and molecular phylogenetic approach. *Veterinary Parasitology* 109: 157-167.

**Šmilauerová M.**, **Šmilauer P.**, 2002. Morphological response of plant roots to heterogeneity of soil resources. *New Phytologist* 154: 703-715.

**Šrůtek M.**, **Doleřal J.**, Hara T., 2002. Spatial structure and associations in a *Pinus canariensis* population at the treeline, Pico del Teide, Tenerife, Canary Islands. *Arctic, Antarctic and Alpine Research* 34: 201-210.

TerBraak C.J.F., **Šmilauer P.**, 2002. Canoco Reference Manual and CanoDraw for Windows User's Guide: Software for Canonical Community Ordination (version 4.5). Microcomputer Power, Ithaca, New York, 500 p.

**Trantírek L.**, Štefl R., Masse J.E., Feigon J., Sklenář V., 2002. Determination of the glycosidic torsion angles in uniformly C-13-labelled nucleic acids from vicinal coupling constants  $^3J_{C2/4-H1'}$  and  $^3J_{C6/8-H1'}$ . *Journal of Biomolecular NMR* 23: 1-12.

Tryjanowski P., **Antczak M.**, Hromada M., Kuczynski L., Skoracki M., 2002. Winter feeding ecology of male and female European wildcats *Felis silvestris* in Slovakia. *Zeitschrift Fur Jagdwissenschaft* 48: 49-54.

**Uhlířová M.**, **Asahina M.**, Riddiford L.M., **Jindra M.**, 2002. Heat inducible transgenic expression in the silkworm *Bombyx mori*. *Development Genes and Evolution* 212: 145-151.

Van der Putten W., Mortimer S., Hedlund K., Van Dijk C., Brown V.K., **Lepř J.**, Rodriguez Barrueco C., Roy J., Diaz Len T., Gormsen D., Korthals G., Lavorel S., Santa Regina I., **Šmilauer P.**, 2002. Plant species diversity as a driver of early succession in abandoned fields: a multi-site approach. *Oecologia* 124: 91-99.

**Vácha F.**, **Durchan M.**, **Šiffel P.**, 2002. Excitonic interaction in the reaction centre of photosystem II studied by using circular dichroism. *Biochimica et Biophysica Acta-Bioenergetics* 1554: 147-152.

**Vácha F.**, Pšenčík J., Kutý M., 2002. Simulation of absorbance and circular dichroism spectra of PSII RC pigments, implication for the function and structure. *Materials Structure* 9: 49-50.

**Veverková M.**, **Dyková I.**, Pecková H., 2002. Experimental study on pathogenic potential of six *Acanthamoeba* strains isolated from fish. *Folia Parasitologica* 49: 243-245.

Votýpka J., **Oborník M.**, Volf P., Svobodová M., **Lukeš J.**, 2002. *Trypanosoma avium* of raptors Falconiformes: Phylogeny and identification of vectors. *Parasitology* 125: 253-263.

**Vrba L.**, **Matoušek J.**, 2002. Analysis of transcription of plant 7SL RNA gene variants in HeLa in vitro transcription system. *Folia Biologica* 48: 227-231.

Wang F., **Sehnal F.**, 2002. Ecdysteroid agonist RH-2485 injected into *Schistocerca gregaria* Orthoptera: Acrididae females accelerates oviposition and enhances ecdysteroid content in eggs. *Applied Entomology and Zoology* 37: 409-414.

**Weiter L.**, Heřman M., **Sedláček F.**, **Zemek F.**, 2002. Potential occurrence of the birch mouse (*Sicista betulina*) in the Bohemian Forest (Šumava): a geographical information system approach. *Folia zoologica* 51: 133-144.

**Weyda F.**, Hrdý I., 2002. Imaging of horse chestnut leafminer, *Cameraria ohridella* (Lepidoptera, Gracillariidae, Lithocolletinae) larvae in leaves using digitising techniques at visible and near-infrared light. *Antenna* 26: 249-252.

Yukawa Y., **Matoušek J.**, Grimm M., **Vrba L.**, Steger G., Sugiura M., Beier H., 2002. Plant 7SL RNA and tRNA(Tyr) genes with inserted antisense sequences are efficiently expressed in an in vitro transcription system from *Nicotiana tabacum* cells. *Plant Molecular Biology* 50: 713-723.

Zehetner A., Scheer H., **Šiffel P.**, **Vácha F.**, 2002. Photosystem II reaction center with altered pigment-composition: Reconstitution of a complex containing 5 chlorophyll a per 2 pheophytins a with modified chlorophylls. *Biochimica et Biophysica Acta-Bioenergetics* 1556: 21-28.

Zemek R., **Bouman E.A.P.**, Socha R., Dusbábek F., 2002. The effect of feeding status on sexual attractiveness of *Ixodes ricinus* (Acari: Ixodidae) females. *Experimental and Applied Acarology* 27: 137-149.

Žďárská Z., **Nebesářová J.**, 2002. Stichosome ultrastructure of the fish nematode *Capillaria pterophylli* Heinze, 1933. *Parasite* 9: 181-185.

Žďárská Z., **Nebesářová J.**, 2002. Ultrastructure of pigmented photoreceptor of adult *Crepidostomum metoecus* (Trematoda: Digenea: Bunoderidae). *Folia Parasitologica* 49: 165-166.

Žďárská Z., **Nebesářová J.**, 2002. Ultrastructure of the forebody and foregut tegument and eccrine gland cells of *Crepidostomum metoecus* (Trematoda: Digenea: Allocreadiidae). *Folia Parasitologica* 49: 291-294.

Žďárská Z., **Nebesářová J.**, **Scholz T.**, Fagerholm H.P., 2002. Ultrastructure of the spermatozoon of the pseudophyllidean cestode *Embothrium crassum*. *Parasitology Research* 88: 285-291.

**Žurovec M.**, **Doležal T.**, **Gaži M.**, **Pavlová E.**, Bryant P.J., 2002. Adenosine deaminase-related growth factors stimulate cell proliferation in *Drosophila* by depleting extracellular adenosine. *Proceedings of the National Academy of Sciences of the United States of America* 99: 4403-4408.

**Žurovec M.**, **Sehnal F.**, 2002. Unique molecular architecture of silk fibroin in the waxmoth, *Galleria mellonella*. *Journal of Biological Chemistry* 277: 22639-22647.

2003

Azevedo R.B., Silva L.P., Lemos A.P.C., Bao S.N., Lacava Z.G.M., Šafařík I., Šafaříková M., Morais P.C., 2003. Morphological study of *Saccharomyces cerevisiae* cells treated with magnetic fluids. *IEEE Transactions on Magnetics* 39: 2660-2662.

Baruš V., Tenora F., Šumbera R., 2003. Relative concentrations of four heavy metals in the parasites *Protospirura muricola* (Nematoda) and *Inermicapsifer arvicanthidis* (Cestoda) in their definitive host silvery mole-rat (*Heliophobius argenteocinereus*: Rodentia). *Helminthologia* 40: 227-232.

**Bastlová D., Květ J.**, 2003. Phenotypic variability in native populations of *Lythrum salicaria* L. across geographical gradient: between - and within - population differences. In: Child L.E., Brock J.H., Brundu G., **Prach K.**, Pyšek P., Wade P.M., Williamson M. (Eds.), *Plant Invasions: Ecological Threats and Management Solutions*. Backhuys Publishers, Leiden, pp. 237-246.

Basset Y., **Novotný V.**, Miller S.E., Kitching. R. (Eds.), 2003. *Arthropods of Tropical Forests: Spatio-Temporal Dynamics and Resource Use in the Canopy*. Cambridge University Press, Cambridge, 474 p.

Basset Y., **Novotný V.**, Miller S.E., Kitching. R., 2003. Canopy entomology, an expanding field of natural sciences. In: Basset Y., Novotný V., Miller S.E., Kitching. (Eds.), *Arthropods of Tropical Forests: Spatio-Temporal Dynamics and Resource Use in the Canopy*. University Press, Cambridge, pp. 4-6.

Basset Y., **Novotný V.**, Miller S.E., Kitching. R., 2003. Methodological advances and limitations in canopy entomology. In: Basset Y., Novotný V., Miller S.E., Kitching. (Eds.), *Arthropods of Tropical Forests: Spatio-Temporal Dynamics and Resource Use in the Canopy*. University Press, Cambridge, pp. 7-6.

Basset Y., **Novotný V.**, Miller S.E., Kitching. R., 2003. Conclusion: arthropods, canopies and interpretable patterns. In: Basset Y., Novotný V., Miller S.E., Kitching. (Eds.), *Arthropods of Tropical Forests: Spatio-Temporal Dynamics and Resource Use in the Canopy*. University Press, Cambridge, pp. 394-405.

**Berec M., Křivan V., Berec L.**, 2003. Are great tits (*Parus major*) really optimal foragers? *Canadian Journal of Zoology* 81: 780-788.

Bruňanská M., **Nebesářová J., Scholz T.**, 2003. Spermiogenesis in the proteocephalidean cestode *Proteocephalus torulosus* (Batsch, 1786). *Parasitology Research* 90: 318-324.

Bruňanská M., **Nebesářová J., Scholz T.**, 2003. Ultrastructure of the spermatozoon of the proteocephalidean cestode *Proteocephalus torulosus* (Batsch, 1786). *Parasitology Research* 89: 345-351.

Bruňanská M., **Scholz T., Nebesářová J.**, 2003. Reinvestigation of the spermatozoon ultrastructure of the cestode *Proteocephalus longicollis* (Zeder, 1800), a parasite of salmonid fish. *Parasitology Research* 91: 357-362.

**Brzáková M., Hejzlar J., Nedoma J.**, 2003. Phosphorus uptake by suspended and settling seston in a stratified reservoir. *Hydrobiologia* 504: 39-49.

**Bystřická D., Lenz O., Mráz I., Dědič P., Šíp M.,** 2003. DNA microarray: parallel detection of potato viruses. *Acta Virologica* 47: 41-44.

Comerma M., García J., Romero M., Armengol J., **Šimek K.,** 2003. Carbon flow dynamics in the pelagic community of the Sau Reservoir (Catalonia, NE Spain). *Hydrobiologia* 504: 87-98.

Dávila A.M.R., **Lukeš J.,** 2003. Towards a framework for the evolutionary genomics of Kinetoplastids: what kind of data and how much? *Kinetoplastid Biology and Disease* 2: 16-19.

**Devetter M.,** Sed'a J., 2003: Rotifer fecundity in relation to components of microbial food web in a eutrophic reservoirs. *Hydrobiologia* 504: 167-175.

**Doležal T., Gaži M., Žurovec M.,** Bryant P.J., 2003. Genetic analysis of the ADGF multigene family by homologous recombination and gene conversion in *Drosophila*. *Genetics* 1652: 653-66.

**Dušek J.,** 2003. Effect of rooting media on the proportion of rhizome cortex and central cylinder of *Phalaris arundinacea*. *Biologia* 58: 77-81.

**Dyková I., Fiala I.,** Lom J., **Lukeš J.,** 2003. *Perkinsiella amoebae*-like endosymbionts of *Neoparamoeba* spp., relatives of the kinetoplastid *Ichthyobodo*. *European Journal of Protistology* 29: 37-52.

**Dyková I., Fiala I.,** Nie P., 2003. *Myxobolus longisporus* ( Myxozoa: Myxobolidae), a gill infecting parasite of carp, *Cyprinus carpio haematopterus*, from Chinese lakes. *Folia Parasitologica* 50: 263-268.

**Dyková I., Veverková M., Fiala I.,** Macháčková B., Pecková H., 2003. *Nuclearia pattersoni* sp. n. (Filosea), a new species of amphizoic amoeba isolated from gills of roach (*Rutilus rutilus*), and its rickettsial endosymbiont. *Folia Parasitologica* 50: 161-170.

**Edwards K.R.,** Proffitt C.E., 2003. Comparison of wetland structural characteristics between created and natural salt marshes in southwest Louisiana, USA. *Wetlands* 23: 344-356.

**Elster J.,** Komárek O., 2003. Ecology of periphyton in a meltwater stream ecosystem in the maritime Antarctic. *Antarctic Science* 15: 189-201.

**Elster J.,** Komárek, O., 2003. Periphyton ecology of two snow-fed streams in the vicinity of H. Arctowski station, King George Island, South Shetlands, Antarctica. *Antarctic Science* 15: 189 - 201.

Exnerová A., Landová E., Štys P., **Fuchs R., Prokopová M., Cehláriková P.,** 2003. Reactions of passerine birds to aposematic and nonaposematic firebugs (*Pyrrhocoris apterus*, Heteroptera). *Biological Journal of The Linnean Society* 78: 517-525.

**Fedič R., Žurovec M., Sehnal F.,** 2003. Correlation between fibroin amino acid sequence and physical silk properties. *Journal of Biological Chemistry* 278: 35255-35264.

**Fiala I., Dyková I.,** 2003. Molecular characterisation of *Neoparamoeba* strains isolated from gills of *Scophthalmus maximus*. *Diseases of Aquatic Animals* 55: 11-16.

Finger L.D., **Trantírek L.,** Johansson C., Feigon J., 2003. Solution structures of stem-loop RNAs that bind to the two N-terminal RNA-binding domains of nucleolin. *Nucleic Acids Research* 31: 6461-6472.

- Frantová D.**, Moravec F., 2003. Ultrastructure of the body wall of *Cystidicoloides ephemeridarum* (Nematoda, Cystidicolidae) in relation to the histopathology of this nematode in salmonids. *Parasitology Research* 91: 100-108.
- Frouz J., Křišťůfek V., Li X., **Šantrůčková H.**, Šustr V., Brune A., 2003. Changes in amount of bacteria during gut passage of leaf litter and during coprophagy in three species of Bibionidae (Diptera) larvae. *Folia Microbiologica* 48: 535-542.
- Frouz J., **Matěna J.**, Ali A., 2003. Life strategies of chironomids (Diptera, Chironomidae) living in temporary suitable habitats – a review. *European Journal of Entomology* 100: 459-465.
- Fudali E., **Kučera J.**, 2003. Bryogeographical elements in the present moss flora of the "Śnieżne Kotły" cirques and their threat (Karkonosze Mts). *Acta Societatis Botanicorum Poloniae* 72: 79-85.
- Gäde G., Auerswald L., Šimek P., Marco H.G., **Kodřík D.**, 2003. Red pigment concentrating hormone is not limited to crustaceans. *Biochemical and Biophysical Research Communications* 309: 972-978.
- Gažiová I.**, **Lukeš J.**, 2003. Mitochondrial and nuclear localization of topoisomerase II in the flagellate *Bodo saltans* Kinetoplastida, a species with non-catenated kinetoplast DNA. *Journal of Biological Chemistry* 278: 10900-10907.
- Gregory T.R., **Nedvěd O.**, Adamowicz S.J., 2003. C-value estimates for 31 species of ladybird beetles (Coleoptera: Coccinellidae). *Hereditas* 139: 121-127.
- Grossel G.W., **Dyková I.**, Handler J., Munday B.L., 2003. *Pentacapsula neurophila* sp. n. (Multivalvulida) from the central nervous system of striped trumpeter, *Latris lineata* (Forster). *Journal of Fish Diseases* 26: 315-320.
- Gruberová H.**, **Prach K.**, 2003. Competition between the alien *Bidens frondosa* and its native congener *Bidens tripartita*. In: Child L., Brock J.H., Brundu G., **Prach K.**, Pyšek P., Wade P.M., Williamson M. (Eds.), *Plant Invasions: Ecological Threats and Management Solutions*. Backhuys Publishers, Leiden, pp. 227-235.
- Grunclová L.**, Fouquier H., **Hypša V.**, **Kopáček P.**, 2003. Lysozyme from the gut of the soft tick *Ornithodoros moubata*: the sequence, phylogeny and post-feeding regulation. *Developmental and Comparative Immunology* 27: 651-660.
- Hedlund K., Regina I.S., Van der Putten W.H., **Lepš J.**, Diaz T., Korthals G.W., Lavorel S., Brown V.K., Gormsen D., Mortimer S., Barrueco C.R., Roy J., **Šmilauer P.**, **Šmilauerová M.**, Van Dijk C., 2003. Plant species diversity, plant biomass and responses of the soil community on abandoned land across Europe: idiosyncrasy or above-belowground time lags. *Oikos* 103: 45-58.
- Hejzlar J.**, Dubrovský M., Buchtele J., Růžička M., 2003. The apparent and potential effects of climate change on the inferred concentration of dissolved organic matter in a temperate stream (the Malse River, South Bohemia). *The Science of the Total Environment* 310: 143-152.
- Hernández-Mariné M., **Komárek J.**, Lhotský O. (Eds.), 2003. Cyanobacteria/ Cyanophyta. Morphology, Taxonomy, Ecology - Proceedings of the 15th Symp. Internat. Assoc. Cyanophyte Research (IAC), Barcelona (Spain) 2001. *Archive für Hydrobiologie/ Algological Studies* 109 ((Papers of Cyanobacterial Research 4), 615 p.



Hindák F., Šmarda J., **Komárek J.**, 2003. *Nodularia moravica* spec. nova, a new benthic freshwater nostocalean species (Cyanophyta/Cyanobacteria/Cyanoprokaryota). *Archiv für Hydrobiologie/Algological Studies* 109 (Papers of Cyanobacterial Research 4): 241-253.

**Hladík M., Kubečka J.**, 2003. Fish migration between a temperate reservoir and its main tributary. *Hydrobiologia* 504: 251-266.

**Hodačová D., Prach K.**, 2003. Spoil heaps from brown coal mining: Technical reclamation versus spontaneous revegetation. *Restoration Ecology* 11: 385-391.

Hodková M., **Syrová Z., Doležel D., Šauman I.**, 2003. Period gene expression in relation to seasonality and circadian rhythms in a heteropteran insect, *Pyrrhocoris apterus*. *European Journal of Entomology* 100: 267-273.

Horvatic J., Palijan G., **Lukavský J.**, 2003. Algal responses to nutrient additions in water of nature Park Kopački Rit (Croatia) by miniaturized algal growth bioassay. *Archiv für Hydrobiologie/Algological Studies* 110: 117-126.

Hrbáček J., **Brandl Z., Straškraba M.**, 2003. Do the long-term changes in zooplankton biomass indicate changes in fish stock? *Hydrobiologia* 504: 203-213.

**Hrouzek P., Šimek M., Komárek J.**, 2003. Nitrogenase activity (acetylene reduction activity) and diversity of six soil Nostoc strains. *Algological Studies* 108: 87-101.

**Chval Z., Šíp M.**, 2003. Transition states of cisplatin binding to guanine and adenine: ab initio reactivity study. *Collection of Czechoslovak Chemical Communications* 68: 1105-1118.

**Janský L., Reymanová P., Kopecký J.**, 2003. Dynamics of cytokine production in human peripheral blood mononuclear cells stimulated by LPS or infected *Borrelia*. *Physiological Research* 52: 593-598.

**Janský L., Stránská E., Hejnová L., Svoboda P.**, 2003. Human peripheral blood mononuclear cells – a suitable model for studying mode of action of catecholamines during nonshivering thermogenesis? *Physiological Research* 52: 29.

**Janský L., Vávra V., Janský P., Kunc P., Knížková I., Jandová D., Slováček K.**, 2003. Skin temperature changes in humans induced by local peripheral cooling. *Journal of Thermal Biology* 28: 429-437.

**Jezbera J., Nedoma J., Šimek K.**, 2003. Longitudinal changes in protistan bacterivory and bacterial production in two differently loaded canyon-shaped reservoirs. *Hydrobiologia* 504: 115-130.

Junková G., **Šíma J., Rychlovský P.**, 2003. Interferences of selected transition and noble metals and hydride-forming elements in electrochemical hydride generation of H<sub>2</sub>Se. *Chemical Papers* 57: 192-196.

**Kindlmann P.**, 2003. Irregular flowering regimes in orchids. *Lankesteriana* 7: 77-80.

**Kindlmann P., Dixon A.F.G.**, 2003. Insect predator - prey dynamics and the biological control of aphids by ladybirds. In: van Driesche R. (Ed.), *Proceedings of the 1st ISBCA meeting*. USDA Forest Service, Honolulu, pp. 118-124.

**Kocour M.**, Linhart O., Gela D., 2003. Results of comparative growing test of all-female and bisexual population in two-year-old common carp (*Cyprinus carpio* L.). *Aquaculture International* 11: 369-378.

**Kodrík D.**, Socha R., **Syrová Z.**, 2003. Developmental and diel changes of adipokinetic hormone in CNS and haemolymph of the flightless wing-polymorphic bug, *Pyrrhocoris apterus*. *Journal of Insect Physiology* 49: 53-61.

Kolbek J., **Šrůtek M.**, Box E.O. (Eds.), 2003. *Geobotany 28: Forest Vegetation of Northeast Asia*. Kluwer Academic Publishers, Dordrecht, 472 p.

**Komárek J.**, 2003. Coccoid and Colonial Cyanobacteria.. In: Wehr J.D., Sheath R.G. (Eds.), *Freshwater Algae of North America: Ecology and Classification*. Academic Press, San Diego, pp. 59-116.

**Komárek J.**, 2003. Planktic oscillatorial cyanoprokaryotes (short review according to combined phenotype and molecular aspects). *Hydrobiologia* 502: 367-382.

**Komárek J.**, 2003. Problem of the taxonomic category "species" in cyanobacteria. *Archive für Hydrobiologie/ Algological Studies (Papers of Cyanobacterial Research 4)* 109: 281-297.

**Komárek J.**, 2003. Two *Camptylonemopsis* species (cyanoprokaryotes) from "Mata Atlantica" in coastal Brazil. *Preslia* 75: 223-232.

**Komárek J.**, **Kaštovský J.**, 2003. Adaptability in diversification processes of cyanobacteria; the example of *Synechococcus bigranulatus*. *Archive für Hydrobiologie/ Algological Studies* 109 (Papers of Cyanobacterial Research 4): 299-304.

**Komárek J.**, **Kaštovský J.**, 2003. Coincidences of structural and molecular characters in evolutionary lines of cyanobacteria. *Archive für Hydrobiologie/ Algological Studies* 109 (Papers of Cyanobacterial Research 4): 305-325.

**Komárek J.**, Kling H., **Komárková J.**, 2003. Filamentous Cyanobacteria. In: Wehr J., Sheath R.G. (Eds.), *Freshwater algae of North America*. Academic Press, San Diego, pp. 117-196.

**Komárek J.**, Komárek O., 2003. Diversity of cyanobacteria in seepages of King George Island, maritime Antarctica. In: Huiskes A. et al. (Eds.), *Antarctic Biology in a Global Context*, Backhuys Publishers, Leiden, pp. 244-250.

**Komárek J.**, **Komárková J.**, 2003. Phenotype diversity of the cyanoprokaryotic genus *Cylindrospermopsis* (Nostocales); review 2002. *Czech Phycology* 3: 1-30.

**Komárek J.**, **Komárková J.**, Kling H., 2003. Filamentous Cyanobacteria. In: Wehr J.D., Sheath R.G. (Eds.), *Freshwater Algae of North America: Ecology and Classification*. Academic Press, San Diego, pp. 117-196.

**Komárková J.**, Komárek O., **Hejzlar J.**, 2003. Evaluation of the long term monitoring of phytoplankton assemblages in a canyon-shape reservoir using multivariate statistical methods. *Hydrobiologia* 504: 143-157.

**Komárková J.**, **Šimek K.**, 2003. Unicellular and colonial formations of picoplanktonic cyanobacteria under variable environmental conditions and predation pressure. *Algological Studies* 109: 327-340.

**Komárková J., Tavera R.**, 2003. Steady state of phytoplankton assemblage in the tropical Lake Catemaco (Mexico). *Hydrobiologia* 502: 187-196.

**Konvalinková P.** 2003. Generative and vegetative reproduction of *Helianthus tuberosus*, an invasive plant in central Europe. In: Child L., Brock J.H., Brundu G., **Prach K.**, Pyšek P., Wade P.M., Williamson M. (Eds.), *Plant Invasions: Ecological Threats and Management Solutions*. Backhuys Publishers, Leiden, pp. 289-299.

**Konvička M.**, Hula V., **Fric Z.**, 2003. Habitat of pre-hibernating larvae of the endangered butterfly *Euphydryas aurinia* (Lepidoptera:Nymphalidae): What can be learned from vegetation composition and architecture? *European Journal of Entomology* 100: 313-322.

**Konvička M., Maradová M., Beneš J., Fric Z., Kepka P.**, 2003. Uphill shifts in distribution of butterflies in the Czech Republic: effects of changing climate detected on a regional scale. *Global Ecology and Biogeography* 12: 403-410.

**Kopáček J.**, Cosby B.J., Majer V., Stuchlík E., Veselý J., 2003. Modelling reversibility of central European mountain lakes from acidification: Part II - The Tatra Mountains. *Hydrology and Earth System Sciences* 7: 510-524.

**Kopáček J., Hejzlar J., Kaňa J., Porcal P., Klementová Š.**, 2003. Photochemical, chemical, and biological transformations of dissolved organic carbon and its effect on alkalinity production in acidified lakes. *Limnology and Oceanography* 48: 106-117.

**Kopáček P., Ždychová J.**, Yoshiga T., Weise C., **Rudenko N.**, Law J.H., 2003. Molecular cloning, expression and isolation of ferritins from two tick species – *Ornithodoros moubata* and *Ixodes ricinus*. *Insect Biochemistry and Molecular Biology* 33: 103-113.

Kráľová-Hromadová I., **Scholz T.**, Shinn A.P., Cunnigham C.O., Wootten R., Hanzelová V., Sommerville C., 2003. A molecular study of *Eubothrium rugosum* (Batsch, 1786) (Cestoda: Pseudophyllidea) using ITS rDNA sequences, with notes on the distribution and intraspecific sequence variation of *Eubothrium crassum* (Bloch, 1779). *Parasitology Research* 89: 473-479.

Kročová Z., Macela A., Hernychová L., Kroča M., **Pechová J., Kopecký J.**, 2003. Tick salivary gland extract accelerates proliferation of *Francisella tularensis* in the host. *Journal of Parasitology* 89: 14-20.

**Kučera J.**, Hradílek Z., Buryová B., **Hájek P.**, 2003. *Hypnum sauteri* and *Lescurea patens*, two additions to the moss flora of the Czech Republic. *Preslia* 75: 255-262.

**Kučera J.**, Váňa J., 2003. Check- and Red List of bryophytes of the Czech Republic. *Preslia* 75: 193-222.

Kupper H., **Šetlík I., Šetlíková E., Ferimazová N.**, Spiller M., Kupper F.C., 2003. Copper-induced inhibition of photosynthesis: limiting steps of in vivo copper chlorophyll formation in *Scenedesmus quadricauda*. *Functional Plant Biology* 30: 1187-1196.

Kuras T., Beneš J., **Fric Z., Konvička M.**, 2003. Dispersal patterns of endemic alpine butterflies with contrasting population structures: *Erebia epiphron* and *E.-sudetica*. *Population Ecology* 45: 115-123.

Kvác M., Květoňová D., **Půžová G., Ditrich O.**, 2003. Comparison of selected diagnostic methods for identification of *Cryptosporidium parvum* and *Cryptosporidium andersoni* in routine examination of faeces. *Journal of Veterinary Medicine Series B* 50: 405-411.

**Kvíděrová J., Lukavský J.**, 2003. The cultivation of *Phaeodactylum tricorutum* in crossed gradients of temperature and light. Archiv für Hydrobiologie/Algological Studies 110: 67-80.

**Lederer F., Lukavský J.**, 2003. Řasy Šumavy. In: Šumava, příroda, historie, život. Nakladatelství Baset, Praha, pp.185-190.

**Lepš J., Šmilauer P.**, 2003. Multivariate analysis of ecological data using CANOCO. Cambridge University Press, Cambridge, 282 p.

Liu Q.X., **Jindra M.**, Ueda H., Hiromi Y., Hirose S., 2003. Drosophila MBF1 is a co-activator for Tracheae Defective and contributes to the formation of tracheal and nervous systems. Development 130: 719-728.

**Lukavský J.**, Furnadjieva S., Cepák V., 2003. Toxicity of metals, Al, Cd, Cr, Cu, Fe, Ni, Pb and Zn on microalgae 1. *Chlorella kessleri*, *Scenedesmus quadricauda*, *Sc. subspicatus* and *Raphidocelis subcapitata* (*Selenastrum capricornutum*). Algological Studies 110: 127-141.

Ma W., **Šebestianová Š., Šebestian J.**, Burd G.I., Guinel F., Glick B.R., 2003. Prevalence of 1-aminocyclopropane-1-carboxylate to deaminase in Rhizobia spp. Antonie van Leeuwenhoek International Journal of General and Molecular Microbiology 83: 285-291.

Macas J., **Navrátilová A.**, Meszaros T., 2003. Sequence subfamilies of satellite repeats related to rDNA intergenic spacer are differentially amplified on *Vicia sativa* chromosomes. Chromosoma 112: 152-158.

**Macek P., Lepš J.**, 2003. The effect of environmental heterogeneity on clonal behaviour of *Prunella vulgaris* L. Plant Ecology 168: 31-43.

Majer V., Cosby B.J., **Kopáček J.**, Veselý J., 2003. Modelling reversibility of central European mountain lakes from acidification: Part I - the Bohemian Forest. Hydrology and Earth System Sciences 7: 494-509.

Mandrioli M., Manicardi G.C., **Marec F.**, 2003. Cytogenetic and molecular characterization of the MBSAT1 satellite DNA in holokinetic chromosomes of the cabbage moth, *Mamestra brassicae* (Lepidoptera). Chromosome Research 11: 51-56.

**Mašín M., Šimek K., Jezbera J.**, Nedoma J., **Straškrabová V., Hejzlar J.**, 2003. Changes in bacterial community composition and microbial activities along the longitudinal axis of two differently loaded canyon-shaped reservoirs. Hydrobiologia 504: 99-113.

**Matějková I.**, van Diggelen R., **Prach K.**, 2003. An attempt to restore a Czech species-rich mountain grassland through grazing. Applied Vegetation Science 6: 161-168.

**Matoušek J.**, 2003. Hop latent viroid (HLVd) microevolution: an experimental transmission of HLVd "thermomutants" to solanaceous species. Biologia Plantarum 46: 607-610.

Mendoza-Franco E., **Scholz T.**, Cabañas-Carranza G., 2003. *Guavinella tropica* n. gen., n. sp. (Monogenea: Dactylogyridae) from the gills of the bigmouth sleeper, *Gobiomorus dormitor* (Perciformes: Eleotridae), from Mexico. Comparative Parasitology 70: 26-31.

**Mihulka S.**, Pyšek P., **Martínková J.**, 2003. Invasiveness of *Oenothera* congeners in Europe related to seed characteristics. In: Child L., Brock J.H., Brundu G., **Prach K.**, Pyšek P., Wade P.M., Williamson M.

(Eds.), Plant Invasions: Ecological Threats and Management Solutions. Backhuys Publishers, Leiden, pp. 213-225.

**Mihulka S.**, Pyšek P., Pyšek A., 2003. *Oenothera coronifera*, a new alien species for the Czech flora, and *Oenothera stricta*, recorded again after nearly two centuries. *Preslia* 75: 263-270.

Miller S.E., **Novotný V.**, Basset Y., 2003. Studies on New Guinea moths. 1. Introduction (Lepidoptera). *Proceedings of the Entomological Society of Washington* 105: 1034-1042.

Mugnai M.A., Turicchia S., Margheri M.C., Sili C., Gugger M., Tedioli G., **Komárek J.**, Ventura S., 2003. Characterization of the cyanobacterial biocoenosis of a freshwater reservoir in Italy. *Archive für Hydrobiologie/ Algological Studies (Papers of Cyanobacterial Research 4)* 109: 403-419.

**Navrátilová A.**, **Neumann P.**, Macas J., 2003. Karyotype analysis of four *Vicia* species using *in situ* hybridization with repetitive sequences. *Annals of Botany* 91: 921-926.

Nedoma J., **Štrojsová A.**, **Vrba J.**, **Komárková J.**, **Šimek K.**, 2003. Extracellular phosphatase activity of natural plankton studied with ELF97 phosphate: fluorescence quantification and labeling kinetics. *Environmental Microbiology* 5: 462-472.

**Němec V.**, 2003. A bait for locust (*Locusta migratoria migratorioides*) suitable for oral application of juvenile hormone analogues. *Biologia* 58: 287-290.

**Němec V.**, Benettová B., Hlaváček J., Tykva R., 2003. Comparison of biological effects of oostatic tetrapeptide (H-Tyr-Asp-Pro-Ala-OH) and pentapeptide (H-Tyr-Asp-Pro-Ala-Pro-OH) on three types of insect ovaries. *Collection Symposium Series* 6: 58-60.

**Němec V.**, Breuer M., De Loof A., 2003. Thin layer chromatographic analysis of pteridine-like pigments in the migratory locust, *Locusta migratoria migratorioides* (Orthoptera: Oedipodidae). *European Journal of Entomology* 100: 19-23.

**Němec V.**, Havelka J., Baldassari N., Baronio P., 2003. The effects of 20-hydroxyecdysone, metyrapone and dithiodiglucose on survival and reproduction of the aphid, *Myzus persicae* (Rhynchotha Aphididae). *Bulletin of Insectology* 55: 35-37.

**Novák P.**, **Matoušek J.**, **Bříza J.**, 2003. Valerophenone synthase-like chalcone synthase homologues in *Humulus lupulus*. *Biologia Plantarum* 46: 375-381.

**Novák J.**, **Prach K.**, 2003. Vegetation succession in basalt quarries: pattern over a landscape scale. *Applied Vegetation Science* 6: 111-116.

**Novotný V.**, Basset Y., Miller S.E., Kitching R., 2003. Herbivore communities and their food resources. In: Basset Y., Novotný V., Miller S.E., Kitching R. (Eds.), *Arthropods of Tropical Forests: Spatio-Temporal Dynamics and Resource Use in the Canopy*. University Press, Cambridge, pp. 40-53.

**Novotný V.**, Miller S.E., **Čížek L.**, **Lepš J.**, **Janda M.**, Basset Y., Weiblen G.D., Darrow K., 2003. Colonising aliens: caterpillars (Lepidoptera) feeding on *Piper aduncum* and *P. umbellatum* in rainforests of Papua New Guinea. *Ecological Entomology* 28: 704-716.

Patočková M., **Kodřík D.**, Šimek P., Socha R., 2003. The structure and activity of adipokinetic peptide in cotton pest - the bug *Dysdercus cingulatus*. *Collection Symposium Series* 6: 69-72.

Pekkarinen M., Lom J., Murphy C.A., Ragan M.A., **Dyková I.**, 2003. Phylogenetic position and ultrastructure of two *Dermocystidium* species (Ichthyospora) from the common perch (*Perca fluviatilis*). *Acta Protozoologica* 42: 287-307.

**Peterka J., Matěna J.**, Lipka J., 2003. The diet and growth of larval and juvenile pikeperch (*Stizostedion lucioperca* (L.)): A comparative study of fishponds and a reservoir. *Aquaculture International* 11: 337-348.

**Petrů M.**, Menges E.S., 2003 Seedling establishment in natural and experimental Florida scrub gaps. *Journal of Torrey Botanical Society* 130: 89-100.

**Prach K.**, 2003. Spontaneous vegetation succession in central European human-made habitats: what scientific knowledge can be used in restoration practice? *Applied Vegetation Science* 6: 125-129.

**Prchalová M., Drašík V., Kubečka J.**, Sricharoendham B., Schiemer F., Vijverberg J., 2003. Acoustic study of fish and invertebrate behavior in a tropical reservoir. *Aquatic Living Resources* 16: 325-331.

Proffitt C.E., Travis S.E., **Edwards K.**, 2003. Genotype and elevation influence *Spartina alterniflora* colonization and growth in a created salt marsh. *Ecological Applications* 13: 180-192.

Pyšek P., **Prach K.**, 2003. Research into plant invasions in crossroads region: history and focus. *Biological Invasions* 5: 337-348.

**Rego A., Marec F.**, 2003. Telomeric and interstitial telomeric sequences in holokinetic chromosomes of Lepidoptera: Telomeric DNA mediates association between postpachytene bivalents in achiasmatic meiosis of females. *Chromosome Research* 11: 681-694.

Rexová K., Frynta D., **Zrzavý J.**, 2003. Cladistic analysis of languages: Indo-European classification based on lexicostatistical data. *Cladistics* 19: 120-127.

Roth J., Zeisberger E., Vybíral S., **Janský L.**, 2003. Endogenous antipyretics: neuropeptides and glucocorticoids. *Frontiers in Bioscience* 1: 1-10.

Rusch G.M., Pausas J.G., **Lepš J.**, 2003. Plant Functional Types in relation to disturbance and land use: Introduction. *Journal of Vegetation Science* 14: 307-310.

**Říčan O.**, Kullander S.O., 2003. 'Cichlasoma' scitutum: A new species of Cichlid fish from the Rio de La Plata region in Argentina, Brazil, and Uruguay. *Copeia* 4: 794-802.

Sahara K., **Marec F.**, Eickhoff U., Traut W., 2003. Moth sex chromatin probed by comparative genomic hybridization (CGH). *Genome* 46: 339-342.

**Saravanan T.**, Weise C., **Sojka D., Kopáček P.**, 2003. Molecular cloning, structure and bait-region splice variants of (2-macroglobulin from the soft tick *Ornithodoros moubata*. *Insect Biochemistry and Molecular Biology* 33: 841-851.

**Sehadová H., Šauman I., Sehnal F.**, 2003. Immunocytochemical distribution of the pigment-dispersing hormone in the cephalic ganglia of polyneopteran insects. *Cell and Tissue Research* 312: 113-125.

**Sehnal F., Nedvěd O.**, Košťál V., 2003. Temperature, effects on development and growth. In: Resh V.H., Cardé R.T. (Eds.), *Encyclopedia of Insects*. Academic Press, San Diego, pp. 1116-1119.

**Scholz T.**, de Chambrier A., 2003. Taxonomy and biology of proteocephalidean cestodes: current state and perspectives. *Helminthologia* 40: 65-77.

**Scholz T.**, **Kuchta R.**, Shinn A.P., Šnábel V., Hanzelová V., 2003. Host specificity and geographical distribution of *Eubothrium* in European salmonid fish. *Journal of Helminthology* 77: 255-262.

**Scholz T.**, **Škeříková A.**, Hanzelová V., Koubková B., Baruš V., 2003. Resurrection of *Proteocephalus sagittus* (Grimm, 1872) (Cestoda: Proteocephalidea) based on morphological and molecular data. *Systematic Parasitology* 56: 173-181.

**Sirová D.**, Adamec L., **Vrba J.**, 2003. Enzymatic activities in traps of four aquatic species of the carnivorous genus *Utricularia*. *New Phytologist* 159: 669-675.

**Soldán T.**, 2003. Ephemeroptera phylogeny and higher classification: present status and conflicting hypotheses. *Entomologische Abhandlungen* 61: 125-126.

**Soldán T.**, Yang J.T., 2003. Mayflies (Ephemeroptera) of Taiwan: Species composition, taxonomic shifts, distribution and biogeographical analysis. In: Gaino E. (Ed.), *Research Update on Ephemeroptera & Plecoptera*. Università di Perugia, Perugia, pp. 413-420.

Spitzer K., Jaroš J., **Bezděk A.**, 2003. Leaf-spinning moths (Lepidoptera) feeding on *Vaccinium uliginosum* L. along an ecological gradient of central European peat bogs. *Entomologica Fennica* 14: 46-52.

Stadler B., **Kindlmann P.**, **Šmilauer P.**, Fiedler K., 2003. A comparative analysis of morphological and ecological characters of European aphids and lycaenids in relation to ant attendance. *Oecologia* 135: 422-430.

Stoitsova S. R., **Grubhoffer L.**, **Nebesářová J.**, 2003. Exposed and hidden lectin-binding epitopes at the surface of *Borrelia burgdorferi*. *Folia Microbiologica* 48: 654-658.

Sumová A., Jac M., Sládek M., **Šauman I.**, Illnerová H., 2003. Clock gene daily profiles and their phase-relationship in the rat suprachiasmatic nucleus are affected by photoperiod. *Journal of Biological Rhythms* 18: 134-144.

**Syrová Z.**, **Doležel D.**, **Šauman I.**, Hodková M., 2003. Photoperiodic regulation of diapause in linden bugs: are period and Clock genes involved? *Cellular and Molecular Life Sciences* 60: 2510-2115.

**Syrová Z.**, **Šauman I.**, Giebultowicz J.M., 2003. Effect of light and temperature on circadian system controlling sperm descent from testis in moth *Spodoptera littoralis*. *Chronobiology International* 20: 809-821.

**Šafařík I.**, Šafaříková M., 2003. *BioMagnetic Research and Technology*: a new online journal. *BioMagnetic Research and Technology* 1: 1.

Šafaříková M., Roy I., Gupta M.N., **Šafařík I.**, 2003. Magnetic alginate microparticles for purification of alpha-amylases. *Journal of Biotechnology* 105: 255-260.

**Šantrůček J., Hronková M., Květoň J., Sage R.F., 2003.** Photosynthesis inhibition during gas exchange oscillations in ABA-treated *Helianthus annuus*: relative role of stomatal patchiness and leaf carboxylation capacity. *Photosynthetica* 41: 241-252.

**Šantrůčková H., Bird M., Kalaschnikov Y., Grund M., Elhottová D., Šimek M., Grigoryev S., Gleixner G., Arneth A., Schulze E., Lloyd J., 2003.** Microbial characteristics of soils on a latitudinal transect in Siberia. *Global Change Biology* 9: 1106-1117.

**Šimek K., Horňák K., Mašín M., Christaki U., Nedoma J., Weinbauer M.G., Dolan J.R., 2003.** Comparing the effects of resource enrichment and grazing on a bacterioplankton community of a meso-eutrophic reservoir. *Aquatic Microbial Ecology* 31: 123-135.

**Šíma J., Rychlovský P., 2003.** Electrochemical selenium hydride generation with in situ trapping in graphite tube atomizers. *Spectrochimica Acta B* 58: 919-930.

**Škopek J., Matoušek J., 2003.** Sequence variability of helper component protein of potato virus Y identified by thermodynamic methods. *Biologia Plantarum* 47: 253-260.

**Šlapeta J.R., Modrý D., Votýpka J., Jirků M., Lukeš J., Koudela B., 2003.** Evolutionary relationships among cyst-forming coccidia *Sarcocystis* spp. (Alveolata: Apicomplexa: Coccidea) in endemic African tree vipers and perspective for evolution of heteroxenous life cycle. *Molecular Phylogenetics and Evolution* 27: 464-475.

**Šobotník J., Weyda F., 2003.** Ultrastructural ontogeny of the labial gland apparatus in termite *Prorhinotermes simplex* (Isoptera, Rhinotermitidae). *Arthropod Structure & Development* 31: 255-270.

**Šobotník J., Weyda F., Hanus R., 2003.** Ultrastructure of epidermal glands in neotenic reproductives of the termite *Prorhinotermes simplex* (Isoptera: Rhinotermitidae). *Arthropod Structure & Development* 32: 201-208.

**Šrůtek M., Doležal J., 2003.** Functional interdependence between climatic factors, topographic processes and spatial patterns of species richness in mountain areas: a special case or the general pattern? *Biologia* 58: 823-832.

**Šrůtek M., Kolbek J., Jarolímek I., Valachovič M., 2003.** Vegetation-environment relationships within and among selected natural forests in North Korea. In: Kolbek J., Šrůtek M., Box E.O. (Eds.), *Forest Vegetation of Northeast Asia*. Kluwer Academic Publishers, Dordrecht, pp. 363-382.

**Šrůtek M., Kolbek J., Lepš J., 2003.** Species and spatial structure of forests on the southeastern slope of Paektu-san, North Korea. In: Kolbek J., Šrůtek M., Box E.O. (Eds.), *Forest Vegetation of Northeast Asia*. Kluwer Academic Publishers, Dordrecht, pp. 383-407.

**Štrojsová A., Vrba J., Nedoma J., Komárková J., Znachor P., 2003.** Seasonal study of extracellular phosphatase expression in the phytoplankton of a eutrophic reservoir. *European Journal of Phycology* 38: 295-306.

**Šumbera R., Baruš V., Tenora F., 2003.** Heavy metals in the silvery mole-rat, *Heliophobius argenteocinereus* (Bathyergidae, Rodentia) from Malawi. *Folia Zoologica* 52: 149-153.



**Šumbera R.**, Burda H., Chitaukali W.N., 2003. Reproductive biology of a solitary subterranean bathyergid rodent, the silvery mole-rat (*Heliophobius argenteocinereus*). *Journal of Mammalogy* 84: 278-287.

**Šumbera R.**, Burda H., Chitaukali W.N., Kubovaa J., 2003. Silvery mole-rats (*Heliophobius argenteocinereus*, Bathyergidae) change their burrow architecture seasonally. *Naturwissenschaften* 90: 370-373.

Tawfik A.I., **Sehnal F.**, 2003. A role for ecdysteroids in the phase polymorphism of the desert locust. *Physiological Entomology* 28: 19-24.

Tenora F., Baruš V., Prokeš M., **Šumbera R.**, Koubková B. Helminths parasitizing the silvery mole-rat, *Heliophobius argenteocinereus* (Rodentia: Bathyergidae) from Malawi. *Helminthologia* 40: 153-160.

Theimer C.A., Finger L.D., **Trantírek L.**, Feigon J., 2003. Mutations linked to dyskeratosis congenita cause changes in the structural equilibrium in telomerase RNA. *Proceedings of the National Academy of Sciences of the United States of America* 100: 449-454.

Thompson J.R., Wetzel S., Klerks M.M., **Vašková D.**, Schoen C.D., Jelkmann W., **Špak J.**, 2003. Multiplex RT-PCR detection of four aphid-borne strawberry viruses in *Fragaria* spp. in combination with a plant mRNA specific internal control. *Journal of Virological Methods* 111: 85-93.

Tscherko D., Bolter M., Beyer L., Chen J., **Elster J.**, Kandeler E., Kuhn D., Blume H.P., 2003. Biomass and enzyme activity of two soil transects at King George Island, maritime Antarctica. *Arctic Antarctic and Alpine Research* 35: 34-47.

**Uhlířová E.**, **Šantrůčková H.**, 2003. Growth rate of bacteria is affected by soil texture and extraction procedure. *Soil Biology & Biochemistry* 35: 217-224.

**Uhlířová M.**, Foy B.D., Beaty B.J., Olson K.E., Riddiford L.M., **Jindra M.**, 2003. Use of Sindbis virus-mediated RNAi to demonstrate a conserved role of Broad-Complex in insect metamorphosis. *Proceedings of the National Academy of Sciences of the United States of America* 100: 15607-15612.

**Vancová M.**, **Nebesářová J.**, **Grubhoffer L.**, 2003. Surface glycoconjugates of lyme borreliosis spirochetes. *Microscopy and Microanalysis* 9 (Suppl. 3): 506-507.

**Vašek M.**, **Kubečka J.**, Sed'a J., 2003. Cyprinid predation on zooplankton along the longitudinal profile of a canyon-shaped reservoir. *Archiv für Hydrobiologie* 156: 535-550.

Veselý J., Majer V., **Kopáček J.**, Norton S.A., 2003. Increasing temperature decreases aluminum concentrations in Central European lakes recovering from acidification. *Limnology and Oceanography* 48: 2346-2354.

**Vlasák J.**, Šmahel M., **Pavlík A.**, **Pavingerová D.**, **Bříza J.**, 2003. Comparison of hCMV immediate early and CaMV 35S promoters in both plant and human cells. *Journal of Biotechnology* 103: 197-202.

Votýpka J., **Šimek J.**, Tryjanowski P., 2003. Blood parasites, reproduction and sexual selection in the red-backed shrike (*Lanius collurio*). *Annales Zoologici Fennici* 40: 431-439.

**Vrba J., Kopáček J., Fott J., Kohout L., Nedbalová L., Pražáková M., Soldán T., Schaumburg J., 2003.** Long-term studies (1871-2000) on acidification and recovery of lakes in the Bohemian Forest (central Europe). *The Science of the Total Environment* 310: 73-85.

**Vrba J., Nedoma J., Kohout L., Kopáček J., Nedbalová L., Ráčková P., Šimek K., 2003.** Massive occurrence of heterotrophic filaments in acidified lakes: seasonal dynamics and composition. *FEMS Microbiology Ecology* 46: 281-294.

Weinbauer M.G., Christaki U., Nedoma J., Šimek K., 2003. Comparing the effects of resource enrichment and grazing on viral production in a meso-eutrophic reservoir. *Aquatic Microbial Ecology* 31: 137-144.

**Závodská R., Šauman I., Sehnal F., 2003.** Distribution of PER protein, pigment-dispersing hormone, and eclosion hormone in the cephalic nervous system of insects. *Journal of Biological Rhythms* 18: 106-122.

**Závodská R., Šauman I., Sehnal F., 2003.** The cycling and distribution of PER-like antigen in relation to neurons recognized by the antisera to PTTT and EH in *Thermobia domestica*. *Insect Biochemistry and Molecular Biology* 33: 1227-1238.

**Zíková A., Vancová M., Jirků M., Lukeš J., 2003.** *Cruzella marina* (Bodonina, Kinetoplastida): non-catenated structure of poly-kinetoplast DNA. *Experimental Parasitology* 104: 159-161.

**Zrzavý J., 2003.** Gastrotricha and metazoan phylogeny. *Zoologica Scripta* 32: 61-81.

**Zrzavý J., Hypša V., 2003.** Myxozoa, Polypodium, and the origin of the Bilateria: The phylogenetic position of "Endocnidozoa" in light of the rediscovery of Buddenbrockia. *Cladistics* 19: 164-169.

**Zrzavý J., Říčan O., 2003.** Morphological and molecular supertrees for metazoan phyla: Conflict and accord in diverse comparative approaches. *Cladistics* 19: 162-163.

**Žďárská Z., Nebesářová J., 2003.** Transmission electron microscopy of intra-tegumental sensory receptors in the forebody of *Crepidostomum metoecus* (Digenea: Allocreadiidae). *Folia Parasitologica* 50: 215-219.

**Žďárská Z., Nebesářová J., 2003.** Ultrastructure of the early rostellum of *Silurotaenia siluri* (Batsch, 1786) (Cestoda : Proteocephalidae). *Parasitology Research* 86: 495-500.

## 2004

Armbrust E.V., Berges J.A., Bowler C., Green B.R., Martinez D., Putnam N.H., Zhou S.G., Allen A.E., Apt K.E., Bechner M., Brzezinski M.A., Chaal B.K., Chiovitti A., Davis A.K., Demarest M.S., Detter J.C., Glavina T., Goodstein D., Hadi M.Z., Hellsten U., Hildebrand M., Jenkins B.D., Jurka J., Kapitonov V.V., Kroger N., Lau W.W.Y., Lane T.W., Larimer F.W., Lippmeier J.C., Lucas S., Medina M., Montsant A., **Obornik M.**, Parker M.S., Palenik B., Pazour G.J., Richardson P.M., Rynearson T.A., Saito M.A., Schwartz D.C., Thamtrakoln K., Valentin K., Vardi A., Wilkerson F.P., Rokhsar D.S., 2004. The genome of the diatom *Thalassiosira pseudonana*: Ecology, evolution, and metabolism. *Science* 306: 79-86.

Avliyakov N.K., **Lukeš J.**, Ray D.S., 2004. Mitochondrial histone-like DNA-binding proteins

are essential for normal cell growth and mitochondrial function in *Crithidia fasciculata*.  
*Eukaryotic Cell* 3: 518-526.

Basset Y., **Novotný V.**, Miller S.E., Weiblen G.D., Missa O., 2004. Conservation and biological monitoring of tropical forests: the role of parataxonomists. *Journal of Applied Ecology* 41: 163-174.

**Bastlová D.**, Čížková H., **Bastl M.**, **Květ J.**, 2004. Growth of *Lythrum salicaria* and *Phragmites australis* plants originating from a wide geographical area: response to nutrient and water supply. *Global Ecology and Biogeography* 13: 259-271.

Begum M., Breuer M., **Kodřík D.**, Rahman M.M., DeLoof A., 2004. The NMDA receptor antagonist MK-801 inhibits vitellogenesis in the flesh fly *Neobellieria bullata* and in the desert locust *Schistocerca gregaria*. *Journal of Insect Physiology* 50: 927-934.

**Beneš J.**, 2004. Paleoeology of the LBK: Earliest agriculturist and landscape Bohemia, Czech Republic, In: Lukeš A., Zvelebil M. (eds.), LBK Dialogues. Studies in formation of the Linear Pottery Culture, BAR International Series 1304: 143-150.

**Berec L.**, **Boukal D.S.**, 2004. Implications of mate search, mate choice and divorce rate for population dynamics of sexually reproducing species. *Oikos* 104: 122-132.

**Bezděk A.**, 2004. Catalogue of Diplotaxini (Coleoptera: Scarabaeidae: Melolonthinae) of the Old World. *Zootaxa* No. 463. Magnolia Press, Auckland, New Zealand, 90 p.

**Bezděk A.**, 2004. Revision of the genus *Ceratogonia* (Scarabaeidae: Melolonthinae: Diplotaxini). *Annales Zoologici* 54: 797-801.

**Bezděk A.**, Cressey H.B., 2004. *Cresseyella* nom. nov., a new replacement name for the genus *Apogonia* (Crustacea: Copepoda, Caligidae). *Biologia* 59: 180.

**Bína D.**, **Vácha F.**, 2004. Absorbance changes accompanying the fluorescence induction in whole cells of purple bacteria. *Acta Physiologiae Plantarum* 46: 174.

Bondarenko S., **Hromada M.**, 2004. *Aploparaksis mackoi* n. sp. (Cestoda: Hymenolepididae), a parasite of the common snipe *Gallinago gallinago* (L.) from the Slovak Republic. *Systematic Parasitology* 58: 63-67.

Bruňanská M., **Scholz T.**, Ibraheem M.H., 2004. Ultrastructural particularities of the spermatozoon of the cestode *Electrotaenia malopteruri* (Fritsch 1886) (Proteocephalidae : Gangesiinae) a parasite of *Malapterurus electricus* (Siluriformes : Malapteruridae) from the river Nile Egypt. *Parasitological Research* 93: 114-120.

Bruňanská M., **Scholz T.**, Ibraheem M.H., 2004. Ultrastructural characters of the spermatozoon of the cestode *Corallobothrium solidum* Fritsch 1886 (Cestoda: Proteocephalidea) a parasite of the electric catfish *Malapterurus electricus*. *Parasitological Research* 94: 421-426.

Bruňanská M., **Scholz T.**, **Nebesářová J.**, 2004. Reinvestigation of spermiogenesis in the proteocephalidean cestode *Proteocephalus longicollis* (Zeder 1800). *Journal of Parasitology* 90: 23-29.

**Bumba L.**, **Havelková-Doušová H.**, Hušák M., **Vácha F.**, 2004. Structural characterization of photosystem II complex from red alga *Porphyridium cruentum* retainsic subunits of the oxygen-evolving

complex. *European Journal of Biochemistry* 271: 2967-2975.

**Bumba L.**, Hušák M., **Vácha F.**, 2004. Interaction of photosystem 2-LHC2 supercomplexes in adjacent layers of stacked chloroplast thylakoid membranes. *Photosynthetica* 42: 193-199.

Callaghan T.V., Bjorn L.O., Chernov Y., Chapin T., Christensen T.R., Huntley B., Ims R.A., Johansson M., Jolly D., Jonasson S., Matveyeva N., Panikov N., Oechel W., Shaver G., **Elster J.**, Henttonen H., Laine K., Taulavuori K., Taulavuori E., Zockler C., 2004. Biodiversity distributions and adaptations of arctic species in the context of environmental change. *Ambio* 33: 404-417.

Callaghan T.V., Bjorn L.O., Chernov Y., Chapin T., Christensen T.R., Huntley B., Ims R.A., Johansson M., Jolly D., Jonasson S., Matveyeva N., Panikov N., Oechel W., Shaver G., **Elster J.**, Jonsdottir I.S., Laine K., Taulavuori K., Taulavuori E., Zockler C., 2004. Responses to projected changes in climate and UV-B at the species level. *Ambio* 33: 418-435.

Ceschi-Berrini C., DeAppolonia F., Valle L.D., **Komárek J.**, Andreoli C., 2004. Morphological and molecular characterization of a thermophilic cyanobacterium (Oscillatoriales) from Euganean thermal springs (Padua, Italy). *Archiv für Hydrobiologie/Algological Studies* 113: 73-85.

Cressman R., **Křivan V.**, Garay J., 2004. Ideal free distributions, evolutionary games and population dynamics in multiple species environments. *The American Naturalist* 164: 473-489.

Cronberg G., **Komárek J.**, 2004. Some nostocalean cyanoprokaryotes from lentic habitats of Eastern and Southern Africa. *Nova Hedwigia* 78: 71-106.

Day J.G., **Lukavský J.**, Lorenz M., Friedl T., **Elster J.**, Campbell C.N., Brand J.J., 2004. Pringsheim's living legacy: CAUP CCALA CCAP SAG and UTEX culture collections of algae. *Nova Hedwigia* 79: 27-37.

de Chambrier A., **Scholz T.**, Ibraheem M.H., 2004. Redescription of *Electrotaenia malopteruri* (Fritsch 1886) (Cestoda : Proteocephalidae) a parasite of *Malapterurus electricus* (Siluriformes: Malapteruridae) from Egypt. *Systematic Parasitology* 57: 97-109.

**Doležal J.**, Ishii H., Vetrova V.P., Sumida A., Hara T., 2004. Tree growth and competition in a *Betula platyphylla*-*Larix cajanderi* post-fire forest in central Kamchatka. *Annals of Botany* 94: 333-343.

**Doležal J.**, Štátná P., Hara T., **Šrůtek M.**, 2004. Neighbourhood interactions and environmental factors influencing old-pasture succession in the Central Pyrenees. *Journal of Vegetation Science* 15: 101-108.

**Doležal P.**, Bextine B.R., Doležalová R., Miller T.A., 2004. Novel methods of monitoring the feeding behavior of *Homalodisca coagulata*. *Annals of the Entomological Society of America* 97: 1055-1062.

**Dostálková I.**, **Kindlmann P.**, 2004. Evolutionarily stable strategies for random processes. *Theoretical Population Biology* 65: 205-210.

**Dyková I.**, Lom J., 2004. Advances in the knowledge of amphizoic amoebae infecting fish. *Folia Parasitologica* 51: 81-97.

**Edwards K.**, 2004. Book review: Primary succession and ecosystem rehabilitation. *Restoration Ecology* 12: 464-465.

**Elster J.**, Benson E.E., 2004. Life in the Polar Terrestrial Environment: A Focus on Algae. In: Benson E.E. et al. (Eds) *Life in the frozen state*. Taylor & Francis, London, pp. 111-149.

Emelianov I., **Marec F.**, Mallet J., 2004. Genomic evidence for divergence with gene flow in host races of the larch budmoth. *Proceedings of the Royal Society of London Series B* 271: 97-105.

**Fiala I., Dyková I.**, 2004. The phylogeny of marine and freshwater species of the genus *Chloromyxum* Mingazzini 1890 (Myxosporea : Bivalvulida) based on small subunit ribosomal RNA gene sequences. *Folia Parasitologica* 51: 211-214.

Foy B.D., Myles K.M., Pierro D.J., Sanchez-Vargas I., **Uhlířová M., Jindra M.**, Beaty B.J., Olson K.E., 2004. Development of a new Sindbis virus transducing system and its characterization in three Culicine mosquitoes and two Lepidopteran species. *Insect Molecular Biology* 13: 89-100.

**Fric Z., Konvička M., Zrzavý J.**, 2004. Red & black or black & white? Phylogeny of the *Araschnia* butterflies (Lepidoptera: Nymphalidae) and evolution of seasonal polyphenism. *Journal of Evolutionary Biology* 17: 265-278.

Frouzová J., **Kubečka J.**, 2004. Changes of acoustic target strength during juvenile perch development. *Fisheries Research* 66: 355-361.

**Frydrychová R., Grossman P., Trubač P., Vítková M., Marec F.**, 2004. Phylogenetic distribution of TTAGG telomeric repeats in insects. *Genome* 47: 163-178.

Gaudinová A., **Špak J.**, Dobrev P., Malbeck J., Motyka V., Vaňková R., 2004. Changes in phytohormone contents in radish exposed to virus infection. *Acta Physiologiae Plantarum* 26: 129.

**Gažiová I.**, Bonnette P.C., Henrich V.C., **Jindra M.**, 2004. Cell-autonomous roles of the ecdysoneless gene in *Drosophila* development and oogenesis. *Development* 131: 2715-2725.

Godunko R.J., Klonovska-Olejnik M., **Soldán T.**, 2004. *Ecdyonurus rizuni* sp. nov. (Ephemeroptera Heptageniidae) from the Eastern Carpathians. *Annales Zoologici* 53: 519-524.

Godunko R.J., Prokopov G.A., **Soldán T.**, 2004. Mayflies of the Crimean Peninsula. III. The description of *Baetis milani* sp. n. with notes to taxonomy of the subgenus *Rhodobaetis* JACOB 2003 (Ephemeroptera: Baetidae). *Acta Zoologica Cracoviensia* 47: 231-248.

**Grubhoffer L., Kovář V., Rudenko, N.**, 2004. Tick lectins: structural and functional properties. *Parasitology* 129: S1-S13.

Gurney R.H., Nowak B.F., **Dyková I.**, Kuris A.M., 2004. Histopathological effects of trypanorhynch metacestodes in the digestive gland of a novel host *Carcinus maenas* (Decapoda). *Diseases of Aquatic Organisms* 58: 63-69.

Hagele B.F., Wang F.H., **Sehnal F.**, Simpson S.J., 2004. Effects of crowding isolation and transfer from isolation to crowding on total ecdysteroid content of eggs in *Schistocerca gregaria*. *Journal of Insect Physiology* 50: 621-628.

**Hajdušek O., Ditrich O.**, Šlapeta J., 2004. Molecular identification of *Cryptosporidium* spp. in animal and human hosts from the Czech Republic. *Veterinary Parasitology* 122: 183-192.

Halkett F., Harrington R., Hulle M., **Kindlmann P.**, Menu F., Rispe C., Plantegenest M., 2004. Dynamics of production of sexual forms in aphids: theoretical and experimental evidence for adaptive “coin-flipping” plasticity. *The American Naturalist* 163: E112-E125.

**Hrouzek P.**, Lukešová A., **Šimek M.**, 2004. Comparison of light and dark nitrogenase activity in selected soil cyanobacteria. *Folia Microbiologica* 49: 435-440.

Hula V., **Konvička M.**, Pavlíčko A., **Fric Z.**, 2004. Marsh Fritillary (*Euphydryas aurinia*) in the Czech Republic: Monitoring metapopulation structure and conservation of the endangered butterfly. *Entomologica Fennica* 15: 231-241.

**Chaloupecká E.**, **Lepš J.**, 2004. Equivalence of competitor effects and tradeoff between vegetative multiplication and generative reproduction: case study with *Lychnis flos-cuculi* and *Myosotis nemorosa*. *Flora* 199: 157-167.

**Janda M.**, **Folková D.**, **Zrzavý J.**, 2004. Phylogeny of *Lasius* ants based on mitochondrial DNA and morphology and the evolution of social parasitism in the Lasiini (Hymenoptera: Formicidae). *Molecular Phylogenetics and Evolution* 33: 595-614.

**Janeček Š.**, **Janečková P.**, **Lepš J.**, 2004. Influence of soil heterogeneity and competition on growth features of three meadow species. *Flora* 199: 3-11.

**Janský L.**, Stará T., **Matějovská T.**, 2004. Humoral modulation of cytokine release from human peripheral blood mononuclear cells (PBMC). *Physiological Research* 53: 13.

**Janský V.**, Vybíral S., 2004. Thermal homeostasis in systemic inflammation: modulation of neuronal mechanisms. *Frontiers in Bioscience* 9: 3068-3084.

Jarkovský J., Koubková B., **Scholz T.**, Prokeš M., Baruš V., 2004. Seasonal dynamics of *Proteocephalus sagittus* in the stone loach *Barbatula barbatula* from the Haná River Czech Republic. *Journal of Helminthology* 78: 225-229.

**Jersáková J.**, **Kindlmann P.**, 2004. Reproductive success and gender variation in nectarless vs. rewarding orchids. *International Journal of Plant Sciences* 165: 779-785.

**Jindra M.**, **Gažiová I.**, **Uhlířová M.**, Okabe M., Hiromi Y., Hirose S., 2004. Coactivator MBF1 preserves the redox-dependent AP-1 activity during oxidative stress in *Drosophila*. *EMBO Journal* 23: 3538-3547.

Johansson C., Finger L.D., **Trantírek L.**, Mueller T.D., Kim S., Laird-Offringa I.A., Feigon J., 2004. Solution structure of the complex formed by the two N-terminal RNA-binding domains of nucleolin and a pre-rRNA target. *Journal of Molecular Biology* 337: 799-816.

Jonášková M., **Prach K.**, 2004. Central-European mountain spruce (*Picea abies* (L.) Karst.) forests: regeneration of tree species after a bark beetle outbreak. *Ecological Engineering* 23: 15-24.

Kaňuščák P., **Hromada M.**, Sparks T.H., Tryjanowski P., 2004. Does climate at different scales influence the phenology and phenotype of the River Warbler *Locustella fluviatilis*? *Oecologia* 141: 158-163.

**Kindlmann P.**, Arditi R., Dixon A.F.G., 2004. A simple aphid population model. In: *Aphids in a new millennium*, Simon J.C., Dedryver C.A., Rispe C., Hulle M. (eds.). INRA Editions, INRA, Paris, pp. 325-330.

**Kindlmann P.**, Aviron S., Burel F., Ouin A., 2004. Can the assumption of a non-random search improve our prediction of butterfly fluxes between resource patches? *Ecological Entomology* 29: 447-456.

**Kindlmann P.**, Dixon A.F.G., 2004). Past and future models of predator-prey population dynamics: the

importance of generation time ratio. In: Ecology of Aphidophaga: Biology, Ecology and Behaviour of Aphidophagous Insects, Soares A.O., Ventura M.A., Garcia V., Hemptinne J.L., (eds.). ARQUIPÉLAGO - Life and Marine Sciences. Bulletin of the University of the Azores, Ponta Delgada, Azores, Portugal, pp. 65-71.

**Kindlmann P.**, Stadler B., 2004. Temporal fluctuations in throughfall carbon concentrations in a spruce forest. *Ecological Modelling* 176: 381-388.

Klerks M.M., Lindner J.L., **Vašková D.**, **Špak J.**, Jelkmann W., Schoen C.D., 2004. Detection and tentative grouping of strawberry crinkle isolates. *European Journal of Plant Pathology* 110: 45-52.

**Klimešová J.**, **Martínková J.**, **Kočvarová M.**, 2004. Biological flora of Central Europe: *Rorippa palustris* (L.) Besse. *Flora* 199: 453-463.

Kočí V., **Lukavský J.**, Mlejnek K., Kochánková L., Grabic R., Ocelka T., 2004. Application of semipermeable membrane device (SPMD) for assessment of organic substances dangerous for green microalga *Scenedesmus subspicatus*. *Archiv für Hydrobiologie/Algological Studies* 111: 173-186.

**Komárek J.**, Cepák V., **Kaštovský J.**, Sulek J., 2004. What are the cyanobacterial genera Cyanotheca and Cyanobacterium? Contribution to the combined molecular and phenotype taxonomic evaluation of cyanobacterial diversity. *Archiv für Hydrobiologie/Algological Studies* 113: 1-36.

**Kopáček J.**, **Brzáková M.**, **Hejzlar J.**, Nedoma J., Porcal P., **Vrba J.**, 2004. Nutrient cycling in a strongly acidified mesotrophic lake. *Limnology and Oceanography* 49: 1202-1213.

**Kopáček J.**, Hardekopf D., Majer V., Pšenáková P., Stuchlík E., Veselý J., 2004. Response of alpine lakes and soils to changes in acid deposition: the MAGIC model applied to the Tatra Mountain region Slovakia-Poland. *Journal of Limnology* 63: 143-156.

**Kopáček J.**, **Kaňa J.**, **Šantrůčková H.**, **Pícek T.**, Stuchlík E., 2004. Chemical and biochemical characteristics of alpine soils in the Tatra Mountains and their correlation with lake water quality. *Water Air and Soil Pollution* 153: 304-327.

**Košťál V.**, Tamura M., **Tollarová M.**, Zahradníčková H. 2004 Enzymatic capacity for accumulation of polyol cryoprotectants changes during the diapause development in the adult red firebug *Pyrrhocoris apterus*. *Physiological Entomology* 29: 344-355.

**Košťál V.**, **Tollarová M.**, Šula J., 2004. Adjustments of the enzymatic complement for polyol biosynthesis and accumulation of diapausing cold-acclimated adults of *Pyrrhocoris apterus*. *Journal of Insect Physiology* 50: 303-313.

**Košťál V.**, **Vambora J.**, Bastl J., 2004. On the nature of pre-freeze mortality in insects: water balance ion homeostasis and energy charge in the adults of *Pyrrhocoris apterus*. *Journal of Experimental Biology* 207: 1509-1521.

Koubková B., Baruš V., Prokeš M., **Dyková I.**, 2004. *Raphidascaris acus* (Bloch 1779) larvae infections of the stone loach *Barbatula barbatula* (L.) from the River Haná Czech Republic. *Journal of Fish Disease* 27: 65-71.

**Křivan V.**, Schmitz O.J., 2004. Trait and density mediated indirect interactions in simple food webs. *Oikos* 107: 239-250.

**Křivan V.**, Vrkoč I., 2004. Should "handled" prey be considered? Some consequences for functional

response predator-prey dynamics and optimal foraging theory. *Journal of Theoretical Biology* 227: 167-174.

**Kuchta R., Scholz T.,** 2004. *Bathycestus brayi* n. gen. and n. sp (Cestoda : Pseudophyllidea) from the deep-sea fish *Notacanthus bonaparte* in the Northeastern Atlantic. *Journal of Parasitology* 90: 316-321.

Kumstátová T., Brinke T., Tomková S., **Fuchs R.,** Petrušek A., 2004. Habitat preferences of tree pipit (*Anthus trivialis*) and meadow pipit (*A. pratensis*) at sympatric and allopatric localities. *Journal of Avian Biology* 145: 334-342.

Küpper H., **Ferimazová N., Šetlík I.,** Berman-Frank I., 2004. Traffic lights in *Trichodesmium*. Regulation of photosynthesis for nitrogen fixation studied by chlorophyll fluorescence kinetic microscopy. *Plant physiology* 135: 2120-2133.

Küpper H., **Šetlík I.,** Hlásek M., 2004. A versatile chamber for simultaneous measurements of oxygen exchange and fluorescence in filamentous and thallose algae as well as higher plants. *Photosynthetica* 42: 579-584.

Kutá Smatanová I., **Vácha F.,** Gavira J.A., Carcia-Ruiz J.M., 2004. Crystallization of photosystem II core complexes from *Pisum sativum*. *Acta Crystallographica* 60: 131.

Kutý M., Pšenčík J., **Vácha F.,** 2004. Charge separation on photosystem II reaction centres. *Acta Crystallographica* 60: 178.

Kváč M., **Ditrich O.,** Kouba M., **Sak B.,** Vítovec J., Květoňová D. 2004. Failed attempt of *Cryptosporidium andersoni* infection in lambs. *Folia Parasitologica* 51: 373-374.

**Lepš J.,** 2004. Variability in population and community biomass in a grassland community affected by environmental productivity and diversity. *Oikos* 107: 64-71.

**Lepš J.,** 2004. What do the biodiversity experiments tell us about consequences of plant species loss in the real world? *Basic and Applied Ecology* 5: 529-534.

**Lhota S.,** Junek T., Bartoš L., 2004. Alternative reproduction tactics in male aye-ayes: individual differences in social behaviour and ranging patterns. *Folia Primatologica* 75: 88.

**Litvín R., Vácha F.,** 2004. Room temperature oxidation of the peripheral chlorophyll of photosystem II reaction centre. *Acta Physiologiae Plantarum* 26: 98.

Logan F.J., **Horák A., Štefka J.,** Aydogdu A., **Scholz T.,** 2004. The phylogeny of diphyllbothriid tapeworms (Cestoda: Pseudophyllidea) based on ITS-2 rDNA sequences. *Parasitological Research* 94: 10-15.

Lorenz M.W., Zemek R., **Kodřík D.,** Socha R., 2004. Lipid mobilisation and locomotor stimulation in *Gryllus bimaculatus* (de Geer) (Ensifera, Gryllidae) by topically applied adipokinetic hormone. *Physiological Entomology* 29: 146-151.

**Martínková J., Klimešová J., Mihulka S.,** 2004. Resprouting after disturbance: an experimental study with short-lived monocarpic herbs. *Folia Geobotanica* 39: 1-12.

Mataloni G., **Komárek J.,** 2004. *Gloeocapsopsis aurea* a new subaerophytic cyanobacterium from maritime Antarctica. *Polar Biology* 27: 623-628.

**Matoušek J.,** Orctová L., Steger G., Riesner D., 2004. Biolistic inoculation of plants with viroid nucleic



acids. *Journal of Virological Methods* 122: 153-164.

**Matoušek J.**, Orctová L., Steger G., **Škopek J.**, Moors M., Dědič P., Riesner D., 2004. Analysis of thermal stress-mediated PSTVd variation and biolistic inoculation of progeny of viroid "thermomutants" to tomato and Brassica species. *Virology* 323: 9-23.

Mediouni J., **Fuková I.**, **Frydrychová R.**, Dhouibi M.H., **Marec F.**, 2004. Karyotype sex chromatin and sex chromosome differentiation in the carob moth *Ectomyelois ceratoniae* (Lepidoptera: Pyralidae). *Caryologia* 57: 184-194.

Morais J.P.M.G., Azevedo R.B., Silva L.P., Lacava Z.G.M., Bao S.N., Silva O., Pelegri F., Gansau C., Buske N., **Šafařík I.**, Šafaříková M., Morais P.C., 2004. Magnetic resonance investigation of magnetic-labeled baker's yeast cells. *Journal of Magnetism and Magnetic Materials* 272-276: 2400-2401.

Moravec F., **Fiala I.**, **Dyková I.**, 2004. *Philometra thaiensis* sp nov (Nematoda Philometridae) from *Tetraodon palembangensis* and *T. fluviatilis* (Pisces) from fresh waters in Thailand with a key to *Philometra* spp. parasitic in the host's abdominal cavity. *Acta Parasitologica* 49: 319-324.

**Nedvěd O.**, 2004. Occurrence of the phylum cycliophora in the Mediterranean. *Marine Ecology, Progress Series* 277: 297-299.

**Novotný V.**, Basset Y., Miller S.E., Kitching R., Laidlaw M., Drozd P., **Čížek L.**, 2004. How many insect species feed on woody plants from one hectare of a lowland rainforest? *Conservation Biology* 18: 227-237.

**Novotný V.**, Miller S.E., **Lepš J.**, Bito D., **Janda M.**, **Hulcr J.**, Basset Y., Damas K., Weiblen G.D., 2004. No tree an island: the plant-caterpillar food web of secondary rainforest in New Guinea. *Ecology Letters* 7: 1090-1110.

Oravecz O., Elhottová D., Křišťůfek V., Šustr V., Frouz J., **Tříška J.**, Márialigeti K., 2004. Application of ARDRA and PLFA analysis in characterizing the bacterial communities of the food gut and excrement of saprophagous larvae of *Penthetria holosericea* (Diptera : Bibionidae): a pilot study. *Folia Microbiologica* 49: 83-93.

Oros M., Hanzelová V., **Scholz T.**, 2004. The cestode *Atractolytocestus huronensis* (Caryophyllidea) continues to spread in Europe: new data on the helminth parasite of the common carp. *Diseases of Aquatic Organisms* 62: 115-119.

**Pech P.**, **Fric Z.**, **Konvička M.**, **Zrzavý J.**, 2004. Phylogeny of *Maculinea* blues (Lepidoptera: Lycaenidae) based on morphological and ecological characters: evolution of parasitic myrmecophily. *Cladistics* 20: 362-375.

Pechová J., **Kopecký J.**, **Salát J.**, 2004. Effect of tick salivary gland extract on the cytokine production by mouse epidermal cells. *Folia Parasitologica* 51: 367-372.

**Petrů M.**, Menges E.S., 2004. Shifting sand in Florida scrub gaps and roadsides: Dynamic microsites for herbs. *American Midland Naturalist* 151: 101-113.

**Pichlová R.**, Weber A., Gosser B., 2004. *Leptodora kindtii* survival in the laboratory. *Aquatic Ecology* 38: 537-546.

Podlipaev S., Votýpka J., **Jirků M.**, Svobodová M., **Lukeš J.**, 2004. *Herpetomonas ztiplika* n.sp.

(Kinetoplastida: Trypanosomatidae) - parasite of the blood-sucking biting midge *Culicoides kibunensis* Tokunaga 1937 (Diptera: Ceratopogonidae). *Journal of Parasitology* 90: 342-347.

Podlipaev S.A., Sturm N., **Fiala I.**, Fernandes O., Westenberger S.J., Dollet M., Campbell D.A., **Lukeš J.**, 2004. Diversity of insect trypanosomatids assessed from the spliced leader RNA and 5S rRNA genes and intergenic regions. *Journal of Eukaryotic Microbiology* 51: 283-290.

Pokorný J., **Květ J.**, 2004. Aquatic plants and lake ecosystems. In: *The lake handbook*. Vol. 1. Limnology and limnetic ecology, O'Sullivan P.E. et Reynolds, C.S. (eds.). Oxford Blackwell Publishing LTD, pp. 309-340.

Porcal P., **Hejzlar J.**, **Kopáček J.**, 2004. Seasonal and photochemical changes of DOM in an acidified forest lake and its tributaries. *Aquatic Sciences* 66: 211-222.

**Prach K.**, 2004. Book review: *The restoration and management of derelict land: Modern approach*, Wong M.H., Bradshaw A.D. *Restoration Ecology* 12: 130.

**Rakoušský S.**, **Ondřej M.**, **Sehnal F.**, Habušťová O., Hussein H.M., Ovesná J., Kučera L., Kocourek F., Řiha K., Dostálová R., Seidenglanz M., Tejklová E., Griga M., 2004. Transgenic plant products and their introduction into the environment and to crop protection systems, a risk assessment. In: Nap, J.-P., Atanassov, A., Stiekema, W. J. (eds.): *Proc. NATO Advanced Res. Workshop Genomics for Biosafety in Plant Biotechnology*, Bansko, Bulgaria, 15-19 October, 2004, NATO Science Series: Life and Behavioural Science, 359. IOS Press, Amsterdam, The Netherlands, pp. 173-184.

Renault D., **Nedvěd O.**, Hervant F., Vernon P., 2004. The importance of fluctuating thermal regimes for repairing chill injuries in the tropical beetle *Alphitobius diaperinus* (Coleoptera: Tenebrionidae) during low temperature exposures. *Physiological Entomology* 29: 139-145.

**Riegert J.**, **Fuchs R.**, 2004. Insect in the diet of urban kestrels from central Europe: An alternative prey or constant component of the diet? *Ornis Fennica* 81: 23-32.

Romanovsky A.A., Steiner A.A., Barczayova L., **Janský L.**, Gourine V.N., 2004. Arginine vasopressin in fever: a still unsolved puzzle. *Journal of Thermal Biology* 29: 407-411.

Roth J., Vybiral S., Zeisberger E., **Janský L.**, 2004. Endogenous antipyretics: Neuropeptides and glucocorticoids. *Frontiers in Bioscience* 9: 816-826.

**Rudenko N.**, **Golovchenko M.**, **Cihlářová V.**, **Grubhoffer L.**, 2004. Tick-borne encephalitis virus-specific RT-PCR - A rapid test for detection of the pathogen without viral RNA purification. *Acta Virologica* 48: 167-171.

**Rusek J.**, 2004. Collembola succession on deposits from a chemical factory. *Pedobiologia* 48: 519-525.

**Sak B.**, **Saková K.**, **Ditrich O.**, 2004. Effects of a novel anti-exospore monoclonal antibody on microsporidial development *in vitro*. *Parasitology Research* 92: 74-80.

**Salát J.**, **Sak B.**, Le T., **Kopecký J.**, 2004. Susceptibility of IFN-gamma or IL-12 knock-out and SCID mice to infection with two microsporidian species *Encephalitozoon cuniculi* and *E. intestinalis*. *Folia Parasitologica* 51: 275-282.

Salgado-Maldonado G., Moravec F., Cabanas-Carranza G., Aguilar-Aguilar R., Sanchez-Nava P., Baez-Vale R., **Scholz T.** 2004. Helminth parasites of the tropical gar *Atractosteus tropicus* Gill from Tabasco Mexico. *Journal of Parasitology* 90: 260-265.

Sedláček O., **Fuchs R.**, Exnerová A., 2004. Redstart *Phoenicurus phoenicurus* and black redstart *P. ochruros* in a mosaic urban environment: neighbours or rivals? *Journal of Avian Biology* 35: 336-343.

Sehadová H., Markova E.P., **Sehnal F.**, Takeda M., 2004. Distribution of circadian clock-related proteins in the cephalic nervous system of the silkworm, *Bombyx mori*. *Journal of Biological Rhythms* 19: 466-482.

**Sehnal F.**, **Žurovec M.**, 2004. Construction of silk fiber core in Lepidoptera. *Biomacromolecules* 5: 666-674.

**Scholz T.**, Aguirre-Macedo M.L., Choudhury A., 2004. *Auriculostoma astyanace* N. gen. N. sp (Digenea : Allocreadiidae) from the banded astyanax *Astyanax fasciatus* (Characiformes : Characidae) from Nicaragua with a reevaluation of neotropical *Crepidostomum* spp. *Journal of Parasitology* 90: 1128-1132.

**Scholz T.**, Bray A.R., **Kuchta R.**, Řepová R., 2004. Larvae of gryporhynchid cestodes (Cyclophyllidea) from fish: a review. *Folia Parasitologica* 51: 131-152.

**Scholz T.**, Marcogliese D.J., Bourque J.F., **Škeříková A.**, Dodson J.J., 2004. Occurrence of *Proteocephalus tetrastomus* (Rudolphi 1810) (Cestoda : Proteocephalidea) in larval rainbow smelt (*Osmerus mordax*) in North America: Identification of a potential pathogen confirmed. *Journal of Parasitology* 90: 425-427.

**Scholz T.**, **Škeříková A.**, Shimazu, T., Grygier, M.J., 2004. A taxonomic study of species of *Bothriocephalus* Rudolphi, 1808 (Cestoda: Pseudophyllidea) from eels in Japan: morphological and molecular evidence for the occurrence of *B. claviceps* (Goeze, 1782) and confirmation of the validity of *B. japonicus* Yamaguti, 1934. *Systematic Parasitology* 57: 87-96.

Schubert J., **Matoušek J.**, Mattern D., 2004. Pathogen-derived resistance in potato to Potato virus Y: aspects of stability and biosafety under field conditions. *Virus Research* 100: 41-50.

Socha R., **Kodřík D.**, Šimek P., **Patočková M.**, 2004. The kind of AKH-mobilized energy substrates in insects can be predicted without a knowledge of the hormone structure. *European Journal of Entomology* 101: 29-35.

Socha R., Šula J., **Kodřík D.**, 2004. Wing morph-related differences in developmental pattern in accessory gland proteins in adult males of *Pyrrhocoris apterus* (L.) and their endocrine control. *Journal of Insect Physiology* 50: 893-901.

**Straškrábová V.**, Izmet'eva L.R., Maksimova E.A., Fietz S., Nedoma J., **Borovec J.**, Kobanova G.I., Shchetinina E.V., Pislegina E.V., 2004. Primary production and microbial activity in the euphotic zone of Lake Baikal (Southern Basin) during late winter. *Global and Planetary Change* 46: 57-73.

Suda J., Malcová R., Abazid D., Banas M., Procházka F., Šída O., **Štech M.**, 2004. Cytotype distribution in *Empetrum* (Ericaceae) at various spatial scales in the Czech Republic. *Folia Geobotanica* 39: 161-171.

**Šafařík I.**, Šafaříková M., 2004. Magnetic nano- and microparticles in biosciences and biotechnology. In: *Nanoscale Magnetic Oxides and Bio-World*, Nedkov I., Tailhades P., (eds. ). Sofia Heron Press, pp 93-122.

**Šantrůček J.**, **Šimaňová E.**, **Karbulková J.**, Šimková M., Schreiber L., 2004. A new technique for measurement of water permeability of stomatous cuticular membranes isolated from *Hedera helix* leaves. *Journal of Experimental Botany* 55: 1411-1422.

- Šantrůčková H., Pícek T.,** Tykva R., **Šímek M.,** Pavlů B., 2004. Short-term partitioning of C-14-[U]-glucose in the soil microbial pool under varied aeration status. *Biology and Fertility of Soils* 40: 386-392.
- Šantrůčková H., Vrba J., Pícek T., Kopáček J.,** 2004. Soil biochemical activity and phosphorus transformations and losses from acidified forest soils. *Soil Biology and Biochemistry* 36: 1569-1576.
- Šenigl F., Kopecný J., Grubhoffer L.,** 2004. Distribution of E and NS1 proteins of TBE virus in mammalian and tick cells. *Folia Microbiologica* 49: 213-216.
- Šíma J., Dědina J., Rychlovský P.,** 2004. The efficiency of the electrochemical generation of volatile hydrides studied by radiometry and atomic absorption spectrometry. *Spectrochimica Acta Part B-atomic Spectroscopy* 59: 125-133.
- Šímek K., Jezbera J., Horňák K., Vrba J., Sed'a J.,** 2004. Role of diatom-attached choanoflagellates of the genus *Salpingoeca* as pelagic bacterivores. *Aquatic Microbial Ecology* 36: 257-269.
- Šímek M.,** Elhottová D., Klimeš F., Hopkins D.W., 2004. Emission of N<sub>2</sub>O and CO<sub>2</sub>, denitrification measurements and soil properties in red clover and regrass stands. *Soil Biology and Biochemistry* 36: 9-21.
- Škeříková A., Hypša V., Scholz T.,** 2004. A paraphyly of the genus *Bothriocephalus rudolphi* 1808 (Cestoda : Pseudophyllidea) inferred from internal transcribed spacer-2 and 18s ribosomal DNA sequences. *Journal of Parasitology* 90: 612-617.
- Šklíba J., Fuchs R.,** 2004. Corncrake *Crex crex* extended their home ranges by visiting the territories of neighbouring males. *Bird Study* 51: 113-118.
- Šmahel M., Pokorná D., Macková J., **Vlasák J.** 2004. Enhancement of immunogenicity of HPV16 E7 oncogene by fusion with *E. coli* beta-glucuronidase. *Journal of Gene Medicine* 6: 1092-1101.
- Šnábel V., Hanzelová V., **Scholz T.,** Gerdeaux D., Cabaret J., 2004. Allozyme analysis of genetic variation and polymorphism in *Eubothrium salvelini* and *E. crassum* (Cestoda : Pseudophyllidea) from alpine lakes. *Parasitological Research* 93: 290-295.
- Šobotník J., **Weyda F.,** Hanus R., Kyjaková P., Doubský J., 2004. Ultrastructure of the frontal gland in *Prorhinotermes simplex* (Isoptera : Rhinotermitidae) and quantity of the defensive substance. *European Journal of Entomology* 101: 153-163.
- Špačková I., Lepš J.,** 2004. Variability of seedling recruitment under dominant, moss and litter removal over four years. *Folia Geobotanica* 29: 41-55.
- Špak J.,** Příbylová J., Špaková V., Kubelková D., 2004. The presence of phytoplasma in black currant infected with the blackcurrant reversion disease. *Journal of Phytopathology* 152: 1-6.
- Šumbera R.,** Chitaukali W.N., Elichová M., Kubová J., **Burda H.,** 2004. Microclimatic stability in burrows of an Afrotropical solitary bathyergid rodent the silvery mole-rat (*Heliophobius argenteocinereus*). *Journal of Zoology* 263: 409-416.
- Tomimura K., **Špak J.,** Katis N.K., Jenner C.E., Walsh J.A., Gibbs A.J., Ohshima K., 2004. Comparisons of the genetic structure of populations of Turnip mosaic virus in west east Eurasia. *Virology* 330: 408-423.
- Tříška J.,** Kuncová G., Macková M., Nováková H., Paasivirta J., Lahtiperä M., Vrchotová N., 2004. Isolation and identification of intermediates from biodegradation of low chlorinated biphenyls (Delor-103). *Chemosphere* 54: 725-733.

Uzunov J., Vadineanu A., Adamescu M., Beltram G., David S., **Květ J.**, Ott I., Piorkowski H., Sedláková J., Ulevicius A., Watt A., Young J., 2004. Inland aquatic habitats. In: Conflicts between human activities and the conservation of biodiversity in agricultural landscapes grasslands forests wetlands and uplands in the Accession and Candidate Countries (ACC), Young, J. et al (eds.). Banchory Centre for Ecology and Hydrology Banchory, pp. 57-74.

**Vašek M., Kubečka J.**, 2004. In situ diel patterns of zooplankton consumption by subadult/adult roach *Rutilus rutilus*, bream *Abramis brama*, and bleak *Alburnus alburnus*. *Folia Zoologica* 53: 203-214.

**Vašek M., Kubečka J., Peterka J., Čech M., Draštík V., Hladík M., Prchalová M.**, Frouzová J., 2004. Longitudinal and vertical spatial gradient in the distribution of fish within a canyon-shaped reservoir. *International Review of Hydrobiology* 89: 352-362.

**Vašková D., Špak J.**, Klerks M.M., Jelkmann W., Thompson J.R., 2004. Real - time NASBA detection of strawberry vein banding virus. *European Journal of Plant Pathology* 110: 213-221.

Via-Ordorika L., Fastner J., Kurmayer R., Hisbergues M., Dittmann E., **Komárek J.**, Erhard M., Chorus I., 2004. Distribution of microcystin-producing and non-microcystin-producing *Microcystis* sp in European freshwater bodies: Detection of microcystins and microcystin genes in individual colonies. *Systematic and Applied Microbiology* 27: 592-602.

Votýpka J., **Lukeš J., Oborník M.**, 2004. Phylogenetic relationship of *Trypanosoma corvi* and other Old World avian trypanosomes. *Acta Protozoologica* 43: 225-231.

**Vrba J.**, Callieri C., Bittl T., **Šimek K.**, Bertoni R., Filandr P., Hartman P., **Hejzlar J.**, Macek M., 2004. Are bacteria major producers of extracellular glycolytic enzymes in aquatic environments? *International Review of Hydrobiology* 89: 102-117.

Vrchotová N., **Tříška J.**, Urban O., Pěkníček L., 2004. Variability of catechin and 4-hydroxyacetophenone distribution in Norway spruce needles in relation to their position age and growing conditions. *Environmental Pollution* 131: 55-59.

Vybíral S., Pešanová Z., Barczayova L., **Janský L.**, 2004. Pyrogenic effects of cytokines (IL-1 IL-6 TNF) and their mode of action on thermoregulatory centers and functions. *Journal of Thermal Biology* 30: 19-28.

**Wotavová K., Balounová Z., Kindlmann P.**, 2004. Factors influencing the occurrence and extinction of the terrestrial orchid, *Dactylorhiza majalis*, in wet meadows. *Biological Conservation* 118: 271-279.

Zeiner G., **Foldynová S.**, Sturm N.R., **Lukeš J.**, Campbell D.A., 2004. SmDI is required for spliced leader RNA biogenesis. *Eukaryotic Cell* 3: 241-244.

**Zemanová E., Jirků M.**, Mauricio I.L., Miles M.A., **Lukeš J.**, 2004. Genetic polymorphism within the *Leishmania donovani* complex: correlation with geographical origin. *American Journal of Tropical Medicine and Hygiene* 70: 613-617.

**Zrzavý J., Řičánková V.**, 2004. Phylogeny of Recent Canidae (Mammalia, Carnivora): relative reliability and utility of the morphological and molecular datasets. *Zoologica Scripta* 33: 311-333.

Žďárská Z., **Nebesářová J.**, 2004. Transmission electron microscopy of presensory receptors in the forebody papillae of *Crepidostomum metoecus* (Digenea: Allocreadiidae). *Folia Parasitologica* 51: 27-32.

Žďárská Z., **Scholz T., Nebesářová J.**, 2004. Ultrastructure of the apical glandular region of the scolex of

Proteocephalus (Cestoda: Proteocephalidae). *Folia Parasitologica* 51: 333-338.

Župčanová A., **Vácha F.**, Kutá Smatanová I., 2004. Photosystem II reaction centres: isolation reconstitution and crystallisation. *Acta Crystallographica* 60: 208.