

Publikace pracovníků a studentů Biologické fakulty JU v roce 2005

(Jsou uvedeny pouze články ve vědeckých časopisech s IF, knihy a kapitoly v knihách vydaných zahraničním knižním nakladatelem, včetně editorství knih. Seznam je členěn abecedně.
Pracovníci a studenti BF jsou uvedeni tučně.)

Antczak M., Hromada M., Tryjanowski P., 2005. Frogs and toads in the food of the Great Grey Shrike (*Lanius excubitor*): Larders and skinning as two ways to consume dangerous prey. *Animal Biology* 55: 227-233.

Antczak M., Hromada M., Tryjanowski P., 2005. Research activity induces change in nest position of the Great Grey Shrike *Lanius excubitor*. *Ornis Fennica* 82: 20-25.

Antczak M., Hromada M., Tryjanowski P., 2005. Spatio-temporal changes in Great Grey Shrike *Lanius excubitor* impaling behaviour: From food caching to communication signs. *Ardea* 93: 101-107.

Barčiová L., Macholán M., 2005. Morphometric study of two species of wood mice *Apodemus sylvaticus* adn *A. flavicollis* (Rodentia: Muridae): traditional and geometric morphometric approach. *Acta Theriologica* 51: 15-27.

Borovičková B., Hypša V., 2005. Ontogeny of tick hemocytes: a comparative analysis of *Ixodes ricinus* and *Ornithodoros moubata*. *Experimental and Applied Acarology* 35: 317-333.

Brandl Z., 2005. Freshwater copepods and rotifers: predators and their prey. *Hydrobiologia* 546: 475-489.

Bruňanská M., **Scholz T.**, Ibraheem M., 2005. Spermiogenesis in the cestode *Corallobothrium solidum* Fritsch, 1886 (Proteocephalidea : Corallobothriinae). *Acta Zoologica* 86: 55-61.

Bumba L., Prášil O., **Vácha F.**, 2005. Antenna ring around trimeric Photosystem I in chlorophyll b containing cyanobacterium *Prochlorothrix hollandica*. *Biochimica et Biophysica Acta - Bioenergetics* 1708: 1-5.

Bumba L., Tichý M., Dobáková M., Komenda J., **Vácha F.**, 2005. Localization of the PsbH subunit in photosystem II from the *Synechocystis* 6803 using the His-tagged Ni-NTA Nanogold labeling. *Journal of Structural Biology* 152: 28-35.

Burda H., **Šumbera R.**, Chitaukali W.N., Dryden G.L., 2005. Taxonomic status and remarks on ecology of the Malawian mole-rat *Crzptomys whytei* (Rodentia, Bathyergidae). *Acta Theriologica* 50: 529-536.

Bystřická D., **Lenz O.**, Mráz I., Piherová L., Kmoch S., **Šíp M.**, 2005. Oligonucleotide-based microarray: A new improvement in microarray detection of plant viruses. *Journal of Virological Methods* 128: 176-182.

Cao X., **Štrojsová A.**, Znachor P., **Zapomělová E.**, Liu G., **Vrba J.**, Zhou Y., 2005. Detection of extracellular phosphatases in natural spring phytoplankton of a shallow eutrophic lake (Donghu, China). *European Journal of Phycology* 40: 251-258.

Čech M., **Kratochvíl M.**, **Kubečka J.**, **Drašík V.**, **Matěna J.**, 2005. Diel vertical migrations of bathypelagic perch fry. *Journal of Fish Biology* 66: 685-702.

- Davis M.A., Pergl J., Truscott A., Kollmann J., Bakker J.P., Domenech R., **Prach K.**, Prieur-Richard A., Veeneklaas R.M., **Pyšek P.**, del Moral R., Hobbs R.J., Collins S.L., Pickett S.T.A., Reich P.B., 2005. Vegetation change: a reunifying concept in plant ecology. *Perspectives in Plant Ecology, Evolution and Systematics* 7: 69-76.
- Day J., Benson E., Harding K., Knowles B., Idowu M., Bremmer D., Santos L., Santos F., Friedl T., Lorenz M., Lukešová A., **Elster J.**, **Lukavský J.**, Herdman M., Rippka R., Hall T., 2005. Cryopreservation and conservation of microalgae: The development of a pan-european scientific and biotechnological resource (The COBRA project). *Cryo Letters* 26: 231-238.
- de Bello F., **Lepš J.**, Sebastia M., 2005. Predictive value of plant traits to grazing along a climatic gradient in the Mediterranean. *Journal of Applied Ecology* 42: 824-833.
- de Chambrier A., **Scholz T.**, 2005. Redescription of *Houssayela sudobim* (Woodland, 1935) (Cestoda : Proteocephalidea), a parasite of *Pseudoplatystoma fasciatum* (Pisces: Siluriformes) from the River Amazon. *Systematic Parasitology* 62: 161-169.
- Doležal P., Šmíd O., Rada P., Zubáková Z., Bursa D., Suták R., **Nebesářová J.**, Lithgow T., **Tachezy J.**, 2005. Giardia mitochondria and trichomonad hydrogenosomes share a common mode of protein targeting. *Proceedings of the National Academy of Science* 102: 10924-10929.
- Doležal T.**, Doleželová E., **Žurovec M.**, Bryant P.J., 2005. A role for adenosine deaminase in drosophila larval development. *Plos Biology* 35: 381-389.
- Doležel D., Vaněčková H., **Šauman I.**, Hodková M., 2005. Is period gene causally involved in the photoperiodic regulation of reproductive diapause in the linden bug, *Pyrrhocoris apterus*? *Journal of Insect Physiology* 51: 655-659.
- Doleželová E., **Žurovec M.**, **Doležal T.**, Šimek P., Bryant P.J., 2005. The emerging role of adenosine deaminases in insects. *Insect Biochemistry and Molecular Biology* 35: 381-389.
- Dooms C., Laurent P., Daloze D., Pasteels J., **Nedvěd O.**, Braekman J.C., 2005. Synthesis and absolute configuration of hyperaspine, an alkaloid of the ladybird *Hyperaspis campestris*. *European Journal of Organic Chemistry* 7: 1378-1383.
- Drašík V.**, **Kubečka J.**, 2005. Fish avoidance of acoustic survey boat in shallow waters. *Fisheries Research* 72: 219-228.
- Dyková I.**, Boháčková L., **Fiala I.**, Macháčková B., Pecková H., Dvořáková H., 2005. Amoebae of the genera *Vannella* Bovee, 1965 and *Platyamoeba* Page, 1969 isolated from fish and their phylogeny inferred from SSU rRNA gene and ITS sequences. *European Journal of Protistology* 41: 219-230.
- Dyková I.**, Nowak B., Crosbie P., **Fiala I.**, Pecková H., Adams M., Macháčková B., Dvořáková H., 2005. *Neoparamoeba branchiphila* n. sp., and related species of the genus *Neoparamoeba* Page, 1987: morphological and molecular characterisation of selected strains. *Journal of Fish Diseases* 28: 49-64.
- Dyková I.**, Pecková H., **Fiala I.**, Dvořáková H., 2005. *Filamoeba sinensis* sp n., a second species of the genus *Filamoeba* Page, 1967, isolated from gills of *Carassius gibelio* (Bloch, 1782). *Acta Protozoologica* 44: 75-80.
- Dyková I.**, Pindová Z., **Fiala I.**, Dvořáková H., Macháčková B., 2005. Fish-isolated strains of *Hartmannella vermiformis* Page, 1967: morphology, phylogeny and molecular diagnosis of the

species in tissue lesions. *Folia Parasitologica* 52: 295-303.

Dyková I., Veverková M., Fiala I., Dvořáková H., 2005. *Protacanthamoeba bohémica* sp n., isolated from the liver of tench, *Tinca tinca* (Linnaeus, 1758). *Acta Protozoologica* 44: 369-376.

Edwards K., 2005. Assembly rules and restoration ecology: bridging the gap between theory and practise. *Restoration Ecology* 13: 580-581.

Edwards K., Mills K., 2005. Aboveground and belowground productivity of *Spartina alterniflora* (smooth cordgrass) in natural and created Louisiana salt marshes. *Estuaries* 28: 252-265.

Edwards K., Travis S., Proffitt E., 2005. Genetic effects of a large-scale *Spartina alterniflora* (smooth cordgrass) dieback and recovery in the northern Gulf of Mexico. *Estuaries* 28: 204-214.

Eizaguirre M., Schafellner C., López C., **Sehnal F.,** 2005. Relationship between an increase of juvenile hormone titer in early instars and the induction of diapause in fully grown larvae of *Sesamia nonagrioides*. *Journal of Insect Physiology* 51: 1127-1134.

Foldynová -Trantírková S., Paris Z., Sturm N.R., Campbell D.A., Lukeš J., 2005. The *Trypanosoma brucei* La protein is a candidate poly(U) shield that impacts spliced leader RNA maturation and tRNA intron removal. *International Journal for Parasitology* 35: 359-366.

Foltan P., Sheppard, S., Konvička M., Symondson W.O.C., 2005. The significance of facultative scavenging in generalist predator nutrition: detecting decayed prey in the guts of predators using PCR. *Molecular Ecology* 14: 4147-4158.

Frouzová J., **Kubečka J.,** Balk H., Frouz J., 2005. Target strength of some European fish species and its dependence on fish body parameters. *Fisheries Research* 75: 86-96.

Fuková I., Nguyen P., Marec F., 2005. Codling moth cytogenetics: karyotype, chromosomal location of rDNA, and molecular differentiation of sex chromosomes. *Genome* 48: 1083-1092.

Grubhoffer L., Golovchenko M., Vancová M., Zacharová-Slavíčková K., Rudenko N., Oliver J., 2005. Lyme borreliosis: insights into tick- / host-borrelia relations. *Folia Parasitologica* 52: 279-294.

Hanzelová V., **Kuchta R., Scholz T., Shinn A.,** 2005. Morphometric analysis of four species of *Eubothrium* (Cestoda : Pseudophyllidea) parasites of salmonid fish: An interspecific and intraspecific comparison. *Parasitology International* 54: 207-214.

Haraštová-Sobotková M., **Jersáková J., Kindlmann P., Čurn V.,** 2005. Morphometric and genetic divergence among populations of *Neotinea ustulata* (Orchidaceae) with different flowering phenologies. *Folia Geobotanica* 40: 385-405.

Hornák K., Mašín M., **Jezbera J., Bettarel Y., Nedoma J., Sime-Ngando T., Šimek K.,** 2005. Effects of decreased resource availability, protozoan grazing and viral impact on a structure of bacterioplankton assemblage in a canyon-shaped reservoir. *FEMS Microbiology Ecology* 52: 315-327.

Horváth A., **Horáková E., Dunajčíková P., Verner Z., Pravdová E., Šlapetová I., Cuninková L., Lukeš J.,** 2005. Downregulation of the nuclear-encoded subunits of the complexes III and IV disrupts their respective complexes but not complex I in procyclic *Trypanosoma brucei*. *Molecular Microbiology* 58: 116-130.

Hraška M., Rakouský S., Kocábek T., 2005. Use of a simple semiquantitative method for an

appraisal of green fluorescent protein (GFP) gene expression in transgenic tobacco plants. *Biologia Plantarum* 49: 313-316.

Hubálek Z., **Burda H.**, Scharff A., Heth G., Nevo E., **Šumbera R.**, Peško J., Zima J., 2005. Emmonsiosis of subterranean (Bathyergidae, Spalacidae) in Africa and Israel. *Medical Mycology* 43: 691-697.

Hulcr J., Pollet M., Ubik K., Vrkoč J., 2005. Exploitation of kairomones and synomones by *Medetera* spp. (Diptera: Dolichopodidae), predators of spruce bark beetles. *European Journal of Entomology* 102: 655-662.

Hussein H.M., Dimetry N., Zidan Z., Iss-Hak R.R., **Sehnal F.**, 2005. Effects of insect growth regulators on the hairy rose beetle, *Tropinota squalida* (Col., Scarabeidae). *Journal of Applied Entomology* 129: 142-148.

Hussein H.M., Habušťová O., **Sehnal F.**, 2005. Beetle-specific *Bacillus thuringiensis* Cry3Aa toxin reduces larval growth and curbs reproduction in *Spodoptera littoralis* (Boisd.). *Pest Management Science* 61: 1186-1192.

Hyliš M., Weiser J., **Oborník M.**, **Vávra J.**, 2005. DNA isolation from museum and type collection slides of microsporidia. *Journal of Invertebrate Pathology* 88: 257-260.

Hypša V., **Škeříková A.**, **Scholz T.**, 2005. Phylogeny, evolution and host-parasite relationships of the order Proteocephalidea (Eucestoda) as revealed by combined analysis and secondary structure characters. *Parasitology* 130: 359-371.

Janeček Š., **Lepš J.**, 2005. Effect of litter, leaf cover and cover of basal internodes of the dominant species *Molinia caerulea* on seedling recruitment and established vegetation. *Acta Oecologica* 28: 141-147.

Jezbera J., **Hornák K.**, **Šimek K.**, 2005. Food selection by bacterivorous protists: insight from the analysis of the food vacuole content by means of fluorescence in situ hybridization. *FEMS Microbiology Ecology* 52: 351-363.

Kalushkov P., **Nedvěd O.**, 2005. Genetically modified potatoes expressing Cry 3A protein do not affect aphidophagous coccinellids. *Journal of Applied Entomology* 129: 401-406.

Kavková M., Čurn V., 2005. *Paecilomyces fumosoroseus* (Deuteromycotina: Hyphomycetes) as a potential mycoparasite on *Sphaerotheca fuliginea* (Ascomycotina: Erysiphales). *Mycopathologia* 159: 53-63.

Kindlmann P., Aviron S., Burel F., 2005. When is landscape matrix important for determining animal fluxes between resource patches? *Ecological Complexity* 2: 150-158.

Kludkiewicz B., **Kodrík D.**, Grzelak K., Nirmala X., **Sehnal F.**, 2005. Structurally unique recombinant Kazal-type proteinase inhibitor retains activity when terminally extended and glycosylated. *Protein Expression and Purification* 43: 94-102.

Köckinger H., **Kučera J.**, Stebel A., 2005. *Pohlia nutans* subsp. *schimperi* (Müll.Hal.) Nyholm, a neglected Nordic moss in Central Europe. *Journal of Bryology* 27: 351-355.

Kodrík D., Socha R., 2005. The effect of insecticide on adipokinetic hormone titre in the insect body. *Pest Management Science* 61: 1077-1082.

Komárek J., Anagnostidis K., 2005. Cyanoprokaryota -2. Teil/ 2nd Part: Oscillatoriales. In:

Süßwasserflora von Mitteleuropa 19/2, Büdel B., Krienitz L., Gärtner G., Schagerl M. (eds.), Elsevier/Spektrum, Heidelberg, pp 759.

Konopová B., Zrzavý J. 2005. Ultrastructure, development and homology of insect embryonic cuticles. *Journal of Morphology* 264: 339-362.

Kopáček J., Borovec J., Hejzlar J., Ulrich K.U., Northon S.A., Amirbahman A., 2005. Aluminum control of phosphorus sorption by lake sediments. *Environmental Science and Technology* 39: 8784-8789.

Kopáček J., Klementová Š., Norton S.A., 2005. Photochemical production of ionic and particulate aluminum and iron in lakes. *Environmental Science and Technology* 39: 3656-3662.

Kopáček J., Stuchlík E., Wright R.F., 2005. Long-term trends and spatial variability in nitrate leaching from alpine catchment-lake ecosystems in the Tatra Mountains (Slovakia-Poland). *Environmental Pollution* 136: 89-101.

Kopáček J., Veselý J., 2005. Sulfur and nitrogen emissions in the Czech Republic and Slovakia from 1850 till 2000. *Atmospheric Environment* 39: 2179-2188.

Křišťůfek V., Elhottová D., Chroňáková A., Dostálková I., Pícek T., Kalčík J., 2005. Growth strategy of heterotrophic bacterial population along successional sequence on spoil of brown coal colliery substrate. *Folia Microbiologica* 50: 427-435.

Kučera J., Holyoak D.T., 2005. Lectotypification of *Bryum moravicum* Podp. (Bryopsida: Bryaceae). *Journal of Bryology* 27: 161-168.

Kuchta R., Hanzelová V., Shinn A., Poddubnaya L., Scholz T., 2005. Redescription of *Eubothrium fragile* (Rudolphi, 1802) and *E-rugosum* (Batsch, 1786) (Cestoda : Pseudophyllidea), parasites of fish in the Holarctic Region. *Folia Parasitologica* 52: 251-260.

Květoň J., Durčan M., Roháček K., Šantrůček J., Šesták Z., Vácha F., 2005. Pavel Šiffel (1954-2003) or life full of chlorophyll. *Photosynthetica*. 43: 323-328.

Lanta V., Lepš J., 2005. Effect of functional group richness and species richness in manipulated productivity–diversity studies: a glasshouse pot experiment. *Acta Oecologia* 29: 85-96.

Lewinsohn T.M., Novotný V., Basset Y., 2005. Insects on plants: diversity of herbivore assemblages revisited. *Annual Reviews of Ecology, Evolution and Systematics* 36: 597-620.

Ležalová R., Tkadlec E., Oborník M., Šimek J., Honza M. 2005. Should males come first? The relationship between offspring hatching order and sex in the black-headed gull *Larus ridibundus*. *Journal of Avian Biology* 36: 478-483.

Lom J., Dyková I., 2005. Microsporidian xenomas in fish seen in wider perspective. *Folia Parasitologica* 52: 69-81.

Lukeš J., Hashimi H., Zíková A., 2005. Unexplained complexity of the mitochondrial genome and transcriptome in kinetoplastid flagellates. *Current Genetics* 48: 277-299.

Lukeš J., Horák A., Scholz T., 2005. Helminth genome projects: all or nothing. *Trends in Parasitology* 21: 265-266.

Mankiewicz J., Komárková J., Izydorczyk K., Jurczak T., Tarczyska M., Zalewski M., 2005. Hepatotoxic cyanobacterial blooms in lakes of northern Poland. *Environmental Toxicology* 20: 499-506.

- Marande W., **Lukeš J.**, Burger G., 2005. Unique Mitochondrial Genome Structure in Diplonemids, the Sister Group of Kinetoplastids. *Eukaryotic Cell* 4: 1137-1146.
- Matoušek J.**, Schubert J., Ptáček J., **Kozlová P.**, Dědič P., 2005. Complete nucleotide sequence and molecular probing of Potato virus S genome. *Acta Virologica* 49: 195-205.
- Modrý D.**, **Jirků M.**, **Šumbera R.**, 2005. Three new species of Eimeria (Apicomplexa: Eimeriidae) from the silvery mole rat *Heliophobius Argenteocinereus*, Peters, 1846 (Rodentia: Bathyergidae) from Malawi. *Journal of Parasitology* 91(5): 1200-1203.
- Mráček Z., Bečvář S., **Kindlmann P.**, **Jersáková J.**, 2005. Habitat preference for entomopathogenic nematodes, their insect hosts and new faunistic records for the Czech Republic. *Biological Control* 34: 27-37.
- Mráček Z., **Kindlmann P.**, Webster J., 2005. *Steinernema* affine (Nematoda: Steinernematidae), a new record for North America and its distribution relative to other entomopathogenic nematodes in British Columbia. *Nematology* 7: 495-501.
- Neuwirth A., **Kodřík D.**, Birkenbeil H., **Sehnal F.**, 2005. Tris stimulates ecdysteroid secretion via Ca²⁺messenger system in the prothoracic glands of *Locusta migratoria*. *Physiological Entomology* 30: 270-277.
- Novotný V.**, Basset Y., 2005. Host specificity of insect herbivores in tropical forests. *Proceedings of the Royal Society, London, Biological Sciences* 272: 1083-1090.
- Novotný V.**, Clarke A.R., Drew R.A.I., Balagawi S., Clifford B., 2005. Host specialization and species richness of fruit flies (Diptera: Tephritidae) in a New Guinea rain forest. *Journal of Tropical Ecology* 21: 67-77.
- Novotný V.**, Miller S.E., Basset Y., **Čížek L.**, Darrow K., Kaupa B., Kua J., Weiblen G.D., 2005. An altitudinal comparison of caterpillar (Lepidoptera) assemblages on *Ficus* trees in Papua New Guinea. *Journal of Biogeography* 32: 1303-1314.
- Novotný V.**, Weiblen G.D., 2005. From communities to continents: beta-diversity of herbivorous insects. *Annales Zoologici Fennici* 42: 463-475.
- Oborník M.**, Green B.R., 2005. Mosaic Origin of the Heme Biosynthesis Pathway in Photosynthetic Eukaryotes. *Molecular biology and Evolution* 22: 2343-2353.
- Palenčár P., Kutý M., **Vácha F.**, 2005. Force field development on pigments of photosystem 2 reaction centre. *Photosynthetica* 43: 417-420.
- Pellis-van Berkel W., Verheijen M.H.G., Cuppen E., **Asahina M.**, de Rooij J., Jansen G., Plasterk R.H.A., Bos J.L., Zwarkuis F.J.T., 2005. Requirement of the *Caenorhabditis elegans* RapGEF pxf-1 and rap-1 for Epithelial Integrity. *Molecular Biology of the Cell* 16: 106-116.
- Petrzik K.**, **Holá M.**, **Špak J.**, 2005. Complete nucleotide sequence of radish mosaic virus RNA polymerase gene and phylogenetic relationships in the genus Comovirus. *Acta Virologica* 49: 271-275.
- Pícek T.**, **Dušek J.**, **Zemanová K.**, 2005. Nitrogen transformations and microbial activities in gravel bed horizontal subsurface flow wetlands - aerobic and anaerobic incubation experiments. *Natural and Constructed Wetlands: Nutrients, Metals and Management*. In: Vymazal, J. (ed.). Leiden, Backhuys Publishers, pp. 199-206.

- Poddubnaya L., Mackiewicz J., Bruňanská M., **Scholz T.**, 2005. Ultrastructural studies on the reproductive system of progenetic *Diplocotyle olrikii* (Cestoda, Spathebothriidea): Ovarian tissue. *Acta Parasitologica* 50: 199-207.
- Proffitt C.E., Chiasson R.L., Owens A.B., **Edwards K.**, Travis S.E., 2005. *Spartina alterniflora* genotype influences facilitation and suppression of high marsh species colonizing an early successional salt marsh. *Journal of Ecology*. 93: 404-416.
- Půža V.**, Mráček Z., 2005. Seasonal dynamics of entomopathogenic nematodes of the genera *Steinernema* and *Heterorhabditis* as a response to abiotic factors and abundance of insect hosts. *Journal of Invertebrate Pathology* 89: 116-122.
- Rajaniemi P., **Hrouzek P.**, Kaštovská K., Williame R., Rantala A., Hoffmann L., **Komárek J.**, Sivonen K., 2005. Phylogenetic and morphological evaluation of the genera *Anabaena*, *Aphanizomenon*, *Trichormus* and *Nostoc* (Nostocales, Cyanobacteria). *International Journal of Systematic and Ecological Microbiology* 55: 11-26.
- Rego R., **Hajdušek O.**, Kovář V., Kopáček P., **Grubhoffer L.**, **Hypša V.**, 2005. Molecular cloning and comparative analysis of fibrinogen-related proteins from the soft tick *Ornithodoros moubata* and the hard tick *Ixodes ricinus*. *Insect Biochemistry and Molecular Biology* 35: 991-1004.
- Rejmánková E., **Komárková J.**, 2005. Response of cyanobacterial mats to nutrient and salinity changes. *Aquatic Botany* 83: 87-107.
- Rejmánková E., **Komárková J.**, Rejmánek M., 2005. Delta15N as an indicator of N₂-fixation by cyanobacterial mats in tropical marshes. *Biochemistry* 673: 353-368.
- Rudenko N.**, **Golovchenko M.**, **Edwards M.**, **Grubhoffer L.**, 2005. Differential expression of *Ixodes ricinus* tick genes induced by blood feeding or *Borrelia burgdorferi* infection. *Journal of Medical Entomology* 42: 36-41.
- Rudenko N.**, **Golovchenko M.**, Němec J., Volkaert J., Mallátová N., **Grubhoffer L.**, 2005. Improved method of detection and molecular typing of *Borrelia burgdorferi sensu lato* in clinical samples by polymerase chain reaction without DNA purification. *Folia Microbiologica* 50: 31-39.
- Rudolf I., **Golovchenko M.**, Šikutová S., **Rudenko N.**, **Grubhoffer L.**, Hubálek Z., 2005. *Babesia microti* (Piroplasmida : Babesiidae) in nymphal *Ixodes ricinus* (Acari : Ixodidae) in the Czech Republic. *Folia Parasitologica* 52: 274-276.
- Sak B.**, **Ditrich O.**, 2005. Humoral intestinal immunity against *Encephalitozoon cuniculi* (Microsporidia) infection in mice. *Folia Parasitologica* 52: 158-162.
- Salát J.**, **Kopecný J.**, Janečková B., **Ditrich O.**, 2005. Different routes of infection with *Encephalitozoon intestinalis* affect the development of immune response in immunocompetent and immunodeficient mice. *Acta Parasitologica* 50: 180-188.
- Severinová J., **Salát J.**, Kročová Z., Řezníčková J., Demová H., **Horká H.**, **Kopecný J.**, 2005. Co-inoculation of *Borrelia afzelii* with tick salivary gland extract influences distribution of immunocompetent cells in the skin and lymph nodes of mice. *Folia Microbiologica* 50: 457-463.
- Schreiber L., Elshatshat S., Koch K., Lin J., **Šantrůček J.**, 2005. AgCl precipitates in isolated cuticular membranes reduce rates of cuticular transpiration. *Planta* 223: 283-290.

Socha R., **Kodřík D.**, Šula J., 2005. Wing morph-specific differences in the metabolism and endocrine control of reserve mobilization in adult males of a flightless bug, *Pyrrhocoris apterus* (L.) (Heteroptera). *Journal of Comparative Physiology B-Biochemical Systematic and Environmental Physiology* 175: 557-565.

Straškrabová V., Izmet'yeva L.R., Maksimova E.A., Fietz S., Nedoma J., **Borovec J.**, Kobanova G.I., Shchetinina E.V., Pislegina E.V., 2005. Primary production and microbial activity in the euphotic zone of Lake Baikal (Southern Basin) during late winter. *Global and Planetary Change* 46: 57-73.

Sychrovský V., Muller N., Schneider B., Smrečki V., Špirko V., Šponer J., **Trantírek L.**, 2005. Sugar Pucker Modulates the Cross-Correlated Relaxation Rates across the Glycosidic Bond in DNA. *Journal of the American Chemical Society* 127: 14663-14667.

Šafařík I., **Šafaříková M.**, **Weyda F.**, Mosiniewicz-Szablewska E., Slawska-Waniewska A., 2005. Ferrofluid-modified plant-based materials as adsorbents for batch separation of selected biologically active compounds and xenobiotics. *Journal of Magnetism and Magnetic Materials* 293: 371-376.

Šafaříková M., Kibriková I., Ptáčková L., Hubka T., Komárek K., **Šafařík I.**, 2005. Magnetic solid phase extraction of non-ionic surfactants from water. *Journal of Magnetism and Magnetic Materials* 293: 377-381.

Šantrůčková H., Bird M.I., **Elhottová D.**, Novák J., **Pícek T.**, **Šimek M.**, Tykva R., 2005. Heterotrophic fixation of CO₂ in soil. *Microbial Ecology* 49: 218-225.

Šantrůčková H., Kurbatova J.A., Shibistova O.B., Šmejkalová M., **Uhlířová E.**, 2005. Short-term kinetics of soil microbial respiration - A general parameter across scales? *Tree Species Effects on Soils: Implication for Global Change*. 229-246.

Šauman I., Briscoe A.D., Zhu, H., Shi D., Froy O., Stalleicken J., Yuan Q., Casselman A., Reppert S.M., 2005. Connecting the Navigational Clock to Sun Compass Input in Monarch Butterfly Brain. *Neuron* 46: 457-467.

Šafaříková M., Ptáčková L., Kibriková I., **Šafařík I.**, 2005. Biosorption of water-soluble dyes on magnetically modified *Saccharomyces cerevisiae* subsp *uvarum* cells. *Chemosphere* 59: 831-835.

Šiffel P., **Šantrůček, J.** 2005. Diurnal course of photochemical activity of winter-adapted Scots pine at subzero temperatures. *Photosynthetica* 43: 395-402.

Šilhánková M., **Jindra M.**, **Asahina M.**, 2005. Nuclear receptor NHR-25 is required for cell-shape dynamics during epidermal differentiation in *Caenorhabditis elegans*. *Journal of Cell Science* 118: 223-232.

Šimek K., **Horňák K.**, **Jezbera J.**, Mašín M., Nedoma J., Gasol J.M., Schauer M., 2005. Influence of top-down and bottom-up manipulations on the R-BT065 subcluster of beta-proteobacteria, an abundant group in bacterioplankton of a freshwater reservoir. *Applied and Environmental Microbiology* 71: 2381-2390.

Šobotník J., **Weyda F.**, Hanus R., 2005. Ultrastructural study of tergal and posterior sternal glands in *Prorhinotermes simplex* (Isoptera : Rhinotermitidae). *European Journal of Entomology* 102: 81-88.

Šourková M., Frouz J., Fettweis U., Bens O., Hüttl R.F., **Šantrůčková H.**, 2005. Soil

development and properties of microbial biomass succession in reclaimed post mining sites near Sokolov (Czech Republic) and near Cottbus (Germany). *Geoderma* 129: 73-80.

Šourková M., Frouz J., **Šantrůčková H.**, 2005. Accumulation of carbon, nitrogen and phosphorus during soil formation on alder spoil heaps after brown-coal mining, near Sokolov (Czech Republic). *Geoderma* 124: 203-214.

Štech M., Drábková L., 2005. Morphometric and RAPD study of the *Melampyrum sylvaticum* group in the Sudeten, the Alps and Carpathians. *Folia Geobotanica: Journal of Ecology and Systematics*. 40: 177-193.

Štrojsová A., Vrba J., Nedoma J., Šimek K., 2005. Extracellular phosphatase activity of freshwater phytoplankton exposed to different in situ phosphorus concentrations. *Marine and Freshwater Research* 56: 417-424.

Štrojsová M., Vrba J., 2005. Direct detection of digestive enzymes in planktonic rotifers using enzyme-labelled fluorescence (ELF). *Marine and Freshwater Research* 56: 189-195.

Uhlířová E., Elhottová D., Tříška J., Šantrůčková H., 2005. Physiology and microbial community structure in soil at extreme water content. *Folia Microbiologica* 50: 161-166.

Uhlířová E., Šimek M., Šantrůčková H., 2005. Microbial transformation of organic matter in soils of montane grasslands under different management. *Applied Soil Ecology* 28: 225-235.

Vácha F., Bumba L., Kaftan D., Vácha M., 2005. Microscopy and single molecule detection in photosynthesis. *Micron* 36: 483-502.

Vácha F., Pšenčík J., Kutý M., Šiffel P., Durčan M., 2005. Evidence for localisation of accumulated chlorophyll cation on the D1-accessory chlorophyll in the reaction centre of Photosystem II. *Photosynthesis Research* 84: 297-302.

Valenta J., Janda P., Dohnalová K., Nižňanský D., Linnros J., **Vácha F.**, 2005. Colloidal suspensions of silicon nanocrystals. from single nanocrystals to photonic structures. *Optical Materials* 27: 1046-1049.

Vancová M., Nebesářová J., Grubhoffer L., 2005. Lectin-Binding characteristics a Lyme borreliosis spirochete *Borrelia burgdorferi* sensu stricto. *Folia Microbiologica* 50: 229-238.

Vávra J., Hylíš M., Oborník M., Vossbrinck C.R., 2005. Microsporidia in aquatic microcrustacea: the copepod microsporidium *Marssoniella elegans* Lemmermann, 1900 revisited. *Folia Parasitologica* 52: 163-172.

Veselovský Z., 2005. Etologie. Praha, Academia Praha, pp 408.

Vítková M., Král J., Traut W., Zrzavý J., Marec F., 2005. The evolutionary origin of insect telomeric repeats, (TTAGG)_n. *Chromosome Research* 13: 145-156.

Vondrušková E., van den Burg J., **Zíková A.**, Ernst N.L., Stuart K., Benne R., **Lukeš J.** 2005. RNA Interference Analyses Suggest a Transcript-specific Regulatory Role for Mitochondrial RNA-binding Proteins MRP1 and MRP2 in RNA Editing and Other RNA Processing in *Trypanosoma brucei*. *Journal of Biological Chemistry* 280: 2429-2438.

Wijová M., Moravec F., Horák A., Modrý D., Lukeš J., 2005. Phylogenetic position of *Dracunculus medinensis* and some related nematodes inferred from 18S rRNA. *Parasitological Research* 96: 133-135.

Williamson M., **Pyšek P.**, Jarošík V., **Prach K.**, 2005. On the rates and patterns of spread of alien plants in the Czech Republic, Britain, and Ireland. *Ecoscience* 12: 424-433.

Znachor P., **Jezberová J.**, 2005. The occurrence of a bloom-forming green alga *Pleodorina indica* (Volvocales) in the downstream reach of the River Malse (Czech Republic). *Hydrobiologia* 541: 221-228.

Ždárská Z., **Nebesářová J.**, 2005. Transmission electron microscopy of the scolex and neck microtriches of *Silurotaenia siluri* (Batsch, 1786) (Cestode: Proteocephalidea). *Parasitological Research* 97: 98-102.